### **Section 3: Introduction**

#### **Foreword**



AVX offers a broad line of solid Tantalum capacitors in a wide range of sizes, styles, and ratings to meet any design needs. This catalog combines into one source AVX's leaded tantalum capacitor information from its worldwide tantalum operations.

The TAP/TEP is rated for use from -55°C to +85°C at rated voltage and up to +125°C with voltage derating. There are three preferred wire forms to choose from which are available on tape and reel, and in bulk for hand insertion.

AVX has a complete tantalum applications service available for use by all our customers. With the capability to prototype and mass produce solid tantalum capacitors in special configurations, almost any design need can be fulfilled.


And if the customer requirements are outside our standard testing, AVX will work with you to define and implement a test or screening plan.

AVX is determined to become the world leader in tantalum capacitor technology and has made, and is continuing to make, significant investments in equipment and research to reach that end. We believe that the investment has paid off with the devices shown on the following pages.

## **Dipped Radial Capacitors**

# SOLID TANTALUM RESIN DIPPED SERIES TAP/TEP

The TAP/TEP resin dipped series of miniature tantalum capacitors is available for individual needs in both commercial and professional applications. From computers to automotive to industrial, AVX has a dipped radial for almost any application.






#### **Wire Form Outline**




#### **SOLID TANTALUM RESIN DIPPED TAP/TEP**

#### **Preferred Wire Forms**



Non-Preferred Wire Forms (Not recommended for new designs)



#### **DIMENSIONS** millimeters (inches)

Wire Form	Figure	Case Size	L (see note 1)	s	d	Packaging Suffixes Available*			
Preferred Wire Forms									
С	Figure 1	A - R*	16.0±4.00 (0.630±0.160)	5.00±1.00 (0.200±0.040)	0.50±0.05 (0.020±0.002)	CCS Bulk CRW Tape/Reel CRS Tape/Ammo			
В	Figure 2	A - J*	16.0±4.00 (0.630±0.160)	5.00±1.00 (0.200±0.040)	0.50±0.05 (0.020±0.002)	BRW Tape/Reel BRS Tape/Ammo			
S	Figure 3	A - J*	16.0±4.00 (0.630±0.160)	2.50±0.50 (0.100±0.020)	0.50±0.05 (0.020±0.002)	SCS Bulk SRW Tape/Reel SRS Tape/Ammo			
Non-Preferr	Non-Preferred Wire Forms (Not recommended for new designs)								

F	Figure 4	A - R	3.90±0.75 (0.155±0.030)	5.00±0.50 (0.200±0.020)	0.50±0.05 (0.020±0.002)	FCS Bulk
D	Figure 5	A - H*	16.0±4.00 (0.630±0.160)	2.50±0.75 (0.100±0.020)	0.50±0.05 (0.020±0.002)	DCS Bulk DTW Tape/Reel DTS Tape/Ammo
G	Figure 6	A - J	16.0±4.00 (0.630±0.160)	3.18±0.50 (0.125±0.020)	0.50±0.05 (0.020±0.002)	GSB Bulk
Н	Similar to Figure 1	A - R	16.0±4.00 (0.630±0.160)	6.35±1.00 (0.250±0.040)	0.50±0.05 (0.020±0.002)	HSB Bulk

Notes: (1) Lead lengths can be supplied to tolerances other than those above and should be specified in the ordering information.

For case size availability in tape and reel, please refer to pages 101-102.




<sup>(2)</sup> For D, H, and H<sub>1</sub> dimensions, refer to individual product on following pages.

#### **TAP Series**



#### SOLID TANTALUM RESIN DIPPED CAPACITORS




TAP is a professional grade device manufactured with a flame retardant coating and featuring low leakage current and impedance, very small physical sizes and exceptional temperature stability. It is designed and conditioned to operate to +125°C (see page 132 for voltage derating above 85°C) and is available loose or taped and reeled for auto insertion. The 15 case sizes with wide capacitance and working voltage ranges means the TAP can accommodate almost any application.







#### **MAXIMUM CASE DIMENSIONS:** millimeters (inches)




Wire	C, F, G, H	B, S, D	
Case	Н	*H <sub>1</sub>	D
А	8.50 (0.330)	7.00 (0.280)	4.50 (0.180)
В	9.00 (0.350)	7.50 (0.300)	4.50 (0.180)
С	10.0 (0.390)	8.50 (0.330)	5.00 (0.200)
D	10.5 (0.410)	9.00 (0.350)	5.00 (0.200)
E	10.5 (0.410)	9.00 (0.350)	5.50 (0.220)
F	11.5 (0.450)	10.0 (0.390)	6.00 (0.240)
G	11.5 (0.450)	10.0 (0.390)	6.50 (0.260)
Н	12.0 (0.470)	10.5 (0.410)	7.00 (0.280)
J	13.0 (0.510)	11.5 (0.450)	8.00 (0.310)
K	14.0 (0.550)	12.5 (0.490)	8.50 (0.330)
L	14.0 (0.550)	12.5 (0.490)	9.00 (0.350)
М	14.5 (0.570)	13.0 (0.510)	9.00 (0.350)
N	16.0 (0.630)		9.00 (0.350)
Р	17.0 (0.670)		10.0 (0.390)
R	18.5 (0.730)		10.0 (0.390)

#### **HOW TO ORDER**















10μ

#### **TECHNICAL SPECIFICATIONS**

All technical data relate to an ambient temperature of +25°C							
0.10	μF to	330 µ	F				
Capacitance Tolerance: ±20%; ±10% (±5% consult your AVX representative for details)					presentative for details)		
6.3	10	16	20	25	35	50	
4	6.3	10	13	16	23	33	
8	13	20	26	33	46	65	
5	9	12	16	21	28	40	
-55°C	c to +	125°C					
55/12	25/56	(IEC 6	8-2)				
≦0.0	4 for C	C <sub>R</sub> 0.1	-1.5µF				
≦0.0	6 for C	C <sub>R</sub> 2.2	-6.8µF				
≦0.0	8 for C	C <sub>R</sub> 10-	68µF				
≦0.10 for C <sub>B</sub> 100-330μF							
Reliability: 1% per 1000 hrs. at 85°C with 0.1Ω/V series impedance, 60% confid					series impedance, 60% confidence level.		
Qualification: CECC 30201 - 032							
	0.10 ±20% 6.3 4 8 5 -55°C 55/12 ≦0.0 ≦0.0 ≤0.1 1% p	0.10 µF to 3 ±20%; ±10 6.3 10 4 6.3 8 13 5 9 -55°C to +* 55/125/56 ≦0.04 for 0 ≤0.08 for 0 ≤0.10 for 0 1% per 100	$\begin{array}{c cccc} 0.10~\mu F \ to \ 330~\mu \\ \pm 20\%; \ \pm 10\% \ (\pm 5) \\ \hline \begin{array}{c cccc} 6.3 & 10 & 16 \\ \hline \end{array} \\ \begin{array}{c cccc} 4 & 6.3 & 10 \\ \hline \end{array} \\ \begin{array}{c cccc} 8 & 13 & 20 \\ \hline \end{array} \\ \begin{array}{c cccc} 5 & 9 & 12 \\ \hline \end{array} \\ \begin{array}{c ccccc} -55^{\circ} C \ to \ +125^{\circ} C \\ \hline \end{array} \\ \begin{array}{c ccccc} 55/125/56 \ (IEC \ 6) \\ \hline \leq 0.04 \ for \ C_R \ 0.1 \\ \hline \leq 0.08 \ for \ C_R \ 10 \\ \hline \leq 0.10 \ for \ C_R \ 100 \\ \hline \end{array} \\ \begin{array}{c ccccc} 1\% \ per \ 1000 \ hrs \\ \end{array}$	$\begin{array}{c cccc} 0.10 \ \mu F \ to \ 330 \ \mu F \\ \pm 200\%; \ \pm 10\% \ (\pm 5\% \ cor) \\ \hline 6.3 & 10 & 16 & 20 \\ \hline 4 & 6.3 & 10 & 13 \\ \hline 8 & 13 & 20 & 26 \\ \hline 5 & 9 & 12 & 16 \\ \hline -55^{\circ}C \ to + 125^{\circ}C \\ \hline 55/125/56 \ (IEC \ 68-2) \\ \hline \leq 0.04 \ for \ C_{R} \ 0.1-1.5 \mu F \\ \hline \leq 0.06 \ for \ C_{R} \ 10-68 \mu F \\ \hline \leq 0.10 \ for \ C_{R} \ 100-330 \mu \\ \hline 1\% \ per \ 1000 \ hrs. \ at \ 85 \\ \hline \end{array}$	$\begin{array}{c ccccc} 0.10 \ \mu F \ to \ 330 \ \mu F \\ \pm 200; \ \pm 10\% \ (\pm 5\% \ consult \ ) \\ \hline 6.3 & 10 & 16 & 20 & 25 \\ \hline 4 & 6.3 & 10 & 13 & 16 \\ \hline 8 & 13 & 20 & 26 & 33 \\ \hline 5 & 9 & 12 & 16 & 21 \\ \hline -55^{\circ}C \ to \ +125^{\circ}C \\ \hline 55/125/56 \ (IEC \ 68-2) \\ \hline \leq 0.04 \ for \ C_{R} \ 0.1-1.5 \mu F \\ \hline \leq 0.06 \ for \ C_{R} \ 10-68 \mu F \\ \hline \leq 0.10 \ for \ C_{R} \ 100-330 \mu F \\ \hline 1\% \ per \ 1000 \ hrs. \ at \ 85^{\circ}C \ w \\ \hline \end{array}$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$

Capacit	Capacitance Range (letter denotes case size)							
Capacita	Capacitance Rated voltage DC (V <sub>R</sub> )							
μF	Code	6.3V	10V	16V	20V	25V	35V	50V
0.10 0.15 0.22	104 154 224						A A A	A A A
0.33 0.47 0.68	334 474 684						A A A	A A B
1.0 1.5 2.2	105 155 225		А	A A	A A A	A A A	A A B	C D E
3.3 4.7 6.8	335 475 685	A A A	А А В	A B C	B C D	B C D	C E F	F G H
10 15 22	106 156 226	B C D	C D E	D E F	E F H	E F H	F H K	J K L
33 47 68	336 476 686	E F G	F G H	F J L	J K N	J M N	M N	
100 150 220	107 157 227	H K M	K N P	N N R	N			
330	337	Р	R					

Values outside this standard range may be available on request.

AVX reserves the right to supply capacitors to a higher voltage rating, in the same case size, than that ordered.

#### **MARKING**

Polarity, capacitance, rated DC voltage, and an "A" (AVX logo) are laser marked on the capacitor body which is made of flame retardant gold epoxy resin with a limiting oxygen index in excess of 30 (ASTM-D-2863).

Polarity

• Tolerance code:

Capacitance

±20% = Standard (no marking)

Voltage

 $\pm 10\% = \text{"K"}$  on reverse side of unit

AVX logo

 $\pm 5\%$  = "J" on reverse side of unit









#### **RATINGS AND PART NUMBER REFERENCE**

A) (V	Cooo	Canacitanas	DOL	DE	FCD
AVX Part No.	Case Size	Capacitance µF	DCL (µA)	DF %	ESR Max. (Ω)
Tait No.	Oize	μι	Max.	Max.	@ 100 kHz
					@ 100 Ki iz
6.3 v	olt @	85°C (4	volt @	125°C)	
TAP 335(*)006	Α	3.3	0.5	6	13.0
TAP 475(*)006	A	4.7	0.5	6	10.0
TAP 685(*)006	Α	6.8	0.5	6	8.0
TAP 106(*)006	В	10	0.5	8	6.0
TAP 156(*)006	C	15	0.8	8	5.0
TAP 226(*)006	D	22	1.1	8	3.7
TAP 336(*)006	E	33	1.7	8	3.0
TAP 476(*)006	F	47	2.4	8	2.0
TAP 686(*)006	G	68	3.4	8	1.8
TAP 107(*)006	Н	100	5.0	10	1.6
TAP 157(*)006	K	150	7.6	10	0.9
TAP 227(*)006	М	220	11.0	10	0.9
TAP 337(*)006	Р	330	16.6	10	0.7
	ort @	85°C (6.3	o voit @	125'0)	
TAP 225(*)010	Α	2.2	0.5	6	13.0
TAP 335(*)010	Α	3.3	0.5	6	10.0
TAP 475(*)010	Α	4.7	0.5	6	8.0
TAP 685(*)010	В	6.8	0.5	6	6.0
TAP 106(*)010	С	10	0.8	8	5.0
TAP 156(*)010	D	15	1.2	8	3.7
TAP 226(*)010	Е	22	1.7	8	2.7
TAP 336(*)010	F	33	2.6	8	2.1
TAP 476(*)010	G	47	3.7	8	1.7
TAP 686(*)010	Н	68	5.4	8	1.3
TAP 107(*)010	K	100	8.0	10	1.0
TAP 157(*)010	N	150	12.0	10	0.8
TAP 227(*)010	Р	220	17.6	10	0.6
TAP 337(*)010	R	330	20.0	10	0.5
16 vc	olt @	85°C (10	) volt @	125°C)	
TAP 155(*)016	A	1.5	0.5	4	10.0
TAP 225(*)016	A	2.2	0.5	6	8.0
TAP 335(*)016	A	3.3	0.5	6	6.0
TAP 475(*)016	В	4.7	0.6	6	5.0
TAP 685(*)016	C	6.8	0.8	6	4.0
TAP 106(*)016	D	10	1.2	8	3.2
TAP 156(*)016	E	15	1.9	8	2.5
TAP 226(*)016	F	22	2.8	8	2.0
TAP 336(*)016	F	33	4.2	8	1.6
TAP 476(*)016	j	47	6.0	8	1.3
TAP 686(*)016	Ľ	68	8.7	8	1.0
TAP 107(*)016	N	100	12.8	10	0.8
TAP 157(*)016	N	150	19.2	10	0.6
TAP 227(*)016	R	220	20.0	10	0.5
	-	85°C (13		-	-
	1			1	10.0
TAP 105(*)020	A	1.0	0.5	4	10.0
TAP 155(*)020	A	1.5 2.2	0.5	4	9.0
TAP 225(*)020 TAP 335(*)020	A B		0.5	6	7.0 5.5
TAP 335(*)020	C	3.3 4.7	0.5	6	4.5
TAP 685(*)020	D	6.8	1.0	6	3.6
TAP 685(*)020	E	10	1.6	8	2.9
TAP 106(*)020	F	15	2.4	8	2.9
TAP 226(*)020	Н	22	3.5	8	1.8
IAF 220(*)U2U	П		3.5	0	1.0

AVX	Case	Capacitance	DCL	DF	ESR Marri (0)			
Part No.	Size	μF	(μΑ) Max.	% Max.	Max. (Ω) @ 100 kHz			
20 volt @ 8	35°C	(13 volt	@ 125°0	C) conti	nued			
TAP 336(*)020	J	33	5.2	8	1.4			
TAP 476(*)020	K	47	7.5	8	1.2			
TAP 686(*)020	N	68	10.8	8	0.9			
TAP 107(*)020	N	100	16.0	10	0.6			
25 volt @ 85°C (16 volt @ 125°C)								
TAP 105(*)025	Α	1.0	0.5	4	10.0			
TAP 155(*)025	Α	1.5	0.5	4	8.0			
TAP 225(*)025	Α	2.2	0.5	6	6.0			
TAP 335(*)025	В	3.3	0.6	6	5.0			
TAP 475(*)025	С	4.7	0.9	6	4.0			
TAP 685(*)025	D	6.8	1.3	6	3.1			
TAP 106(*)025	Е	10	2.0	8	2.5			
TAP 156(*)025	F	15	3.0	8	2.0			
TAP 226(*)025	Н	22	4.4	8	1.5			
TAP 336(*)025	J	33	6.6	8	1.2			
TAP 476(*)025	М	47	9.4	8	1.0			
TAP 686(*)025	N	68	13.6	8	0.8			
35 v	olt @	85°C (2	3 volt @	125°C	)			
TAP 104(*)035	A	0.1	0.5	4	26.0			
TAP 154(*)035	A	0.15	0.5	4	21.0			
TAP 224(*)035	A	0.13		4	17.0			
			0.5	4				
TAP 334(*)035 TAP 474(*)035	A	0.33	0.5	4	15.0			
		0.47	0.5	4	13.0			
TAP 684(*)035 TAP 105(*)035	A	0.68	0.5	4	10.0			
	A	1.0	0.5	4	8.0 6.0			
TAP 155(*)035 TAP 225(*)035	В	2.2	0.5					
	_	3.3	0.6	6	5.0			
TAP 335(*)035	С		0.9	6	4.0			
TAP 475(*)035	E	4.7	1.3	6	3.0			
TAP 685(*)035	F	6.8	1.9	6	2.5			
TAP 106(*)035	F	10	2.8	8	2.0			
TAP 156(*)035	Н	15	4.2	8	1.6			
TAP 226(*)035	K	22	6.1	8	1.3			
TAP 336(*)035 TAP 476(*)035	M N	33 47	9.2	8	1.0 0.8			
					0.0			
	I .	85°C (33	ı	1	05-			
TAP 104(*)050	A	0.1	0.5	4	26.0			
TAP 154(*)050	A	0.15	0.5	4	21.0			
TAP 224(*)050	A	0.22	0.5	4	17.0			
TAP 334(*)050	A	0.33	0.5	4	15.0			
TAP 474(*)050	A	0.47	0.5	4	13.0			
TAP 684(*)050	В	0.68	0.5	4	10.0			
TAP 105(*)050	C	1.0	0.5	4	8.0			
TAP 155(*)050	D	1.5	0.6	4	6.0			
TAP 225(*)050	E	2.2	0.8	6	3.5			
TAP 335(*)050	F	3.3	1.3	6	3.0			
TAP 475(*)050	G	4.7	1.8	6	2.5			
TAP 685(*)050	Н	6.8	2.7	6	2.0			
TAP 106(*)050	J	10	4.0	8	1.6			
TAP 156(*)050	K	15	6.0	8	1.2			
TAP 226(*)050	L	22	8.8	8	1.0			

<sup>(\*)</sup> Insert capacitance tolerance code; M for ±20%, K for ±10% and J for ±5%

NOTE: Voltage ratings are minimum values. AVX reserves the right to supply higher voltage ratings in the same case size.






#### **Tape and Reel Packaging**

# SOLID TANTALUM RESIN DIPPED TAP/TEP TAPE AND REEL PACKAGING FOR AUTOMATIC COMPONENT INSERTION

TAP/TEP types are all offered on radial tape, in reel or 'ammo' pack format for use on high speed radial automatic insertion equipment, or preforming machines.


The tape format is compatible with EIA 468A standard for component taping set out by major manufacturers of radial automatic insertion equipment.

#### **TAP/TEP** – available in three formats. See page 101 for dimensions.



'B' wires for normal automatic insertion on 5mm pitch.


BRW suffix for reel BRS suffix for 'ammo' pack Available in case sizes A - J



'C' wires for preforming.

CRW suffix for reel CRS suffix for 'ammo' pack

Available in case sizes A - R



'S' and 'D' wire for special applications, automatic insertion on 2.5mm pitch.

SRW, DTW suffix for reel SRS, DTS suffix for 'ammo' pack Available in case sizes A - J



#### **Tape and Reel Packaging**




#### **SOLID TANTALUM RESIN DIPPED TAP/TEP**


#### CASE DIMENSIONS: millimeters (inches)

CASE DIMENSIONS: MII		
Description	Code	Dimension
Feed hole pitch	Р	$12.7 \pm 0.30 \ (0.500 \pm 0.010)$
Hole center to lead	P <sub>1</sub>	$3.85 \pm 0.70$ (0.150 $\pm$ 0.030) to be measured at bottom of clench
		$5.05 \pm 1.00 (0.200 \pm 0.040)$ for S wire
Hole center to component center	P <sub>2</sub>	$6.35 \pm 0.40 \ (0.250 \pm 0.020)$
Change in pitch	Δр	± 1.00 (± 0.040)
Lead diameter	d	$0.50 \pm 0.05 \ (0.020 \pm 0.003)$
Lead spacing	S	See wire form table
Component alignment	Δh	$0 \pm 2.00 (0 \pm 0.080)$
Feed hole diameter	D	$4.00 \pm 0.20 \ (0.150 \pm 0.008)$
Tape width	W	18.0 + 1.00 (0.700 + 0.040) - 0.50 - 0.020)
Hold down tape width	W <sub>1</sub>	6.00 (0.240) min.
Hold down tape position	W <sub>2</sub>	1.00 (0.040) max.
Lead wire clench height	I	$16.0 \pm 0.50 \ (0.630 \pm 0.020)$ $19.0 \pm 1.00 \ (0.750 \pm 0.040)$ on request
Hole position	H <sub>1</sub>	$9.00 \pm 0.50 \ (0.350 \pm 0.020)$
Base of component height	H <sub>2</sub>	18.0 (0.700) min. (S wire only)
Component height	Нз	32.25 (1.300) max.
Length of snipped lead	L	11.0 (0.430) max.
Total tape thickness	Т	$0.70 \pm 0.20 \ (0.030 \pm 0.001)$
		Carrying card 0.50 ± 0.10 (0.020 ± 0.005)

# REEL CONFIGURATION AND DIMENSIONS: millimeters (inches)



Manufactured from cardboard with plastic hub.



Holding tape outside. Positive terminal leading.

#### **PACKAGING QUANTITIES**

#### For Reels

Style	Case size	No. of pieces
TAP	А	1500
	B, C, D	1250
TEP	E, F	1000
	G, H, J	750
	K, L, M, N, P, R	500

#### For 'Ammo' pack

Style	Case size	No. of pieces
TAP TEP	A, B, C, D	3000
	E, F, G	2500
	H, J	2000
	K, L, M, N, P, R	1000

#### For bulk products

Style	Case size	No. of pieces
TAP	A to H	1000
TEP	J to L	500
	M to R	100

#### **AMMO PACK DIMENSIONS**

millimeters (inches) max.

Height 360 (14.17), width 360 (14.17), thickness 60 (2.36)

#### **GENERAL NOTES**

Resin dipped tantalum capacitors are only available taped in the range of case sizes and in the modular quantities by case size as indicated.

Packaging quantities on tape may vary by ±1%.





# SECTION 1: ELECTRICAL CHARACTERISTICS AND EXPLANATION OF TERMS

#### 1.1 CAPACITANCE

#### 1.1.1 Rated capacitance (C<sub>R</sub>)

This is the nominal rated capacitance. For tantalum capacitors it is measured as the capacitance of the equivalent series circuit at 20°C in a measuring bridge supplied by a 120 Hz source free of harmonics with 2.2V DC bias max.

#### 1.1.2 Temperature dependence on the capacitance

The capacitance of a tantalum capacitor varies with temperature. This variation itself is dependent to a small extent on the rated voltage and capacitor size. See graph below for typical capacitance changes with temperature.

# Typical Capacitance vs. Temperature 15 10 5 10 -15 -25 0 25 5 75 100 125 Temperature (°C)


#### 1.1.3 Capacitance tolerance

This is the permissible variation of the actual value of the capacitance from the rated value.

#### 1.1.4 Frequency dependence of the capacitance

The effective capacitance decreases as frequency increases. Beyond 100 kHz the capacitance continues to drop until resonance is reached (typically between 0.5-5 MHz depending on the rating). Beyond this the device becomes inductive.

#### Typical Curve Capacitance vs. Frequency



#### **1.2 VOLTAGE**

#### 1.2.1 Rated DC voltage (V<sub>R</sub>)

This is the rated DC voltage for continuous operation up to  $+85^{\circ}\text{C}$ .


#### 1.2.2 Category voltage (V<sub>C</sub>)

This is the maximum voltage that may be applied continuously to a capacitor. It is equal to the rated voltage up to +85°C, beyond which it is subject to a linear derating, to 2/3  $V_{\rm R}$  at 125°C.

#### 1.2.3 Surge voltage (V<sub>s</sub>)

This is the highest voltage that may be applied to a capacitor for short periods of time. The surge voltage may be applied up to 10 times in an hour for periods of up to 30 seconds at a time. The surge voltage must not be used as a parameter in the design of circuits in which, in the normal course of operation, the capacitor is periodically charged and discharged.

#### Category Voltage vs. Temperature







85	5°C	125°C		
Rated	Surge	Category	Surge	
Voltage	Voltage	Voltage	Voltage	
(V DC)	(V DC)	(V DC)	(V DC)	
2	2.6	1.3	1.7	
3	4	2	2.6	
4	5.2	2.6	3.4	
6.3	8	4	5	
10	13	6.3	9	
16	20	10	12	
20	26	13	16	
25	33	16	21	
35	46	23	28	
50	65	33	40	

#### 1.2.4 Effect of surges

The solid Tantalum capacitor has a limited ability to withstand surges (15% to 30% of rated voltage). This is in common with all other electrolytic capacitors and is due to the fact that they operate under very high electrical stress within the oxide layer. In the case of 'solid' electrolytic capacitors this is further complicated by the limited self healing ability of the manganese dioxide semiconductor.

It is important to ensure that the voltage across the terminals of the capacitor does not exceed the surge voltage rating at any time. This is particularly so in low impedance circuits where the capacitor is likely to be subjected to the full impact of surges, especially in low inductance applications. Even an extremely short duration spike is likely to cause damage. In such situations it will be necessary to use a higher voltage rating.

#### 1.2.5 Reverse voltage and non-polar operation

The reverse voltage ratings are designed to cover exceptional conditions of small level excursions into incorrect polarity. The values quoted are not intended to cover continuous reverse operation.

The peak reverse voltage applied to the capacitor must not exceed:

10% of rated DC working voltage to a maximum of 1V at 25°C

3% of rated DC working voltage to a maximum of 0.5V at 85°C

1% of category DC working voltage to a maximum of 0.1V at 125°C

#### 1.2.6 Non-polar operation

If the higher reverse voltages are essential, then two capacitors, each of twice the required capacitance and of equal tolerance and rated voltage, should be connected in a back-to-back configuration, i.e., both anodes or both cathodes joined together. This is necessary in order to avoid a reduction in life expectancy.

#### 1.2.7 Superimposed AC voltage (V<sub>rms</sub>) - Ripple Voltage

This is the maximum RMS alternating voltage, superimposed on a DC voltage, that may be applied to a capacitor. The sum of the DC voltage and the surge value of the superimposed AC voltage must not exceed the category voltage,  $V_{\rm c}$ . Full details are given in Section 2.

#### 1.2.8 Voltage derating

Refer to section 3.2 (pages 136-138) for the effect of voltage derating on reliability.

#### 1.3 DISSIPATION FACTOR AND TANGENT OF LOSS ANGLE (TAN D)

#### 1.3.1 Dissipation factor (DF)

Dissipation factor is the measurement of the tangent of the loss angle (Tan  $\delta$ ) expressed as a percentage.

The measurement of DF is carried out at  $+25^{\circ}$ C and 120 Hz with 2.2V DC bias max. with an AC voltage free of harmonics. The value of DF is temperature and frequency dependent.


#### 1.3.2 Tangent of loss angle (Tan $\delta$ )

This is a measure of the energy loss in the capacitor. It is expressed as Tan  $\delta$  and is the power loss of the capacitor divided by its reactive power at a sinusoidal voltage of specified frequency. (Terms also used are power factor, loss factor and dielectric loss, Cos (90 -  $\delta$ ) is the true power factor.) The measurement of Tan  $\delta$  is carried out at +20°C and 120 Hz with 2.2V DC bias max. with an AC voltage free of harmonics.

#### 1.3.3 Frequency dependence of dissipation factor

Dissipation Factor increases with frequency as shown in the typical curves below.

#### Typical Curve-Dissipation Factor vs. Frequency








#### 1.3.4 Temperature dependence of dissipation factor

Dissipation factor varies with temperature as the typical curves show to the right. For maximum limits please refer to ratings tables.

#### Typical Curves-Dissipation Factor vs. Temperature



#### 1.4 IMPEDANCE, (Z) AND EQUIVALENT SERIES RESISTANCE (ESR)

#### 1.4.1 Impedance, Z

This is the ratio of voltage to current at a specified frequency. Three factors contribute to the impedance of a tantalum capacitor; the resistance of the semiconducting layer, the capacitance, and the inductance of the electrodes and leads.

At high frequencies the inductance of the leads becomes a limiting factor. The temperature and frequency behavior of these three factors of impedance determine the behavior of the impedance Z. The impedance is measured at 25°C and 100 kHz.

#### 1.4.2 Equivalent series resistance, ESR

Resistance losses occur in all practical forms of capacitors. These are made up from several different mechanisms, including resistance in components and contacts, viscous forces within the dielectric, and defects producing bypass current paths. To express the effect of these losses they are considered as the ESR of the capacitor. The ESR is frequency dependent. The ESR can be found by using the relationship:

$$ESR = \frac{Tan \delta}{2\pi fC}$$


where f is the frequency in Hz, and C is the capacitance in farads. The ESR is measured at  $25^{\circ}\text{C}$  and 100 kHz.

ESR is one of the contributing factors to impedance, and at high frequencies (100 kHz and above) is the dominant factor, so that ESR and impedance become almost identical, impedance being marginally higher.

#### 1.4.3 Frequency dependence of impedance and ESR

ESR and impedance both increase with decreasing frequency. At lower frequencies the values diverge as the extra contributions to impedance (resistance of the semiconducting layer, etc.) become more significant. Beyond 1 MHz (and beyond the resonant point of the capacitor) impedance again increases due to induction.

#### Frequency Dependence of Impedance and ESR







#### 1.4.4 Temperature dependence of the impedance and ESR

At 100 kHz, impedance and ESR behave identically and decrease with increasing temperature as the typical curves show. For maximum limits at high and low temperatures, please refer to graph opposite.

#### 1.5 DC LEAKAGE CURRENT (DCL)

#### 1.5.1 Leakage current (DCL)

The leakage current is dependent on the voltage applied, the time, and the capacitor temperature. It is measured at +25°C with the rated voltage applied. A protective resistance of  $1000\Omega$  is connected in series with the capacitor in the measuring circuit.

Three minutes after application of the rated voltage the leakage current must not exceed the maximum values indicated in the ratings table. Reforming is unnecessary even after prolonged periods without the application of voltage.

#### 1.5.2 Temperature dependence of the leakage current

The leakage current increases with higher temperatures, typical values are shown in the graph.

For operation between 85°C and 125°C, the maximum working voltage must be derated and can be found from the following formula.

$$V max = \left(1 - \frac{(T-85)}{120}\right) \times V_R \text{ volts}$$

where T is the required operating temperature. Maximum limits are given in rating tables.

#### 1.5.3 Voltage dependence of the leakage current


The leakage current drops rapidly below the value corresponding to the rated voltage  $V_{\text{R}}$  when reduced voltages are applied. The effect of voltage derating on the leakage current is shown in the graph.

This will also give a significant increase in reliability for any application. See Section 3 (pages 137-138) for details.


#### 1.5.4 Ripple current

The maximum ripple current allowance can be calculated from the power dissipation limits for a given temperature rise above ambient. Please refer to Section 2 (page 135) for details.


#### Temperature Dependence of the Impedance and ESR



#### Temperature Dependence of the Leakage Current for a Typical Component



#### **Effect of Voltage Derating on Leakage Current**







#### **SECTION 2:**

#### AC OPERATION - RIPPLE VOLTAGE AND RIPPLE CURRENT

#### 2.1 RIPPLE RATINGS (AC)

In an AC application heat is generated within the capacitor by both the AC component of the signal (which will depend upon signal form, amplitude and frequency), and by the DC leakage. For practical purposes the second factor is insignificant. The actual power dissipated in the capacitor is calculated using the formula:

$$P = I^2 R = \frac{E^2 R}{Z^2}$$

I = rms ripple current, amperes

R = equivalent series resistance, ohms

E = rms ripple voltage, volts

P = power dissipated, watts

Z = impedance, ohms, at frequency under consideration

Using this formula it is possible to calculate the maximum AC ripple current and voltage permissible for a particular application.

# 2.2 MAXIMUM AC RIPPLE VOLTAGE (E<sub>MAX</sub>)

From the previous equation:

$$E_{(max)} = Z \sqrt{\frac{P_{max}}{R}}$$

where  ${\rm P}_{\rm max}$  is the maximum permissible ripple voltage as listed for the product under consideration (see table).

However, care must be taken to ensure that:

- The DC working voltage of the capacitor must not be exceeded by the sum of the positive peak of the applied AC voltage and the DC bias voltage.
- 2. The sum of the applied DC bias voltage and the negative peak of the AC voltage must not allow a voltage reversal in excess of that defined in the sector, 'Reverse Voltage'.

# 2.3 MAXIMUM PERMISSIBLE POWER DISSIPATION (WATTS) @ 25°C

The maximum power dissipation at 25°C has been calculated for the various series and are shown in Section 2.4, together with temperature derating factors up to 125°C.

For leaded components the values are calculated for parts supported in air by their leads (free space dissipation).

The ripple ratings are set by defining the maximum temperature rise to be allowed under worst case conditions, i.e., with resistive losses at their maximum limit. This differential is normally 10°C at room temperature dropping to 2°C at 125°C. In application circuit layout, thermal management, available ventilation, and signal waveform may significantly

affect the values quoted below. It is recommended that temperature measurements are made on devices during operating conditions to ensure that the temperature differential between the device and the ambient temperature is less than 10°C up to 85°C and less than 2°C between 85°C and 125°C. Derating factors for temperatures above 25°C are also shown below. The maximum permissible proven dissipation should be multiplied by the appropriate derating factor.

For certain applications, e.g., power supply filtering, it may be desirable to obtain a screened level of ESR to enable higher ripple currents to be handled. Please contact our applications desk for information.

# 2.4 POWER DISSIPATION RATINGS (IN FREE AIR)

TAR - Molded Axial

Case size	Max. power dissipation (W)
Q	0.065
R S	0.075 0.09
W	0.105

Temperature derating factors		
Temp. °C	Factor	
+25	1.0	
+85	0.6	
+125	0.4	

TAA - Hermetically Sealed Axial

Max. power dissipation (W)
0.09
0.10
0.125
0.18

Temperature derating factors		
Temp. °C	Factor	
+20	1.0	
+85	0.9	
+125	0.4	

TAP/TEP - Resin Dipped Radial

Case size	Max. power dissipation (W)
Α	0.045
В	0.05
_	
С	0.055
D	0.06
E	0.065
F	0.075
G	0.08
Н	0.085
J	0.09
K	0.1
L	0.11
M/N	0.12
Р	0.13
R	0.14

Temperature derating factors		
Temp. °C	Factor	
+25	1.0	
+85	0.4	
+125	0.09	





#### **SECTION 3:** RELIABILITY AND CALCULATION OF FAILURE RATE

#### 3.1 STEADY-STATE

Tantalum Dielectric has essentially no wear out mechanism and in certain circumstances is capable of limited self healing, random failures can occur in operation. The failure rate of Tantalum capacitors will decrease with time and not increase as with other electrolytic capacitors and other electronic components.




Figure 1. Tantalum reliability curve.

The useful life reliability of the Tantalum capacitor is affected by three factors. The equation from which the failure rate can be calculated is:

$$F = F_U \times F_T \times F_R \times F_B$$

where F<sub>U</sub> is a correction factor due to operating voltage/ voltage derating

> $F_T$  is a correction factor due to operating temperature

F<sub>R</sub> is a correction factor due to circuit series

F<sub>B</sub> is the basic failure rate level. For standard leaded Tantalum product this is 1%/1000hours

#### Operating voltage/voltage derating

If a capacitor with a higher voltage rating than the maximum line voltage is used, then the operating reliability will be improved. This is known as voltage derating. The graph, Figure 2, shows the relationship between voltage derating (the ratio between applied and rated voltage) and the failure rate. The graph gives the correction factor  $F_{\text{U}}$  for any operating voltage.

#### **Voltage Correction Factor**




Figure 2. Correction factor to failure rate F for voltage derating of a typical component (60% con. level).

#### Operating temperature

If the operating temperature is below the rated temperature for the capacitor then the operating reliability will be improved as shown in Figure 3. This graph gives a correction factor F<sub>T</sub> for any temperature of operation.

#### **Temperature Correction Factor**




Figure 3. Correction factor to failure rate F for ambient temperature T for typical component (60% con. level).





#### **Circuit Impedance**

All solid tantalum capacitors require current limiting resistance to protect the dielectric from surges. A series resistor is recommended for this purpose. A lower circuit impedance may cause an increase in failure rate, especially at temperatures higher than 20°C. An inductive low impedance circuit may apply voltage surges to the capacitor and similarly a non-inductive circuit may apply current surges to the capacitor, causing localized over-heating and failure. The recommended impedance is  $1\Omega$  per volt. Where this is not feasible, equivalent voltage derating should be used (See MIL HANDBOOK 217E). Table I shows the correction factor,  $F_{\rm B}$ , for increasing series resistance.

#### **Table I: Circuit Impedance**

Correction factor to failure rate F for series resistance R on basic failure rate  $F_{\rm B}$  for a typical component (60% con. level).

Circuit Resistance ohms/volt	FR
3.0	0.07
2.0	0.1
1.0	0.2
0.8	0.3
0.6	0.4
0.4	0.6
0.2	0.8
0.1	1.0

#### **Example calculation**

Consider a 12 volt power line. The designer needs about  $10\mu\text{F}$  of capacitance to act as a decoupling capacitor near a video bandwidth amplifier. Thus the circuit impedance will be limited only by the output impedance of the boards power unit and the track resistance. Let us assume it to be about 2 Ohms minimum, i.e., 0.167 Ohms/Volt. The operating temperature range is -25°C to +85°C. If a  $10\mu\text{F}$  16 Volt capacitor was designed-in, the operating failure rate would be as follows:

- a)  $F_T = 0.8 @ 85^{\circ}C$
- b)  $F_{B} = 0.7 @ 0.167 Ohms/Volt$
- c)  $F_U = 0.17$  @ applied voltage/rated voltage = 75%

Thus  $F_B = 0.8 \times 0.7 \times 0.17 \times 1 = 0.0952\%/1000 \text{ Hours}$ 

If the capacitor was changed for a 20 volt capacitor, the operating failure rate will change as shown.

 $F_U = 0.05$  @ applied voltage/rated voltage = 60%

 $F_B = 0.8 \times 0.7 \times 0.05 \times 1 = 0.028\%/1000 \text{ Hours}$ 

#### 3.2 DYNAMIC

As stated in Section 1.2.4 (page 132), the solid Tantalum capacitor has a limited ability to withstand voltage and current surges. Such current surges can cause a capacitor to fail. The expected failure rate cannot be calculated by a simple formula as in the case of steady-state reliability. The two parameters under the control of the circuit design engineer known to reduce the incidence of failures are derating and series resistance. The table below summarizes the results of trials carried out at AVX with a piece of equipment which has very low series resistance and applied no derating. So that the capacitor was tested at its rated voltage.

#### Results of production scale derating experiment

Capacitance and Voltage	Number of units tested	50% derating applied	No derating applied
47µF 16V	1,547,587	0.03%	1.1%
100µF 10V	632,876	0.01%	0.5%
22µF 25V	2,256,258	0.05%	0.3%

As can clearly be seen from the results of this experiment, the more derating applied by the user, the less likely the probability of a surge failure occurring.

It must be remembered that these results were derived from a highly accelerated surge test machine, and failure rates in the low ppm are more likely with the end customer.





A commonly held misconception is that the leakage current of a Tantalum capacitor can predict the number of failures which will be seen on a surge screen. This can be disproved by the results of an experiment carried out at AVX on  $47\mu$ F 10V surface mount capacitors with different leakage currents. The results are summarized in the table below.

#### **Leakage Current vs Number of Surge Failures**

	Number tested	Number failed surge
Standard leakage range 0.1 µA to 1µA	10,000	25
Over Catalog limit 5µA to 50µA	10,000	26
Classified Short Circuit 50µA to 500µA	10,000	25

Again, it must be remembered that these results were derived from a highly accelerated surge test machine, and failure rates in the low ppm are more likely with the end customer.

#### AVX recommended derating table

Voltage Rail	Working Cap Voltage
3.3	6.3
5	10
10	20
12	25
15	35
≥24	Series Combinations (11)

For further details on surge in Tantalum capacitors refer to J.A. Gill's paper "Surge in Solid Tantalum Capacitors", available from AVX offices worldwide.

An added bonus of increasing the derating applied in a circuit, to improve the ability of the capacitor to withstand surge conditions, is that the steady-state reliability is improved by up to an order. Consider the example of a 6.3 volt capacitor being used on a 5 volt rail. The steady-state reliability of a Tantalum capacitor is affected by three parameters; temperature, series resistance and voltage derating. Assuming 40°C operation and  $0.1\Omega/\text{volt}$  of series resistance, the scaling factors for temperature and series resistance will both be 0.05 [see Section 3.1 (page 136)]. The derating factor will be 0.15. The capacitors reliability will therefore be

Failure rate = 
$$F_U \times F_T \times F_R \times 1\%/1000$$
 hours  
= 0.15 x 0.05 x 1 x 1%/1000 hours  
= 7.5% x 10-3/hours

If a 10 volt capacitor was used instead, the new scaling factor would be 0.017, thus the steady-state reliability would be

Failure rate = 
$$F_U \times F_T \times F_R \times 1\%/1000$$
 hours  
= 0.017 x 0.05 x 1 x 1%/1000 hours  
= 8.5% x 10<sup>-4</sup>/ 1000 hours

So there is an order improvement in the capacitors steadystate reliability.

#### 3.3 RELIABILITY TESTING

AVX performs extensive life testing on tantalum capacitors.

■ 2,000 hour tests as part of our regular Quality Assurance Program.

#### **Test conditions:**

- 85°C/rated voltage/circuit impedance of  $3\Omega$  max.
- $125^{\circ}$ C/0.67 x rated voltage/circuit impedance of  $3\Omega$  max.

#### 3.4 Mode of Failure

This is normally an increase in leakage current which ultimately becomes a short circuit.





# SECTION 4: APPLICATION GUIDELINES FOR TANTALUM CAPACITORS


# 4.1 SOLDERING CONDITIONS AND BOARD ATTACHMENT

The soldering temperature and time should be the minimum for a good connection.

A suitable combination for wavesoldering is 230°C - 250°C for 3 - 5 seconds.

Small parametric shifts may be noted immediately after wave solder, components should be allowed to stabilize at room temperature prior to electrical testing.


AVX leaded tantalum capacitors are designed for wave soldering operations.



# 4.2 RECOMMENDED SOLDERING PROFILES

Recommended wave soldering profile for mounting of tantalum capacitors is shown below.

After soldering the assembly should preferably be allowed to cool naturally. In the event that assisted cooling is used, the rate of change in temperature should not exceed that used in reflow.



\*See appropriate product specification

# SECTION 5: MECHANICAL AND THERMAL PROPERTIES, LEADED CAPACITORS

#### **5.1 ACCELERATION**

10 g (981 m/s)

#### **5.2 VIBRATION SEVERITY**

10 to 2000 Hz, 0.75 mm or 98 m/s<sup>2</sup>

#### 5.3 SHOCK

Trapezoidal Pulse 10 g (981 m/s) for 6 ms

# 5.4 TENSILE STRENGTH OF CONNECTION

10 N for type TAR, 5 N for type TAP/TEP.

# 5.5 BENDING STRENGTH OF CONNECTIONS

2 bends at 90°C with 50% of the tensile strength test loading.

#### **5.6 SOLDERING CONDITIONS**

Dip soldering permissible provided solder bath temperature  $\leq$ 270°C; solder time <3 sec.; circuit board thickness  $\geq$ 1.0 mm.

#### 5.7 INSTALLATION INSTRUCTIONS

The upper temperature limit (maximum capacitor surface temperature) must not be exceeded even under the most unfavorable conditions when the capacitor is installed. This must be considered particularly when it is positioned near components which radiate heat strongly (e.g., valves and power transistors). Furthermore, care must be taken, when bending the wires, that the bending forces do not strain the capacitor housing.

#### 5.8 INSTALLATION POSITION

No restriction.

#### **5.9 SOLDERING INSTRUCTIONS**

Fluxes containing acids must not be used.





OOO «ЛайфЭлектроникс" "LifeElectronics" LLC

ИНН 7805602321 КПП 780501001 P/C 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 3010181090000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

#### Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный) Email: org@lifeelectronics.ru