





Surface coating: Gloss zinc-plated

| Order Code | L (mm) | Thread Size | Wrench Size |
|------------|--------|-------------|-------------|
| 970050151  | 5      | M 2,5       | SW 5        |
| 970060151  | 6      | M 2,5       | SW 5        |
| 970070151  | 7      | M 2,5       | SW 5        |
| 970080151  | 8      | M 2,5       | SW 5        |
| 970090151  | 9      | M 2,5       | SW 5        |
| 970100151  | 10     | M 2,5       | SW 5        |
| 970110151  | 11     | M 2,5       | SW 5        |
| 970120151  | 12     | M 2,5       | SW 5        |
| 970050351  | 5      | M 3         | SW 5        |
| 970100351  | 10     | M 3         | SW 5        |
| 970150351  | 15     | M 3         | SW 5        |
| 970200351  | 20     | M 3         | SW 5        |
| 970050321  | 5      | M 3         | SW 5.5      |
| 970060321  | 6      | M 3         | SW 5.5      |
| 970070321  | 7      | M 3         | SW 5.5      |
| 970080321  | 8      | M 3         | SW 5.5      |
| 970090321  | 9      | M 3         | SW 5.5      |
| 970100321  | 10     | M 3         | SW 5.5      |
| 970110321  | 11     | M 3         | SW 5.5      |
| 970120321  | 12     | M 3         | SW 5.5      |
| 970130321  | 13     | M 3         | SW 5.5      |
| 970140321  | 14     | M 3         | SW 5.5      |
| 970150321  | 15     | M 3         | SW 5.5      |
| 970050361  | 5      | M 3         | SW 6        |
| 970060361  | 6      | M 3         | SW 6        |
| 970070361  | 7      | M 3         | SW 6        |
| 970080361  | 8      | M 3         | SW 6        |
| 970090361  | 9      | M 3         | SW 6        |
| 970100361  | 10     | M 3         | SW 6        |
| 970110361  | 11     | M 3         | SW 6        |
| 970120361  | 12     | M 3         | SW 6        |
| 970130361  | 13     | M 3         | SW 6        |
| 970140361  | 14     | M 3         | SW 6        |
| 970150361  | 15     | M 3         | SW 6        |
| 970050471  | 5      | M 4         | SW 7        |
| 970080471  | 8      | M 4         | SW 7        |
| 970100471  | 10     | M 4         | SW 7        |
| 970120471  | 12     | M 4         | SW 7        |
| 970130471  | 13     | M 4         | SW 7        |
| 970150471  | 15     | M 4         | SW 7        |
| 970160471  | 16     | M 4         | SW 7        |
| 970170471  | 17     | M 4         | SW 7        |
| 970180471  | 18     | M 4         | SW 7        |
| 970200471  | 20     | M 4         | SW 7        |
| 970080481  | 8      | M 4         | SW 8        |
| 970100481  | 10     | M 4         | SW 8        |
| 970120481  | 12     | M 4         | SW 8        |
| 970150481  | 15     | M 4         | SW 8        |
| 970080581  | 8      | M 5         | SW 8        |
| 970100581  | 10     | M 5         | SW 8        |
| 970120581  | 12     | M 5         | SW 8        |
| 970130581  | 13     | M 5         | SW 8        |
| 970150581  | 15     | M 5         | SW 8        |
| 970160581  | 16     | M 5         | SW 8        |
| 970170581  | 17     | M 5         | SW 8        |
| 970180581  | 18     | M 5         | SW 8        |
| 970200581  | 20     | M 5         | SW 8        |
| 970100611  | 10     | M6          | SW 10       |

Würth Elektronik eiSos GmbH & Co. KG  
EMC & Inductive Solutions

Max-Eyth-Str. 1  
74638 Waldenburg  
Germany  
com. +49 79 42 945 - 0

www.we-online.de  
eiSos@we-online.de




CREATED  
D. Fandrey

CHECKED  
S.Klingler

GENERAL TOLERANCE  
DIN ISO 2768-1m

PROJECTION METHOD



SCALE  
5 : 1

DESCRIPTION

**AsSSTII**  
**Steel Spacer Stud with Metric Thread, internal/internal**

MATERIAL  
Steel

ORDER CODE  
970 xxx xx1

SIZE  
xxx xxx xxx xxx xxx xxx






STATUS  
Released

DATE  
2015-03-09

BUSINESS UNIT  
eiCan

PAGE  
1 / 1

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Würth Elektronik eiSos GmbH & Co KG products are neither designed nor intended for use in areas such as military, aerospace, aviation, nuclear control, submarine, transportation (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc.. Würth Elektronik eiSos GmbH & Co KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electrical circuits that require high safety and reliability functions or performance.



Surface coating: Gloss zinc-plated

| Order Code | L (mm) | C (mm) | Thread Size | Wrench Size |
|------------|--------|--------|-------------|-------------|
| 970140151  | 14,0   | 6,0    | M 2,5       | SW 5        |
| 970150151  | 15,0   | 6,0    | M 2,5       | SW 5        |
| 970160151  | 16,0   | 6,0    | M 2,5       | SW 5        |
| 970170151  | 17,0   | 6,0    | M 2,5       | SW 5        |
| 970180151  | 18,0   | 6,0    | M 2,5       | SW 5        |
| 970200151  | 20,0   | 6,0    | M 2,5       | SW 5        |
| 970220151  | 22,0   | 6,0    | M 2,5       | SW 5        |
| 970250151  | 25,0   | 8,0    | M 2,5       | SW 5        |
| 970300151  | 30,0   | 8,0    | M 2,5       | SW 5        |
| 970160321  | 16,0   | 6,0    | M 3         | SW 5,5      |
| 970170321  | 17,0   | 6,0    | M 3         | SW 5,5      |
| 970180321  | 18,0   | 6,0    | M 3         | SW 5,5      |
| 970190321  | 19,0   | 6,0    | M 3         | SW 5,5      |
| 970200321  | 20,0   | 6,0    | M 3         | SW 5,5      |
| 970210321  | 21,0   | 6,0    | M 3         | SW 5,5      |
| 970220321  | 22,0   | 6,0    | M 3         | SW 5,5      |
| 970230321  | 23,0   | 6,0    | M 3         | SW 5,5      |
| 970240321  | 24,0   | 6,0    | M 3         | SW 5,5      |
| 970250321  | 25,0   | 6,0    | M 3         | SW 5,5      |
| 970270321  | 27,0   | 6,0    | M 3         | SW 5,5      |
| 970280321  | 28,0   | 10,0   | M 3         | SW 5,5      |
| 970300321  | 30,0   | 6,0    | M 3         | SW 5,5      |
| 970350321  | 35,0   | 6,0    | M 3         | SW 5,5      |
| 970400321  | 40,0   | 6,0    | M 3         | SW 5,5      |
| 970450321  | 45,0   | 6,0    | M 3         | SW 5,5      |
| 970500321  | 50,0   | 6,0    | M 3         | SW 5,5      |
| 970550321  | 55,0   | 6,0    | M 3         | SW 5,5      |
| 970600321  | 60,0   | 6,0    | M 3         | SW 5,5      |
| 970700321  | 70,0   | 6,0    | M 3         | SW 5,5      |
| 970800321  | 80,0   | 6,0    | M 3         | SW 5,5      |
| 970170361  | 17,0   | 6,0    | M 3         | SW 6        |
| 970180361  | 18,0   | 6,0    | M 3         | SW 6        |
| 970200361  | 20,0   | 6,0    | M 3         | SW 6        |
| 970220361  | 22,0   | 6,0    | M 3         | SW 6        |
| 970250361  | 25,0   | 6,0    | M 3         | SW 6        |
| 970270361  | 27,0   | 6,0    | M 3         | SW 6        |
| 970280361  | 28,0   | 6,0    | M 3         | SW 6        |
| 970300361  | 30,0   | 6,0    | M 3         | SW 6        |
| 970350361  | 35,0   | 6,0    | M 3         | SW 6        |
| 970370361  | 37,0   | 6,0    | M 3         | SW 6        |
| 970380361  | 38,0   | 6,0    | M 3         | SW 6        |
| 970400361  | 40,0   | 6,0    | M 3         | SW 6        |
| 970420361  | 42,0   | 6,0    | M 3         | SW 6        |
| 970450361  | 45,0   | 6,0    | M 3         | SW 6        |
| 970500361  | 50,0   | 6,0    | M 3         | SW 6        |
| 970550361  | 55,0   | 6,0    | M 3         | SW 6        |
| 970600361  | 60,0   | 6,0    | M 3         | SW 6        |
| 970250471  | 25,0   | 10,0   | M 4         | SW 7        |
| 970300471  | 30,0   | 10,0   | M 4         | SW 7        |
| 970350471  | 35,0   | 10,0   | M 4         | SW 7        |
| 970400471  | 40,0   | 10,0   | M 4         | SW 7        |
| 970450471  | 45,0   | 10,0   | M 4         | SW 7        |
| 970500471  | 50,0   | 10,0   | M 4         | SW 7        |
| 970600471  | 60,0   | 10,0   | M 4         | SW 7        |
| 970700471  | 70,0   | 10,0   | M 4         | SW 7        |
| 970800471  | 80,0   | 10,0   | M 4         | SW 7        |
| 970170481  | 17,0   | 8,0    | M 4         | SW 8        |
| 970180481  | 18,0   | 8,0    | M 4         | SW 8        |
| 970200481  | 20,0   | 8,0    | M 4         | SW 8        |
| 970220481  | 22,0   | 8,0    | M 4         | SW 8        |
| 970230481  | 23,0   | 8,0    | M 4         | SW 8        |
| 970250481  | 25,0   | 8,0    | M 4         | SW 8        |
| 970270481  | 27,0   | 8,0    | M 4         | SW 8        |
| 970300481  | 30,0   | 8,0    | M 4         | SW 8        |
| 970320481  | 32,0   | 8,0    | M 4         | SW 8        |
| 970350481  | 35,0   | 8,0    | M 4         | SW 8        |
| 970400481  | 40,0   | 8,0    | M 4         | SW 8        |
| 970450481  | 45,0   | 8,0    | M 4         | SW 8        |
| 970500481  | 50,0   | 8,0    | M 4         | SW 8        |
| 970600481  | 60,0   | 8,0    | M 4         | SW 8        |
| 970950481  | 95,0   | 8,0    | M 4         | SW 8        |
| 970220581  | 22,0   | 10,0   | M 5         | SW 8        |
| 970250581  | 25,0   | 10,0   | M 5         | SW 8        |
| 970280581  | 28,0   | 10,0   | M 5         | SW 8        |
| 970300581  | 30,0   | 10,0   | M 5         | SW 8        |
| 970350581  | 35,0   | 10,0   | M 5         | SW 8        |
| 970400581  | 40,0   | 10,0   | M 5         | SW 8        |
| 970450581  | 45,0   | 10,0   | M 5         | SW 8        |
| 970500581  | 50,0   | 10,0   | M 5         | SW 8        |
| 970600581  | 60,0   | 11,0   | M 5         | SW 8        |
| 970650581  | 65,0   | 11,0   | M 5         | SW 8        |
| 970400511  | 40,0   | 10,0   | M5          | SW10        |

|                                                                                                                                                                                                                                                                                                         |                                                                                                          |                               |                                              |                                                                                                                    |                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|-------------------------------|----------------------------------------------|--------------------------------------------------------------------------------------------------------------------|------------------------|
| <p>Würth Elektronik eiSos GmbH &amp; Co. KG<br/>EMC &amp; Inductive Solutions</p> <p>Max-Eyth-Str. 1<br/>74638 Waldenburg<br/>Germany<br/>com. +49 79 42 945 - 0</p> <p>www.we-online.de<br/>eiSos@we-online.de</p>  | <p>CREATED<br/>D. Fandrey</p>                                                                            | <p>CHECKED<br/>S.Klingler</p> | <p>GENERAL TOLERANCE<br/>DIN ISO 2768-1m</p> | <p>PROJECTION METHOD<br/></p> | <p>SCALE<br/>5 : 1</p> |
|                                                                                                                                                                                                                                                                                                         | <p>DESCRIPTION<br/><b>AsSSTII</b><br/><b>Steel Spacer Stud with Metric Thread, internal/internal</b></p> |                               | <p>MATERIAL<br/>Steel</p>                    |                                                                                                                    |                        |
|                                                                                                                                                                                                                                                                                                         | <p>ORDER CODE<br/>970 xxx xx1</p>                                                                        |                               | <p>DATE<br/>2015-03-09</p>                   | <p>BUSINESS UNIT<br/>eiCan</p>                                                                                     | <p>PAGE<br/>1 / 1</p>  |

This electronic component has been designed and developed for usage in general electronic equipment only. This product is not authorized for use in equipment where a higher safety standard and reliability standard is especially required or where a failure of the product is reasonably expected to cause severe personal injury or death, unless the parties have executed an agreement specifically governing such use. Moreover Würth Elektronik eiSos GmbH & Co KG products are neither designed nor intended for use in areas such as military, aerospace, aviation, nuclear control, submarine, transportation (automotive control, train control, ship control), transportation signal, disaster prevention, medical, public information network etc.. Würth Elektronik eiSos GmbH & Co KG must be informed about the intent of such usage before the design-in stage. In addition, sufficient reliability evaluation checks for safety must be performed on every electronic component which is used in electrical circuits that require high safety and reliability functions or performance.

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)