






- ① MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- ② FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN
ON PCB TAILS, NICKEL OVERALL.
- ③ FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD
ON PCB TAILS, NICKEL OVERALL.
4. SCREWS PACKAGED IN END OF PACKAGING TUBE.
- ⑤ FOR GROUNDED GUIDE PIN USE Ø3.56±0.08 PTH,
Ø3.66 DRILL, AND Ø6.5 PAD.
6. KEYING PIN SHOWN IN POSITION A, SEE KEYING CHART
ON SHEET 2 FOR OTHER POSITIONS.



LEFT GUDIED
BACKPLANE HOLE PATTERN
(CONNECTOR SIDE)



THIS DRAWING IS A CONTROLLED DOCUMENT.				DWG K. SHOBER ZZDEC11				TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK EABY ZZDEC11					
mm				APPROB EABY ZZDEC11		NAME		IMPACT, 3 PAIR, 10 COLUMN, HEADER	
		0 PLC ± .25		PRODUCT SPEC				LEFT GUIDED, OPEN END WALL	
		2 PLC ± .10		APPLICATION SPEC				SIGNAL MODULE, 0.39 PTH	
		2 PLC ± .13							
		2 PLC ± .							
MATERIAL		ANGLES ±				SIZE		CAGE CODE	DRAWING NO
		FINISH		WEIGHT		A100779		C=200777	RESTRICTED TO
		SEE TABLE		CUSTOMER DRAWING		SCALE		6:1	SHEET 1 OF 2 REV C

LOC		DIST		REVISIONS						
AD		00		P	LTR	DESCRIPTION	DATE	DWN	APVD	
				-	-	SEE SHEET 1	-	-	-	

	H	5.5	8-2007777-6
	H	4.9	8-2007777-5
	H	4.5	8-2007777-4
	H	5.5	8-2007777-3
	H	4.9	8-2007777-2
	H	4.5	8-2007777-1
	G	5.5	7-2007777-6
	G	4.9	7-2007777-5
	G	4.5	7-2007777-4
	G	5.5	7-2007777-3
	G	4.9	7-2007777-2
	G	4.5	7-2007777-1
	F	5.5	6-2007777-6
	F	4.9	6-2007777-5
	F	4.5	6-2007777-4
	F	5.5	6-2007777-3
	F	4.9	6-2007777-2
	F	4.5	6-2007777-1
	E	5.5	5-2007777-6
	E	4.9	5-2007777-5
	E	4.5	5-2007777-4
	E	5.5	5-2007777-3
	E	4.9	5-2007777-2
	E	4.5	5-2007777-1
	D	5.5	4-2007777-6
	D	4.9	4-2007777-5
	D	4.5	4-2007777-4
	D	5.5	4-2007777-3
	D	4.9	4-2007777-2
	D	4.5	4-2007777-1
	C	5.5	3-2007777-6
	C	4.9	3-2007777-5
	C	4.5	3-2007777-4
	C	5.5	3-2007777-3
	C	4.9	3-2007777-2
	C	4.5	3-2007777-1
	B	5.5	2-2007777-6
	B	4.9	2-2007777-5
	B	4.5	2-2007777-4
	B	5.5	2-2007777-3
	B	4.9	2-2007777-2
	B	4.5	2-2007777-1
	A	5.5	1-2007777-6
	A	4.9	1-2007777-5
	A	4.5	1-2007777-4
	A	5.5	1-2007777-3
	A	4.9	1-2007777-2
	A	4.5	1-2007777-1
	-	5.5	2007777-6
	-	4.9	2007777-5
	-	4.5	2007777-4
	-	5.5	2007777-3
	-	4.9	2007777-2
	-	4.5	2007777-1
FINISH	KEY POSITION	DIM M	PART NUMBER

REFER TO WWW.TE.COM
FOR PRODUCT AVAILABILITY

KEY POSITION
CHART

NONE

A

E

B

F

C

G

D

H

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN	J. K. SHOBER	22DEC11	TE Connectivity			
			CHK	J. EABY	22DEC11				
			APVD	J. EABY	22DEC11	NAME			
DIMENSIONS:			TOLERANCES UNLESS OTHERWISE SPECIFIED:			IMPACT, 3 PAIR, 10 COLUMN, HEADER			
mm			9 PLC			LEFT GUIDED, OPEN END WALL			
			3 PLC			SIGNAL MODULE, 0.39 PTH			
			5 PLC						
			4 PLC						
			ANGLES						
			FINISH						
MATERIAL			SEE TABLE			SIZE			
-			-			A100779C=200777			
-			-			RESTRICTED TO			
						CUSTOMER DRAWING			
						SCALE			
						5:1			
						SHEET			
						2			
						OF			
						2			
						REV			
						C			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru