



Series: Shadow


Description: ON-VEHICLE LOW PROFILE ANTENNA

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW



Features:

- SLPT in Black and White
- Short, slim profile without sacrificing RF or mechanical performance
- Direct and NMO mount models
- IP67 Weatherproof



Applications:

- Models supporting :
 - Public Safety, LMR
 - Wi-Fi,
 - 3G/4G LTE,
 - ISM
 - DSRC
- Bus/Rail/Transit
- IoT Vending, metering and other industrial applications
- Outdoor Vehicular

All dimensions are in mm / inches

Issue: 1829

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: ON-VEHICLE LOW PROFILE ANTENNA

Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

This document covers all product variants of the following product family:

Project	Color	Frequency	Size	Fixing System Connector	
SLPT698/2170NMOHFW	White	698-960MHz	78.71] 3.10 [38] Ø1.496	NMOHF NMO + HF Connector	
SLPT698/2170NMOHF	Black	1710-2700MHz			
SLPT698/960NMOW	White	- 698-960MHz			
SLPT698/960NMO	Black	098-90UIVIN2			
SLPT806NMOW	White	806-960MHz		NMO + Pogo Pin Connector	
SLPT806NMO	Black				
SLPT698/869DMNW	White	698-869MHz	[78.71] 3.10 [27.30] 1.07 [38] Ø1.496		
SLPT698/869DMN	Black	098-809IVID2		Direct Mount N Female Connector (Screw 5/8-24 UNEF 2A)	
SLPT806DMNW	White	205 0502			
SLPT806DMN	Black	806-960MHz			
SLPT698/2170DMNW	White	698-960MHz 1710-2700MHz			
SLPT698/2170DMN	Black	1/10-2/UUIVIMZ			

Issue: 1829





Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

This document covers all product variants of the following product family:

Project	Color	Frequency	Size	Fixing System Connector	
SLPT2400NMOHFW	White	2400-2500MHz	1		
SLPT2400NMOHF	Black	2400-2500IVIH2			
SLPT4900NMOHFW	White	4000 60000411-	[66.66] 2.62	NMOHF NMO + HF Connector	
SLPT4900NMOHF	Black	4900-6000MHz			
SLPT245NMOHFW	White	2400-2500MHz	1381		
SLPT2400/5900NMOHF	Black	4900-6000MHz	[38] Ø1.496		
SLPT2400DMNW	White	2400-2500MHz	[66.66] 2.62 [27.30] 1.07	Direct Mount N Female Connector (Screw 5/8-24 UNEF 2A)	
SLPT2400DMN	Black	2400-2500IVIH2			
SLPT4900DMNW	White	4900-6000MHz			
SLPT4900DMN	Black	4900-6000IVIH2			
SLPT2400/5900DMNW	White	2400-2500MHz			
SLPT2400/5900DMN	Black	4900-6000MHz			

P.S.: For DMN fixing system, it requires a 5/8" (16mm) hole in the mounting surface.

Remove any burrs, particularly on the Roof under side of the hole. Remove paint in a narrow ring around the hole. Metal-to-metal contact between the mounting surface and mount is essential for best performance.





Description: ON-VEHICLE LOW PROFILE ANTENNA

Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

ELECTRICAL SPECIFICATIONS

Project	Frequency	VSWR	Peak Gain	Efficiency	Power Handling
SLPT698/2170NMOHFW	698-960MHz 1710-2700MHz	3.3:1(0.698-0.96GHz) 2:1(1.71-2.5GHz) 2.2:1(2.5-2.7GHz)	3.52dBi(0.698-0.96GHz) 4.95dBi(1.71-2.69GHz)	72% 71%	40W(100% duty cycle)
SLPT698/2170NMOHF					
					50W(50% duty cycle)
SLPT698/960NMOW	- 698-960MHz	2:1	3.29dBi	68%	35W(100% duty cycle)
SLPT698/960NMO					40W(50% duty cycle)
SLPT806NMOW	- 806-960MHz	2:1	3.18dBi	67%	35W(100% duty cycle)
SLPT806NMO					40W(50% duty cycle)
SLPT698/869DMNW	698-869MHz	2:1	3.26dBi	72%	30W(100% duty cycle)
SLPT698/869DMN					40W(50% duty cycle)
SLPT806DMNW	806-960MHz	2:1	3.05dBi	70%	40W(100% duty cycle)
SLPT806DMN					45W(50% duty cycle)
SLPT698/2170DMNW					40W(100% duty cycle)
SLPT698/2170DMN	698-960MHz 1710-2700MHz	3.3:1(0.698-0.96GHz) 2:1(1.71-2.5GHz) 2.2:1(2.5-2.7GHz)	3.51dBi(0.698-0.96GHz) 4.81dBi(1.71-2.69GHz)	76% 67%	
					50W(50% duty cycle)

Issue: 1829

ROHS



Description: ON-VEHICLE LOW PROFILE ANTENNA

Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

ELECTRICAL SPECIFICATIONS

Project	Frequency	VSWR	Peak Gain	Efficiency	Power Handling
SLPT2400NMOHFW	2400-2500MHz 4900-6000MHz	2:1	5.06dBi 5.09dBi	79% 71%	35W(100% duty cycle)
SLPT2400NMOHF					45W(50%
SLPT4900NMOHFW					duty cycle) 35W(100%
SLPT4900NMOHF					duty cycle) 45W(50% duty cycle)
SLPT245NMOHFW	2400-2500MHz 4900-6000MHz	2:1(2.4-2.5GHz) 2.2:1(4.9-6GHz)	5.06dBi 5.09dBi	79% 71%	35W(100% duty cycle)
SLPT2400/5900NMOHF					45W(50% duty cycle)
SLPT2400DMNW	2400-2500MHz	2:1	4.78dBi	75%	35W(100% duty cycle)
SLPT2400DMN					45W(50% duty cycle)
SLPT4900DMNW	4900-6000MHz	2.2:1	5.14dBi	73%	35W(100% duty cycle)
SLPT4900DMN					45W(50% duty cycle)
SLPT2400/5900DMNW	2400-2500MHz 4900-6000MHz	2 2·1/4 9-6GHz)	4.78dBi 5.14dBi	79% 73%	35W(100% duty cycle)
SLPT2400/5900DMN					45W(50% duty cycle)

Nominal Impedance

 50Ω

Radiation Pattern

omni

Polarization:

Vertical

Issue: 1829





Description: ON-VEHICLE LOW PROFILE ANTENNA

Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

MECHANICAL SPECIFICATIONS

Plastic radome PC

Color White / Black

Ingress Protection IP67

ENVIRONMENTAL SPECIFICATIONS

Operating temperature

-40 ~ +85° C







Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS













Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS







Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW


CHARTS

Efficiency(%)

SLPT698/2170NMOHFW SLPT698/2170NMOHF Efficiency (%)



SLPT698/960NMOW SLPT698/960NMO Efficiency (%)





Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW


CHARTS

Efficiency(%)

SLPT806NMOW SLPT806NMO Efficiency (%)



SLPT698/869DMNW SLPT698/869DMN Efficiency (%)



Issue: 1829



Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Efficiency(%)

SLPT806DMNW SLPT806DMN Efficiency (%)



SLPT698/2170DMNW SLPT698/2170DMN Efficiency (%)





Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW


CHARTS

Efficiency(%)

SLPT2400NMOHFW SLPT2400NMOHF Efficiency (%)



SLPT4900NMOHFW SLPT4900NMOHF Efficiency (%)



Issue: 1829



Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW


CHARTS

Efficiency(%)

SLPT245NMOHFW SLPT2400/5900NMOHF Efficiency (%)



SLPT2400DMNW SLPT2400DMN Efficiency (%)





Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW


CHARTS

Efficiency(%)

SLPT4900DMNW SLPT4900DMN Efficiency (%)



SLPT2400/5900DMNW SLPT2400/5900DMN Efficiency (%)











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS













Description: ON-VEHICLE LOW PROFILE ANTENNA

Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS











Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS












Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT698/2170NMOHFW SLPT698/2170NMOHF










Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT698/2170NMOHFW SLPT698/2170NMOHF








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT698/960NMOW SLPT698/960NMO








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT806NMOW SLPT806NMO








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT698/869DMNW SLPT698/869DMN








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT806DMNW SLPT806DMN








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT698/2170DMNW SLPT698/2170DMN








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT698/2170DMNW SLPT698/2170DMN








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT2400NMOHFW SLPT2400NMOHF







TECHNICAL DATA SHEET


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT4900NMOHFW SLPT4900NMOHF








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT245NMOHFW SLPT2400/5900NMOHF







TECHNICAL DATA SHEET


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT245NMOHFW SLPT2400/5900NMOHF








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT2400DMNW SLPT2400DMN







Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT4900DMNW SLPT4900DMN








Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT2400/5900DMNW SLPT2400/5900DMN





Description: ON-VEHICLE LOW PROFILE ANTENNA


Series: Shadow

PART NUMBER: Black: SLPTXXX / White: SLPTXXXW

CHARTS

Free Space Radiation Pattern

SLPT2400/5900DMNW SLPT2400/5900DMN







OOO «ЛайфЭлектроникс" "LifeElectronics" LLC

ИНН 7805602321 КПП 780501001 P/C 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 3010181090000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный) Email: org@lifeelectronics.ru