

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P

LTR


DESCRIPTION

DATE


DWN

APVD


SEE SHEET 1



WITHOUT BRACKET



1	SHELL	③
40	CONTACT	②
1	HOUSING	①
Q'TY	NAME	ITEM

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	 TE Connectivity			
		CHK				
		APVD				
		PRODUCT SPEC				
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME RECEPTACLE ASSY, 0.6mm PITCH CHAMP DOCKING CONNECTOR, 40POS		
		0 PLC ± ±0.25		SIZE		
		1 PLC ± ±3°		CAGE CODE		
		2 PLC ± ±3°		DRAWING NO		
		3 PLC ± ±3°		RESTRICTED TO		
MATERIAL		FINISH		WEIGHT 0.83g		
CUSTOMER DRAWING				SCALE 5:1		
				SHEET 2 OF 6		
				REV A1		

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC	
DW	

	DIST

REVISIONS

P

LTR

DESCRIPTION


DATE _____

DWN


APVD

SEE SHEET 1

—



VIEW A
2129364-2 IS SAME AS 2129364-1



SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

	DWN
--	-----

CHK

APV

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING



TE Connectivity

NAME

RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

	SIZE
--	------

CAGE CODE

NO	DRAWING NO
----	------------

RESTRICTED TO


A.300779 ©-2129364

SCALE 5.1

SHEET 3 OF 6

REV A 1

2129364-2 IS SAME AS 2129364-1



RECOMMENDED P.C. BOARD LAYOUT (TOP VIEW)

4. CONNECTOR OUTLINE
5. SUPPORT BOARD EDGE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN	
-----	--

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT



TE Connectivity

NAME RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

SIZE	CAGE CODE	DRAWING NO
------	-----------	------------

A 300779 C-2129364

SCALE

RESTRICTED TO

SCALE 8 : 1

SHEET 1 OF 6

REV A 1

LOC		DIST		REVISIONS					
DW				P	LTR	DESCRIPTION	DATE	DWN	APVD
					-	SEE SHEET 1	-	-	-

D

C

B


A

D



C

B

A



6. PACKING MATERIAL:
CARRY TAPE: PS; COLOR: BLACK.
COVER TAPE: PET; COLOR: CLEAR.
PEELING STRENGTH OF COVER TAPE: 0.2N~1.2N



1-2129364-1	600	3	1800
2129364-1	600	3	1800
P/N	PCS/TAPE	REELS/CARTON	TOTAL QUANTITY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	-	TE TE Connectivity	
		CHK	-		
DIMENSIONS: mm		APVD	-	NAME RECEPTACLE ASSY, 0.6mm PITCH CHAMP DOCKING CONNECTOR, 40POS	
		PRODUCT SPEC	-		
		APPLICATION SPEC	-	SIZE A300779	
		WEIGHT	-		
MATERIAL		FINISH	-	CAGE CODE C-2129364	
				RESTRICTED TO	
				SCALE FREE	
				SHEET 5 OF 6	
				REV A1	

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -







ALL RIGHTS RESERVED.

LOC
DW

DIST
-


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±0.5
3 PLC ±3°
4 PLC ±
ANGLES ±
FINISH -

DWN	-
CHK	-
APVD	-
PRODUCT SPEC	-
APPLICATION SPEC	-
WEIGHT	-

CUSTOMER DRAWING



TE Connectivity

NAME
RECEPTACLE ASSY, 0.6mm PITCH
CHAMP DOCKING CONNECTOR, 40POS

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-2129364	-

SCALE	FREE	SHEET	6	OF	6	REV	A1
-------	------	-------	---	----	---	-----	----

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru