




LOC	DIST	REV	DATE	BY	CHK
-	-	5	15JAN2014	BL	JY
-	-	6	27MAY2014	BL	JY
-	-	7	27JAN2015	RG	MC
-	-	A	7MAR2016	RG	SH

- ① CAGE ASSEMBLY MATERIAL: NICKEL SILVER, 0.25 THICK
 HEAT SINK MATERIAL: ALUMINUM
 HEAT SINK CLIP MATERIAL: STAINLESS STEEL
 EMI SPRING MATERIAL: COPPER ALLOY
 EMI GASKET PLATE MATERIAL: STAINLESS STEEL
 LIGHT PIPE MATERIAL: CLEAR POLYCARBONATE
- ② PITCH BETWEEN PORTS OF ONE 1X3 CAGE ASSEMBLY.
- ③ SPACING BETWEEN CAGES ON THE SAME PC BOARD, TO BE SPECIFIED BY CUSTOMER, MUST COMPLY WITH MINIMUM DIMENSIONS SHOWN.
- ④ REFERENCE APPLICATION SPEC 114-13217 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
- ⑤ DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- ⑥ DIMENSION F IS THE NOMINAL THICKNESS OF CUSTOMER SUPPLIED PC BOARD,
 SINGLE SIDED PC BOARD MINIMUM THICKNESS = 1.45mm
 DOUBLE SIDED PC BOARD MINIMUM THICKNESS = 5.0mm PER CUSTOMER.
- ⑦ HEAT SINKS, LIGHT PIPES, AND HEAT SINK CLIPS SHIPPED ASSEMBLED TO CAGE ASSEMBLY. CAGE ASSEMBLY MAY BE PRESSED INTO THE PCB AS SHIPPED.
- ⑧ DATUM A IS TOP SURFACE OF PC BOARD.
- ⑨ DIMENSION APPLIES WITH MODULE INSERTED IN CAGE.
- ⑩ UNPLATED THRU HOLE.
- 11. MATES WITH QSFP MSA COMPATIBLE TRANSCEIVER.
- ⑫ SURFACE TRACES PERMITTED WITHIN THIS AREA EXCEPT WHERE CAGE STANDOFFS, SHOWN IN DETAIL S, CONTACT PC BOARD.
- ⑬ BASELINE FOR THESE DIMENSIONS IS THE CENTER OF COMPLIANT PIN HOLE.
- ⑭ DATE CODE (YYWWD) MARKED ON TOP OF CAGE AND CONCEALED BY HEAT SINKS APPLIES TO CAGE ASSEMBLY ONLY.

- ⑮ REFERENCE APP SPEC 114-13217 FOR GASKET THICKNESS CALCULATION.
- ⑯ EMI SPRING FINISH: 2um MINIMUM TIN
 HEAT SINK FINISH: BLACK ANODIZED.
- ⑰ HEAT SINKS AND CLIPS SHIPPED ASSEMBLED TO CAGE ASSEMBLY. CAGE ASSEMBLY MAY BE PRESSED INTO THE PCB AS SHIPPED. LIGHT PIPES, SHIPPED UNATTACHED, MUST BE ASSEMBLED BY CUSTOMER AFTER THE CAGE IS SEATED IN THE PCB.




SOLID, SQUARE GASKET	WITHOUT LP	WITH HS	2170507-4
HOLLOW, ROUND GASKET	WITH LP	WITH HS	2170507-3
HOLLOW, ROUND GASKET	WITHOUT LP	WITHOUT HS	2170507-2
SOLID, SQUARE GASKET	WITH LP	WITH HS	2170507-1
GASKET	LIGHT PIPE	HEAT SINK	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN	TIM XUE	27MAR2013
DIMENSIONS:		CHK	ALEX CAI	27MAR2013
mm	0 PLC ±0.35	APVD	ALEX CAI	27MAR2013
	1 PLC ±0.25	NAME 1X3 CAGE ASSEMBLY, THRU BEZEL W/ELASTOMERIC GASKET AND HEAT SINKS QSFP		
	2 PLC ±0.25	PRODUCT SPEC 108-2286		
	3 PLC ±0.25	APPLICATION SPEC 114-13217		
	4 PLC ±0.25	SIZE CAGE CODE DRAWING NO RESTRICTED TO		
	ANGLES ±0.5	A100779C=2170507		
MATERIAL	FINISH	WEIGHT		
		CUSTOMER DRAWING SCALE 1:1 SHEET 1 OF 6 REV A		

LOC	DIST	REV	DATE	BY	APPV
		1			

REVISIONS		DATE	BY	APPV
P. LTR	DESCRIPTION			
-	SEE SHEET 1	-	-	-




ONE SIDED CONFIGURATION
 SCALE 3:1




SCALE 3:1

CL OF CONNECTOR
 GUIDE POSTS
 PER SPEC





BELLY TO BELLY CONFIGURATION
 SIMILAR TO ONE SIDED
 EXCEPT WHERE NOTED
 SCALE 3:1




SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN: TIM XUE 27MAR2013	TE Connectivity
DIMENSIONS: mm		CHK: ALEX CAI 27MAR2013	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: ALEX CAI 27MAR2013	NAME: 1X3 CAGE ASSEMBLY, THRU BEZEL W/ELASTOMERIC GASKET AND HEAT SINKS OSFP
0 PLC ±0.35		PRODUCT SPEC: 108-2286	
1 PLC ±0.25		APPLICATION SPEC: 114-13217	SIZE: A1 CAGE CODE: 2170507
2 PLC ±		WEIGHT: -	
3 PLC ±		FINISH: -	RESTRICTED TO: -
4 PLC ±		MATERIAL: -	
ANGLES ±		CUSTOMER DRAWING	SCALE: 1:1 SHEET 2 OF 6 REV A

LOC		DIST		REVISIONS			
P	LTN	DESCRIPTION	DATE	DMN	APVD		
-	-	SEE SHEET 1	-	-	-		





DETAIL A
 SCALE 8:1



RECOMMENDED PC BOARD LAYOUT
 SINGLE SIDE MOUNT CONFIGURATION
 SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN TIM XUE 27MAR2013	TE Connectivity
DIMENSIONS:		CHK ALEX CAI 27MAR2013	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD ALEX CAI 27MAR2013	NAME 1X3 CAGE ASSEMBLY, THRU BEZEL W/ELASTOMERIC GASKET AND HEAT SINKS QSFP
0 PLC ± 1 PLC ±0.35 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ±	FINISH	PRODUCT SPEC 108-2286 APPLICATION SPEC 114-13217 WEIGHT	SIZE CAGE CODE DRAWING NO A100779C=2170507 RESTRICTED TO
MATERIAL		CUSTOMER DRAWING	SCALE 1:1 SHEET 3 OF 6 REV A


LOC	DIST	REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-




RECOMMENDED PC BOARD LAYOUT
 BELLY TO BELLY CONFIGURATION
 SEE SHEET 3 FOR COMPONENT AND TRACE KEEP-OUTS
 SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TIM XUE 27MAR2013	TE Connectivity
DIMENSIONS:		CHK ALEX CAI 27MAR2013	
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD ALEX CAI 27MAR2013	NAME 1X3 CAGE ASSEMBLY, THRU BEZEL W/ELASTOMERIC GASKET AND HEAT SINKS QSFP
	0 PLC ± 1 PLC ±0.35 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ±	PRODUCT SPEC 108-2286	SIZE A100779C=2170507
MATERIAL	FINISH	APPLICATION SPEC 114-13217	RESTRICTED TO
CUSTOMER DRAWING		WEIGHT	SCALE 1:1 SHEET 4 OF 6 REV A


LOC		DIST		REVISIONS			
P	LTN	DESCRIPTION	DATE	DWN	APVD		
-		SEE SHEET 1					




2170507-1 AS SHOWN
SCALE 3:1



2170507-2 AS SHOWN
SCALE 3:1




2170507-3 AS SHOWN
SCALE 3:1




2170507-4 AS SHOWN
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN	TIM XUE	27MAR2013	TE Connectivity
DIMENSIONS:		CHK	ALEX CAI	27MAR2013	
mm		APVD	ALEX CAI	27MAR2013	
0 PLC ± 1 PLC ±0.35 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ± FINISH		NAME 1X3 CAGE ASSEMBLY, THRU BEZEL W/ELASTOMERIC GASKET AND HEAT SINKS OSFP			
MATERIAL		PRODUCT SPEC	108-2286		SIZE
		APPLICATION SPEC	114-13217		CAGE CODE
		WEIGHT	-		DRAWING NO
		CUSTOMER DRAWING	A100779		SCALE
			C=2170507		SHEET
					5
					OF
					6
					REV
					A


LOC		DIST		REVISIONS			
P.	LTN	DESCRIPTION	DATE	DWN	APVD		
-	-	SEE SHEET 1	-	-	-		




7 EON STAND OFF MODIFIED AS DETAIL D SCALE 4:1



SCALE 4:1



SEE DETAIL D



DETAIL D SCALE 8:1

EXCEPT 7 EON STAND OFF MODIFICATION
 THE OTHER FEATURES ARE SAME WITH 2170507-1

SOLID, SQUARE GASKET		WITH LP	WITH HS	2170507-5
GASKET		LIGHT PIPE	HEAT SINK	PART NUMBER
THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN TIM XUE 27MAR2013	TE Connectivity	
DIMENSIONS:		CHK ALEX CAI 27MAR2013		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD ALEX CAI 27MAR2013	NAME 1X3 CAGE ASSEMBLY, THRU BEZEL W/ELASTOMERIC GASKET AND HEAT SINKS QSPF	
mm	0 PLC ±	PRODUCT SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
	1 PLC ±0.35	108-2286	A100779C=2170507	
	3 PLC ±0.25	APPLICATION SPEC		
	4 PLC ±	114-13217		
	ANGLES ±	WEIGHT		
	FINISH	CUSTOMER DRAWING	SCALE 1:1 SHEET 6 OF 6 REV A	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru