




LOC		DIST		REVISIONS					
AA		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
					F I	ECR-12-003298	13FEB2012	JJ	AC
					G	ECO-15-006810	29DEC2015	LL	SH




1. MATERIAL:
HOUSING - PBT POLYESTER, BLACK, UL 94V-0
- TERMINALS - 0.33 THICK PHOS BRONZE PLATED WITH 1.27um MINIMUM THICK HARD GOLD IN LOCALIZED AREA AND 2um MINIMUM THICK MATTE TIN IN ACTION PIN COMPLIANT PIN TERMINAL AREA OVER 1.27um MINIMUM THICK NICKEL UNDERPLATE
- SHIELD - 0.25 THICK COPPER ALLOY PLATED WITH 2.03um MINIMUM BRIGHT TIN OVER 1.27um MINIMUM NICKEL
- GROUNDING CLIP - 2.03 um MIN MATTE TIN OVER COPPER, PRE-PLATED COPPER ALLOY
- LED - DIFUSED EPOXY LENS 2.29 um SILVER OVER NICKEL PRE-PLATED CARBON STEEL LEADS
- ACTION PIN - COMPLIANT PIN CONTACTS 0.3 THICK BRASS PLATED WITH 2um MINIMUM MATTE TIN OVER 1.27um MINIMUM NICKEL UNDERPLAT.
2. JACK CAVITY CONFORMS TO FCC RULES AND REGULATIONS, PART 68 SUBPART F.
- 3 DRILLED HOLE DIA = 1.020±0.025
COPPER THICKNESS = 0.025±0.075
TIN-LEAD THICKNESS = .008
- 4 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 5 DATE CODE LOCATED ON REAR OF PART APPROXIMATELY AS SHOWN
- 6 CONTACTS ARE NOT INTENDED TO BE ALIGNED WITH EACH OTHER
- 7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI
- 8 ONLY FOR 6368168-7, -8
CONTACT AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT TECHNICAL REFERENCE GR-1217-CORE ISSUE 1, NOVEMBER 1995.

6368168-1 SHOWN
SHEET 1




RECOMMENDED PANEL CUT-OUT




PC BOARD LAYOUT
(COMPONENT SIDE)



SHIELD WITH NO LED CUTOUTS AND
STANDARD PANEL GROUNDS



8	N/A	N/A	N/A	N/A	NO	WITHOUT LED PORTS	6368168-8
	GREEN	GREEN	GREEN	GREEN	NO	WITH LED PORTS	6368168-7
8	GREEN	GREEN	YELLOW	YELLOW	YES	WITH LED PORTS	6368168-6
	GREEN	GREEN	GREEN	GREEN	YES	WITH LED PORTS	6368168-5
7	YELLOW	YELLOW	GREEN	GREEN	YES	WITH LED PORTS	6368168-4
	N/A	N/A	N/A	N/A	YES	WITHOUT LED PORTS	6368168-2
OBSOLETE	N/A	N/A	N/A	N/A	NO	WITHOUT LED PORTS	6368168-1
	LED #4	LED #3	LED #2	LED #1	GROUNDING CLIP	SHIELD STYLE	PART NUMBER



THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	28 JUL 2005	 TE Connectivity																																											
				CHK	A. FERNANDEZ-DOCK																																												
				CHK	J. WESTMAN	NAME																																											
				APVD	S. FLICKINGER																																												
DIMENSIONS: mm 				PRODUCT SPEC		STACKED MODULAR JACK ASSEMBLY, 2X1, 8 POSITION, SHIELDED PANEL GROUND, OFFSET, CAT 5																																											
				108-1854																																													
				APPLICATION SPEC						SIZE				CASE CODE				DRAWING NO				RESTRICTED TO																											
				114-2160																																													
				WEIGHT																																													
				-		A1				00779				C=6368168																																			
MATERIAL				FINISH		CUSTOMER DRAWING				SCALE				3:1				SHEET				1				OF				2				REV				G											
SEE NOTE 1				SEE NOTE 1																																													

LOC	DIST	REVISIONS					
AA	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	-	SEE SHEET 1	-	-	-



6368168-6 SHOWN
SHEET 2

SHIELD WITH LED CUTOUTS AND
STANDARD PANEL GROUNDS



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN A. FERNANDEZ-DOCK 28 JUL 2005	TE Connectivity	
DIMENSIONS:		CHK J. WESTMAN 28 JUL 2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD S. ELICKINGER 28 JUL 2005	NAME STACKED MODULAR JACK ASSEMBLY, 2XL, 8 POSITION, SHIELDED PANEL GROUND, OFFSET, CAT 5	
	0 PLC ± 1 PLC ± 2 PLC ±0.1 3 PLC ±0.13 4 PLC ± ANGLES ± FINISH	PRODUCT SPEC 108-1854 APPLICATION SPEC 114-2160 WEIGHT	SIZE A1	
MATERIAL SEE NOTE 1	SEE NOTE 1	CUSTOMER DRAWING	RESTRICTED TO 00779 ©=6368168	
		SCALE 3:1	SHEET 2	REV G

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru