

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-.-

© COPYRIGHT - By - TE CONNECTIVITY

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

HB

P

LTR

DESCRIPTION

DATE

DWN

APVD





D2

CHANGE LOGO&amp;ADD LINE IDENTIFICATION ECO-12-001771


22Aug2012

YS.H


BH.Y



| Diagram dimension | Tolerance |
|-------------------|-----------|
| 0.99mm max.       | ±0.1mm    |
| 1 - 2.99mm        | ±0.2mm    |
| 3mm min.          | ±0.3mm    |



CONNECTION FIGURE

FIGURE FOR PRINTED CIRCUIT BOARD PROCESSING  
(BOTTOM VIEW)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

Fu,Bo

CHK

Zhang,XN

APVD

Yang,Wen

PRODUCT SPEC


APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

DIMENSIONS:

mm



MATERIAL

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±

3 PLC ±

4 PLC ±

ANGLES ±

FINISH

F0

F1

F2

F3

F4

F5

F6

F7

F8

F9

F10

F11

F12

F13

F14

F15

F16

F17

F18

F19

F20

F21

F22

F23

F24

F25

F26

F27

F28

F29

F30

F31

F32

F33

F34

F35

F36

F37

F38

F39

F40

F41

F42

F43

F44

F45

F46

F47

F48

F49

F50

F51

F52

F53

F54

F55

F56

F57

F58

F59

F60

F61

F62

F63

F64

F65

F66

F67

F68

F69

F70

F71

F72

F73

F74

F75

F76

F77

F78

F79

F80

F81

F82

F83

F84

F85

F86

F87

F88

F89

F90

F91

F92

F93

F94

F95

F96

F97

F98

F99

F100

F101

F102

F103

F104

F105

F106

F107

F108

F109

F110

F111

F112

F113

F114

F115

F116

F117

F118

F119

F120

F121

F122

F123

F124

F125

F126

F127

F128

F129

F130

F131

F132

F133

F134

F135

F136

F137

F138

F139

F140

F141

F142

F143

F144

F145

F146

F147

F148

F149

F150

F151

F152

F153

F154

F155

F156

F157

F158

F159

F160

F161

F162

F163

F164

F165

F166

F167

F168

F169

F170

F171

F172

F173

F174

F175

F176

F177

F178

F179

F180

F181

F182

F183

F184

F185

F186

F187

F188

F189

F190

F191

F192

F193

F194

F195

F196

F197

F198

F199

F200

F201

F202

F203

F204

F205

F206

F207

F208

F209

F210

F211

F212

F213

F214

F215

F216

F217

F218

F219

F220

F221

F222

F223

F224

F225

F226

F227

F228

F229

F230

F231

F232

F233

F234

F235

F236

F237

F238

F239

F240

F241

F242

F243

F244

F245

F246

F247

F248

F249

F250

F251

F252

F253

F254

F255

F256

F257

F258

F259

F260

F261

F262

F263

F264

F265

F266

F267

F268

F269

F270

F271

F272

F273

F274

F275

F276

F277

F278

F279

F280

F281

F282

F283

F284

F285

F286

F287

F288

F289

F290

F291

F292

F293

F294

F

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

-.-

© COPYRIGHT - By - TE CONNECTIVITY

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

HB

-

P

LTR

DESCRIPTION

DATE

DWN

APVD

- SEE SHEET 1

-

-

-


|              |           |                  |        |              |      |
|--------------|-----------|------------------|--------|--------------|------|
| 107-79010    | 1461492-7 | QJT-SS-124LM,000 | 24V    | QJT-SS-124LM | g    |
| 107-79010    | 1461492-6 | QJT-SS-118LM,000 | 18V    | QJT-SS-118LM | f    |
| 107-79010    | 1461492-5 | QJT-SS-112LM,000 | 12V    | QJT-SS-112LM | e    |
| 107-79010    | 1461492-4 | QJT-SS-109LM,000 | 9V     | QJT-SS-109LM | d    |
| 107-79010    | 1461492-3 | QJT-SS-106LM,000 | 6V     | QJT-SS-106LM | c    |
| 107-79010    | 1461492-2 | QJT-SS-105LM,000 | 5V     | QJT-SS-105LM | b    |
| 107-79010    | 1461492-1 | QJT-SS-103LM,000 | 3V     | QJT-SS-103LM | a    |
| PARKING SPEC | PART NO   | EC TYPE NAME     | PART B | PART A       | TYPE |

C1

D1

## RELAY TYPE

NOTES:  
① 1.LOT NO. SYSTEM AS FOLLOWING:



② 5.ADD LOT NO. SYSTEM AS FOLLOWING;

1 1 A  
I II III

I, DIGITS FOR DAY OF THE WEEK  
1...MONDAY IN THIS WEEK;  
2...TUESDAY IN THIS WEEK;  
.....  
7...SUNDAY IN THIS WEEK

II, DIGITS FOR SHIFT OF THE DAY

1...DAY SHIFT IN THIS DAY;  
2...NIGHT SHIFT IN THIS DAY;

III, ONE CHARACTER DISTINGUISH THE LINE  
IDENTITY, SUCH AS: A,B.....Z

② 2.TERMINAL DIMENSION IS BEFORE SOLDER DIP;

② 3.FOR THE TIN-PLATING OF THE PINS:  
+0.1mm FOR WIDTH,THICKENSS AND DIAMETER.  
+0.5mm FOR LENGTH.

② 4.MARKING FROM INK TO LASER.

|                  |              |             |                      |      |
|------------------|--------------|-------------|----------------------|------|
|                  |              | EPOXY RESIN | SEAL (BASE & BOBBIN) | 15   |
|                  |              | JUEW        | MAGNETIC WIRE        | 14   |
| 94V-0            |              | P.B.T       | CASE                 | 13   |
| 94V-0            |              | P.B.T       | BASE                 | 12   |
| 94V-0            |              | P.B.T       | BOBBIN               | 11   |
|                  | SOLDER DIP   | C.P WIRE    | COIL TERMINAL        | 10   |
| 94V-0            |              | P.B.T       | CARD                 | 9    |
|                  |              | Ag ALLOY    | MOVABLE CONTACT      | 8    |
|                  |              | Ag ALLOY    | NO.CONTACT           | 7    |
|                  |              | STEEL       | HINGE SPRING         | 6    |
|                  | SOLDER DIP   | PBP         | NO.TERMINAL          | 5    |
|                  | SOLDER DIP   | Cu ALLOY    | MOVABLE SPRING       | 4    |
|                  | Cu-Ni PLATED | STEEL       | CORE                 | 3    |
|                  | Cu-Ni PLATED | STEEL       | ARMATURE             | 2    |
|                  | Cu-Ni PLATED | STEEL       | YOKE                 | 1    |
| INCOMBUSTIBILITY | TREATMENT    | MATERIAL    | DESCRIPTION          | ITEM |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

Fu,Bo

CHK

Zhang,XN

APVD

Yang,Wen

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING


SCALE 5:1

SHEET 2 OF 2

REV D2

DIMENSIONS:

mm

TOLERANCES UNLESS  
OTHERWISE SPECIFIED:

0 PLC ± -  
1 PLC ± -  
2 PLC ± -  
3 PLC ± -  
4 PLC ± -  
ANGLES ± -

MATERIAL

-

FINISH

-



TE Connectivity

NAME

QJT-SS-1\*\*LM.000 CUSTOMER DRAWING

SIZE

CAGE CODE

DRAWING NO

1461492

RESTRICTED TO

-

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)