





REVISIONS			
LTR	DESCRIPTION	DATE	APPROVED
A	INITIAL RELEASE PER DCR NO. RO40261	04/05/04	PMG

If this document is printed it becomes uncontrolled.
Check for the latest revision.



©2004 Tyco Electronics Corporation All rights reserved.			
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. METRIC DIMENSIONS ARE IN BRACKETS.			
DECIMALS .XXX ±	---	DATE 03/12/04	tyco Electronics
ANGLES ° ±	---	DESIGNED BY E. STADLER	RAYCHEM PRODUCTS 305 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025
THIRD ANGLE PROJECTION	---	DATE 03/12/04	TITLE
WEIGHT lbs [g]	---	PROJECT IR-550 CE	IR-550-300 MARK III-CE HEATING TOOL 230 VAC SERVICE
		SCALE FULL	DO NOT SCALE THIS DRAWING
		SHEET 1 OF 2	

8	7	6	5	4	3	2	1											
						<table><tr><td colspan="3">REVISIONS</td></tr><tr><td>LTR</td><td>DESCRIPTION</td><td>DATE</td><td>APPROVED</td></tr><tr><td>A</td><td>INITIAL RELEASE PER DCR NO. R040261</td><td>04/05/04</td><td>PMG</td></tr></table>		REVISIONS			LTR	DESCRIPTION	DATE	APPROVED	A	INITIAL RELEASE PER DCR NO. R040261	04/05/04	PMG
REVISIONS																		
LTR	DESCRIPTION	DATE	APPROVED															
A	INITIAL RELEASE PER DCR NO. R040261	04/05/04	PMG															
NOTES: 1. THIS IR-550-300 MARK III-CE HEATING TOOL MAY BE PURCHASED FROM TYCO ELECTRONICS AS PCN: C66438-000. 2. REFER TO IR-550-300 MARK III-CE OPERATING AND MAINTENANCE MANUALS FOR COMPLETE OPERATING INSTRUCTIONS. 3. SPECIFICATIONS: INPUT POWER- 230 VAC. WEIGHT- 5.5 LBS APPROX. DUTY CYCLE- 80%, 90 SECOND HEATING TIMES. 4. THE IR-550-300 MARK III-CE IS SUPPLIED WITH TWO POWER CORDS: IR-550-300 MARK III-CE EUR-PWR-CORD IR-550-300 MARK III-CE UK-PWR-CORD																		
8 7 6 5 4 3 2 1																		

SPECIFICATION CONTROL
DRAWING

©2004 Tyco Electronics Corporation All rights reserved.

If this document is printed it becomes uncontrolled.
Check for the latest revision.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES. METRIC DIMENSIONS ARE IN BRACKETS.	DESIGN P. GODFREY	DATE 03/18/04		tyco Electronics	RAYCHEM PRODUCTS 305 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025
	DRAWN E. STADLER	DATE 03/18/04			
	APPROVED E. STADLER	DATE 03/18/04			
	THIRD ANGLE PROJECTION				
DECIMALS .XXX ± _____ .XX ± _____ ANGLES .X ± _____ WEIGHT _____ lbs [g]	DRAWN R040261b		TITLE IR-550-300 MARK III-CE HEATING TOOL 230 VAC SERVICE		
PROJECT IR-550 CE		SIZE D	CODE IDENT. NO. 06090	DWG. NO. IR-550-300	REV A
SCALE FULL		DO NOT SCALE THIS DRAWING SHEET 2 OF 2			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru