

4

3

2

1

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
© COPYRIGHT ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
	F1	ECR-14-001887		12FEB2014	GK	HMR	

REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2151400-1


FOR REPLACEMENT PARTS FOR APPLICATOR 1385243
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1385243

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV			TE Connectivity			
DIMENSIONS:		CHK	RAGHAVENDRA			NAME			
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	SIDE FEED HDM APPLICATOR				
		0 PLC ±	1 PLC ±	RAGHAVENDRA		PRODUCT SPEC			
MATERIAL		2 PLC ±	3 PLC ±	APPLICATION SPEC		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
FINISH		4 PLC ±	ANGLES ±	WEIGHT		A3		©- 1385243	
				CUSTOMER DRAWING		SCALE	SHEET 1 OF 2	REV F1	

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION. BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


PART NUMBER	REV	FIRST USED
1385243-1	F	122500-1
1385243-2	F	565435-5
1385243-3	F	354500-1



TERMINAL NAME: JUMBO PV RECEPTAL R/A FOR .040/1.02 PIN			
1448272-1	CRIMP DATA (NON-AMP TERMINAL-CUST SPEC)		
957233			
PAD LTR	CRIMP HEIGHT	WIRE SIZE	
A	.047 ±.001 [1.19 ±.05mm]	18	
B	.043 ±.001 [1.09 ±.05mm]	20	
C	NOT	USED	
D	NOT	USED	
CRIMP	SIZE	TYPE	RANGE
WIRE	.070 [1.78mm]	F	18-20
INSUL	.110 [2.79mm]	0	.042-.103
WIRE STRIP LENGTH	TERM APPL SPEC	FEED	APPL INSTRUCTION
.148-.168	NONE	.600	408-8040
			SET UP GAGE LAYOUT
			458637-1 L2520


REVISIONS			
LOC	QTY	DESCRIPTION	DATE
A	66		7-2007
F		ECR-07-016881	MY GB

REV	QTY	DESCRIPTION	ITEM NO
-1		LEADMAKER	
-2		BENCH MODEL K	
-3		BENCH MODEL G	




QTY	REV	DESCRIPTION	ITEM NO
1	1	1	129
2	2	2	128
2	2	2	127
1	1	1	126
1	1	1	125
1	1	1	124
1	1	1	123
1	1	1	122
1	1	1	121
1	1	1	120
1	1	1	119
1	1	1	118
1	1	1	117
1	1	1	116
1	1	1	115
2	2	2	114
1	1	1	113
2	2	2	112
1	1	1	111
1	1	1	110
1	1	1	109
1	1	1	108
1	1	1	107
1	1	1	106
1	1	1	105
1	1	1	104
1	1	1	103
2	2	2	102
1	1	1	101
1	1	1	100
2	2	2	99
1	1	1	98
1	1	1	97
1	1	1	96
1	1	1	95
4	4	4	94
1	1	1	93
1	1	1	92
1	1	1	91
1	1	1	90
1	1	1	89
1	1	1	88
1	1	1	87
1	1	1	86
1	1	1	85
1	1	1	84
1	1	1	83
1	1	1	82
1	1	1	81
1	1	1	80
1	1	1	79
1	1	1	78
1	1	1	77
1	1	1	76
1	1	1	75
1	1	1	74
1	1	1	73
1	1	1	72
1	1	1	71
-3	-2	-1	U/M
			PART NO DESCRIPTION ITEM NO
			QTY REQD PER ASSY PARTS LIST

QTY	REV	DESCRIPTION	ITEM NO
1	1	1	70
1	1	1	69
1	1	1	68
1	1	1	67
1	1	1	66
1	1	1	65
1	1	1	64
1	1	1	63
1	1	1	62
1	1	1	61
1	1	1	60
1	1	1	59
1	1	1	58
1	1	1	57
1	1	1	56
1	1	1	55
1	1	1	54
1	1	1	53
1	1	1	52
1	1	1	51
1	1	1	50
1	1	1	49
1	1	1	48
1	1	1	47
1	1	1	46
1	1	1	45
1	1	1	44
1	1	1	43
1	1	1	42
1	1	1	41
1	1	1	40
1	1	1	39
1	1	1	38
1	1	1	37
1	1	1	36
1	1	1	35
1	1	1	34
1	1	1	33
1	1	1	32
1	1	1	31
1	1	1	30
1	1	1	29
1	1	1	28
2	2	2	27
1	1	1	26
1	1	1	25
1	1	1	24
1	1	1	23
1	1	1	22
1	1	1	21
1	1	1	20
1	1	1	19
1	1	1	18
1	1	1	17
1	1	1	16
1	1	1	15
1	1	1	14
1	1	1	13
1	1	1	12
1	1	1	11
1	1	1	10
1	1	1	9
1	1	1	8
1	1	1	7
1	1	1	6
1	1	1	5
1	1	1	4
1	1	1	3
1	1	1	2
1	1	1	1
-3	-2	-1	U/M
			PART NO DESCRIPTION ITEM NO
			QTY REQD PER ASSY PARTS LIST



- 1 RECOMMENDED SPARE PARTS.
- 2 GREASE LIGHTLY.
- 3 GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
- 4 LUBRICATE DAILY USING NO. 20 MACHINE OIL.
- 5. ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEMS 78 AND 79) ARE USED ON ITEM 46.



Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренеспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru