




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	NEW DRAWING	10SEP2016	RS	ML
	A1	REVISED PER ECR-16-016988	03JAN2017	RK	PO



1. HOUSING MATERIAL: THERMOPLASTIC, FLAME-RETARDANT PER UL 94 V-0
COLOR = BLACK
2. CONTACT MATERIAL: COPPER ALLOY WITH TIN PLATE
- ③ PRODUCT CERTIFICATIONS:
UL, CSA: 300V (SEE TABLE FOR RATED CURRENT)
4. HAZARDOUS SUBSTANCE COMPLIANCE: RoHS, REACH
- ⑤ PACKAGING: TAPE AND REEL
REEL DIAMETER = 380mm
TAPE WIDTH = SEE TABLE
6. MATES WITH 2213934 SERIES, 2213935 SERIES, AND 2305909 SERIES




10A UL GROUP D CSA GROUPS D, E	88	62.0	60.4	12	1-2305908-2
		57.0	55.4	11	1-2305908-1
15A UL GROUP B CSA GROUP B	72	52.0	50.4	10	1-2305908-0
		47.0	45.4	9	2305908-9
	56	42.0	40.4	8	2305908-8
		37.0	35.4	7	2305908-7
	44	32.0	30.4	6	2305908-6
		27.0	25.4	5	2305908-5
		22.0	20.4	4	2305908-4
	24	17.0	15.4	3	2305908-3
		12.0	10.4	2	2305908-2
	RATED CURRENT 	TAPE WIDTH "W" (mm) 	LENGTH "L2" (mm)	LENGTH "L1" (mm)	NO. OF POLES


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RAVL.S	10SEP2016	 TE Connectivity			
		CHK M.LUKSIC	10SEP2016				
DIMENSIONS: mm 	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±. 1 PLC ±0.2 2 PLC ±0.13 3 PLC ±. 4 PLC ±. ANGLES ±. FINISH	APVD M.LUKSIC	10SEP2016	NAME TERMINAL BLOCK HEADER, RIGHT ANGLE, SMT, 5.0MM PITCH			
		PRODUCT SPEC -					
		APPLICATION SPEC -					
		-					
MATERIAL SEE NOTES -	-	WEIGHT	-	SIZE A2	CAGE CODE -	DRAWING NO C-2305908	RESTRICTED TO -
		CUSTOMER DRAWING				SCALE 5:1	SHEET 1 of 2

D


D




2 POLES: 2305908-2




3 POLES: 2305908-3



4 POLES: 2305908-4




5 POLES: 2305908-5




6 POLES: 2305908-6

C


C



7 POLES: 2305908-7




8 POLES: 2305908-8




9 POLES: 2305908-9

B

B




10 POLES: 1-2305908-0



11 POLES: 1-2305908-1

A

A



12 POLES: 1-2305908-2

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±0.2

2 PLC ±0.13

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH -

MATERIAL

-

-

DWN RAVI.S 10SEP2016

CHK M.LUKSIC 10SEP2016

APVD M.LUKSIC 10SEP2016

PRODUCT SPEC -

APPLICATION SPEC -

WEIGHT -

CUSTOMER DRAWING

TE Connectivity

NAME

TERMINAL BLOCK HEADER, RIGHT ANGLE, SMT, 5.0MM PITCH

SIZE

A2

CAGE CODE

-

DRAWING NO

C-2305908

RESTRICTED TO

-

SCALE

5:1

SHEET

2

OF

2

REV

A1

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru