








Copyright FCI.

PART NUMBER
10120045-200LF



SCALE 3.000



SCALE 3.000

NOTES:

1. MATERIAL:
HOUSING: HIGH TEMPERATURE LCP,NATURAL
UL 94 V-0 FLAME RETARDANT.
CONTACTS: COPPER ALLOY.
PLATING SPEC AS BELOW:
FOR CONTACT AREA:
* 0.76um GXT*(30"GXT");
FOR SOLDER AREA:
MATTE PURE TIN 3 um MIN.
FOR UNDERPLATING:
1.27 um MIN.THICKNESS NICKEL
2. PRODUCT SPEC. GS-12-1079.
3. LEAD FREE NOTES:
3a.THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK
TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED
OR VAPOR PHASE REFLOW OVEN.
3b.THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND
OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
* GXT™ is an FCI Electronics patented process of palladium-nickel alloy plated with a gold flash.

rev	ecn no	dr	date
A	-	MJA	2013-06-10
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

www.fciconnect.com			surface ISO 1302	tolerance std ISO 406 ISO 1101	projection A4	MM
			ANGULAR	LINEAR	size	Scale 5.000
			0° ±2°	0.X ±X 0.XX ±0.2 0.XXX ±X	ECN	-
			Product family-RotaConnect		Spec ref	-
FCI			title ASSEMBLY, 2 POS HOR TYPE ROTATABLE BOARD TO BOARD CONNECTOR		dwg 10120045-200C	Rev. A
			catalog no : 10120045-200LF		CUSTOMER DRAWING	sheet 1 of 3

REV F - 2006-04-17

1

2

3

4

PART NUMBER
10120045-200LF

A

B

C

Copyright FCI.


D

A


B

C

D



SCALE 2.000



SCALE 3.000

www.fciconnect.com			surface ISO 1302	tolerance std ISO 406	ISO 1101	projection A4	MM
			TOLERANCES UNLESS OTHERWISE SPECIFIED				
Dr	M JACOB	2013-06-10	ANGULAR	0.X	±X	size	Scale
Eng	M JACOB	2013-06-10	LINEAR	0.XX	± 0.2	A4	3.000
Chr	M JACOB	2013-06-10	0° ±2°	0.XXX	±X	ECN	-
Appr	BIJU K PAUL	2013-06-10	Product family-RotaConnect			Spec ref	-
			ASSEMBLY, 2 POS HOR TYPE			no	Rev.
			ROTATABLE BOARD TO BOARD CONNECTOR			10120045-200C	A
			catalog no : 10120045-200LF			CUSTOMER DRAWING	sheet 2 of 3

REV F - 2006-04-17

1

2

3


4

PDS: Rev :A



STATUS:Released

Printed: Jun 18, 2013


PART NUMBER
10120045-200LF



SECTION A-A



Component inside carrier tape



DETAIL D
SCALE 2:1

NOTES :

1. MATERIAL : ANTI-STATIC POLYSTYRENE
2. PACKAGING AS PER EIA-481 STD.
3. QTY PER REEL : 975 NOS

rev	ecn no	dr	date
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-
-	-	-	-

www.fciconnect.com			surface ISO 1302	tolerance std ISO 406 ISO 1101	projection ISO 1101	MM
			ANGULAR	LINEAR	size A4	Scale 1.000
Dr	M JACOB	2013-06-10	0°	±2°	ECN	-
Eng	M JACOB	2013-06-10	TOLERANCES UNLESS OTHERWISE SPECIFIED		Spec ref	-
Chr	M JACOB	2013-06-10	Product family			
Appr	BIJU K PAUL	2013-06-10	ASSEMBLY, 2 POS HOR TYPE			
			ROTATABLE BOARD TO BOARD CONNECTOR			
			catalog no : 10120045-200LF			
			CUSTOMER DRAWING		sheet 3 of 3	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru