This document was generated on 09/14/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0640038670
Status: Active
Overview: Application Tooling
Description: Square "Din" Style Die Set for BCL and VersaKrimp Un-insulated Ring Tongue Terminals and Splices, 4 AWG

Series image - Reference only

Documents:
RoHS Certificate of Compliance (PDF)

General

Product Family	Application Tooling
Series	207126
Comments	See Tooling Specification (PDF) Above, See Tooling Specification (PDF) Above
Function	Crimp
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	Battery Cable Lug, VersaKrimp
Tool Type	Crimp Module
UPC	889056559126
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers

Application Tooling Documents	ATS-638161100, ATS-640038670, TM-638161000

EU ELV
Not Reviewed

EU RoHS
Not Reviewed

China RoHS

REACH SVHC
Not Reviewed

Halogen-Free Status
Not Reviewed

For more information, please visit Contact US

China ROHS	Not Reviewed
ELV	Not Reviewed
RoHS Phthalates	Not Reviewed

Search Parts in this Series
207126 Series

Application Tooling Description	| FAQ Product #
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	2061101
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag	2061103
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 4529, Female, with Tin (Sn) Plated Phosphor Bronze	2061104

Contact, 18-24 AWG, Reel	
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with Tin (Sn) Plated Brass Contact, Without Locking Tabs, 18-24 AWG, Reel Packaged	2061118
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	2061131
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	2061132
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Without Locking Tabs, Reel Packaged	2061141
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel Packaged with Interleaf Paper	2061143
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel	2062101
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag	2062103
1.57mm Diameter, Standard .062" Pin	2062131

	and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel	
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	2062132
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	2065100
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	2065101
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	2065102
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	2065103
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Loose in Bag Packaged	2065104
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Reel	2065105
	1.57mm Diameter, Standard .062" Pin	2065108

	and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	2065109
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	2065130
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	2065135
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	2065138
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	2065139
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	2065147
	1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold	2065148

(Au) Plated Brass Contact, 24-30 AWG, Bag	
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Reel	2066100
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel Packaged	2066101
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged	2066102
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Bag	2066103
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective 1.27µm Select Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged	2066104
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Reel	2066118
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass	2066119

Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Bag	
1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Selective Gold (Au) Plated Brass Contact, Bag	2066122
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	2066130
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	2066135
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Reel	2066138
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	2066139
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Reel	2066143
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Bag	2066144

1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with 2.54µm Tin (Sn) Plated Brass Contact, Bag Packaged	2067103
1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with .76µm Selective Gold (Au) Plated Brass Contact, Bag Packaged	2067104
1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Tin (Sn) Plated Brass Contact, Bag	2068103
MLX Crimp Terminal 42023, 14-20 AWG, Bag Selective Gold (Au)	2082008
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel	2091102
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag	2091104
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel	2091117
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag	2091119
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series	2091122

	2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Reel	
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 2273, Female, with Tin (Sn) Plated Contact, Low Engagement Force, 18-22 AWG, Bag	2091123
	2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Tin (Sn) Plated Contact, Bag	2091134
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 41483, Female, with Tin (Sn) Plated Brass Contact, 14-18 AWG with Large Insulation Diameter, Chain	2091155
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel	2091205
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag	2091206
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42477, Female, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel	2091615
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass	2092101

	Contact, 14-20 AWG, Reel	
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Bag	2092103
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel	2092116
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, without Dents, 18-22 AWG, Reel	2092117
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag	2092118
	2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin/ Lead (Sn/Pb) Plated Contact, With Detent, Bag Packaged	2092133
	2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin (Sn) Plated Contact, Without Detent, Bag Packaged	2092134
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4549, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel Packaged	2092166
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4549, Male, with	2092167

	Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag Packaged	
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Large Insulation Crimp, Reel	2092170
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Large Insulation Crimp, Bag	2092171
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42478, Male, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel	2092611
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel	2095100
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Chain	2095101
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel	2095102
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	2095106

2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	2095111
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	2095130
2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Gold (Au) Plated Contact, Bag	2095132
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag	2095133
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag	2095142
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	2095143
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated Phosphor Bronze Contact, 14-20 AWG, Reel	2095169
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated	2095170

Phosphor Bronze Contact, 14-20 AWG, Bag	
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Reel	2096100
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Reel	2096101
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel	2096102
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	2096106
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag	2096110
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	2096122
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag	2096123
2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series	2096125

	1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Reel	
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag	2096126
	2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Gold (Au) Plated Contact, Without Detent, Bag Packaged	2096132
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Reel	2098103
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag	2098104
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Reel	2098108
	2.36mm Diameter, Standard .093" Pin and Socket Crimp Grounding Terminal, Series 1973, Male, with Tin (Sn) Plated Brass Contact, 14-18 AWG, Bag	2098109
	Mini-Fit Jr. Receptacle Housing, Single Row, 5 Circuits, UL 94V-2, Natural	3044052
	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 1 Circuits, Natural	3061011

1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-bent Mounting Ears, Natural	3061022
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Natural	3061023
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, with Standard Mounting Ears	3061031
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, without Mounting Ears, Natural	3061032
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 3 Circuits, with Pre-bent Mounting Ears, Natural	3061038
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, with Standard Mounting Ears	3061041
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 4 Circuits, without Mounting Ears, Natural	3061042
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural	3061044
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Natural	3061062

1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 9 Circuits, without Mounting Ears, Natural	3061092
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, with Standard Mounting Ears, Natural	3061121
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, without Mounting Ears, Natural	3061122
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 1 Circuits, Natural	3062011
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural	3062023
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 2 Circuits, with Pre-bent Mounting Ears, Natural	3062024
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Standard Mounting Ears, Natural	3062031
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 3 Circuits, without Mounting Ears, Natural	3062032
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Pre-bent Mounting Ears, Natural	3062033
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 4 Circuits, with Standard Mounting Ears	3062041

1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 4 Circuits, without Mounting Ears, Natural	3062042
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural	3062044
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Natural	3062061
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 9 Circuits, without Mounting Ears, Natural	3062092
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 12 Circuits, with Pre-bent Mounting Ears, Natural	3062121
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 12 Circuits, without Mounting Ears, Natural	3062122
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Black	3066023
1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Black	3066062
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black	3067023
1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Black	3067044

1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Black	3067061
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 1 Circuit, Friction Lock, Natural	3091011
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, with Ramps, Natural	3091022
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-bent Mounting Ears, with Ramps, Natural	3091027
2.36mm Diameter Standard Receptacle Housing, 3 Circuit, Natural	3091030
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural	3091031
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural	3091032
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Free-Hanging, without Passive Lock Ramps, Natural	3091033
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural	3091041
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural	3091042
2.36mm Diameter Standard .093" Pin and Socket	3091049

Receptacle Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural	
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	3091061
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	3091062
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, without Panel Mount Ears, without Friction Lock Ramp	3091063
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	3091064
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural	3091081
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural	3091091
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, with Panel Mount Ears, without Passive Lock Ramp	3091092
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, without Panel Mount Ears, without Passive Lock Ramp	3091093
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural	3091094

2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Panel Mountable, without Passive Locking Ramps	3091121
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Natural	3091125
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Natural	3091126
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-Bent Mounting Ears, without Lock Ramps	3091151
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, without Lock Ramps	3091152
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-bent Mounting Ears, with Lock Ramps	3091153
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Lock Ramps	3091157
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing without Mounting Ears, Positive Lock, 2 Circuits	3091161
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 1 Circuit, Friction Lock, Natural	3092011

2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, with Standard Mounting Ears, Natural	3092021
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural	3092022
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural	3092031
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural	3092032
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row	3092041
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row	3092042
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural	3092049
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 6 Circuits, Dual Row	3092061
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 6 Circuits, Dual Row	3092062
2.36mm Diameter Standard .093" Pin and Socket Plug Housings, 9 Circuits, 3 Rows	3092092
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows	3092121
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows	3092122

2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Pull Tabs, without Lock Windows	3092151
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, with Pre-Bent Mounting Ears, without Pull Tabs, with Lock Windows	3092159
2.36mm Diameter Standard .093" Pin and Socket Plug Housing without Mounting Ears, Positive Lock, 2 Circuits	3092161
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-bent Mounting Ears, with Ramps, Black	3096021
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Black	3097022
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Red	3097024
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Black	3097032
3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, 2 Circuits, Single Row, with and without Panel Mount Ears	3121022
3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, Single Row, 2 Circuits, Natural (Translucent)	3121026
3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, Single Row, without Panel	3121036

	Mount Ears, 3 Circuits, Natural, Nylon 94V-2	
	3.18mm Diameter, HCS125, Pin and Socket Receptacle Housing, Single Row, 4 Circuits, Natural (Translucent)	3121046
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, 2 Circuits, Single Row, with and without Panel Mount Ears	3122022
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 2 Circuits, Natural (Translucent)	3122025
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 2 Circuits, Natural (Translucent)	3122026
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2	3122035
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2	3122036
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 4 Circuits, Natural (Translucent)	3122045
	3.18mm Diameter, HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 4 Circuits, Natural (Translucent)	3122046

Crimp Terminal 2482, 10-16 AWG, Reel	5121004
Crimp Terminal 2482, 10-16 AWG, Bag	5121005
Crimp Terminal 2482, 10-16 AWG, Reel	5121006
Crimp Terminal 2482, 10-16 AWG, Reel	5121008
Crimp Terminal 6482, 14-18 AWG, Reel	5121104
Flat Blade Appliance Motor Switch Crimp Housing, 10 Circuits	6021103
Flat Blade Appliance Water Valve Crimp Housing, 3 Circuit, Natural	6022030
Flat Blade Appliance Defrost Timer Crimp Housing, 4 Circuit, 4 Circuits	6023042
Flat Blade Appliance Motor Switch Crimp Housing, 10 Circuit, 10 Circuits	6023103
Flat Blade Appliance Dryer Motor Crimp Housing, 10 Circuit	6023104
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, 2.20mm Insulation Crimp, Reel	8500030
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Reel	8500031
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Bag	8500032
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass Tin (Sn)	8500106
KK 254 Crimp Terminal, 22-30 AWG, Hot Tin (Sn) Dip Plating	8500113
KK 254 Crimp Terminal, 22-30 AWG, Bag, Hot Tin (Sn) Dip Plating	8500114
KK 254 Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Reel	8500135

KK 254 Crimp Terminal 4809, 22-30 AWG, Tin, Bag	8500136
KK 254 Crimp Terminal, 22-30 AWG, Reel, Tin (Sn) Plating, Nickel (Ni) Under Plating	8500159
KK 254 Crimp Terminal, 22-30 AWG, Bag, Tin (Sn) Plating, Nickel (Ni) Under Plating	8500160
KK 100 Crp Term Std 22-30 Awg Unplt	8510101
KK 254 Crimp Terminal, 22-30 AWG, Reel, Tin (Sn), Nickel (Ni) Under Plating	8510108
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, Tin (Sn)	8520072
KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Tin (Sn)	8520101
KK Trifurcon Crimp Terminal 6838, 18-20 AWG, Reel, Phosphor Bronze Tin(Sn)	8520112
KK Trifurcon Crimp Terminal 6838, 18-20 AWG, Bag, Phosphor Bronze Tin (Sn)	8520113
KK .100 CRIMP TERMINAL 100MI MATTE TIN	8520118
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Tin (Sn)	8520123
KK 254 Crimp Terminal, 22-30 AWG, Reel, Selective Gold (Au), Nickel (Ni) Under Plating	8550101
KK 254 Crimp Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating	8550102
KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Reel	8550110
KK 254 Crimp Terminal 4809, 22-30	8550111

AWG, Selective Gold (Au), Bag	
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Selective Gold, Reel	8550112
KK 254 Crimp Terminal, 22-30 AWG, Reel, Selective Gold (Au), Nickel (Ni) Under Plating	8550130
KK 254 Crimp Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating	8550131
KK 254 Crimp Terminal, 22-30 AWG, Reel, Gold (Au), Nickel (Ni) Under Plating	8560109
KK 254 Crimp Terminal, 22-30 AWG, Bag, Gold (Au), Nickel (Ni) Under Plating	8560110
KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Bag	8560115
KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Reel	8560120
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.38µm Selective Gold (Au)	8650116
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Selective Gold (Au)	8650122
KK 100 Crp Term Std 22-30 Awg SGold	8650801
KK 100 Crp Term Std 22-30 Awg SGold	8650811
KK 100 Crp Term Std 22-30 Awg SGold	8650812
KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Gold (Au)	8650813
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Gold (Au)	8650814

KK 254 Crimp Terminal 6459, 22-30 AWG, Reel, Phosphor Bronze Selective Gold (Au)	8650815
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Selective Gold (Au)	8650816
KK 100 Crp Term Std 22-30 Awg SGold	8650817
3.96 and 5.08mm Pitch KK Cat Ear Crimp Terminal, Female, 18-24 AWG, Reel	8700012
3.96mm Pitch KK Crimp Housing, Edge Card Connector, Single-Sided, Polarized, Positive Lock, with Probe Hole, 3 Circuits	9011036
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits	9481024
KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 10 Circuits	9481104
KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 10 Circuits	9481105
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 2 Circuits	9483024
KK 396 PC Board Connector, Right Angle, Polyester Connector, Gold (Au) Selective, 2 Circuits	9483025
KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 2 Circuits	9483026
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, Gold (Au) Selective, 10 Circuits	9483104
KK 396 PC Board Connector, Right-Angle, Polyester Connector, Gold (Au) Selective, 10 Circuits	9483105

KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 10 Circuits	9483106
KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits	9484028
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits	9484029
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits	9484039
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 9 Circuits	9484099
KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 10 Circuits	9484108
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 10 Circuits	9484109
KK 396 PC Board Connector, Top Entry, Polyester Connector, 5.00µm Tin (Sn), 11 Circuits	9484118
KK 396 PC Board Connector, Bottom Entry, Polyester Connector, 5.00µm Tin (Sn), 14 Circuits	9484149
3.96mm Pitch SPOX Crimp Housing, Female, with Friction Ramp, 2 Circuits, Natural	9501021
3.96mm Pitch SPOX Crimp Housing, Female, with Friction Ramp and Void, 2 Circuits, Natural	9501023
3.96mm Pitch SPOX Crimp Housing, Female, with Friction Ramp, 3 Circuits, Natural	9501031
3.96mm Pitch SPOX Crimp Housing, Female, with Friction Ramp and Void, 3 Circuits, Natural	9501033

	3.96mm Pitch SPOX 9501041 Crimp Housing, Female, with Friction Ramp, 4 Circuits, Natural
	3.96mm Pitch SPOX 9501043 Crimp Housing, Female, with Friction Ramp and Void, 4 Circuits, Natural
	3.96mm Pitch SPOX 9501051 Crimp Housing, Female, with Friction Ramp, 5 Circuits, Natural
	3.96mm Pitch SPOX 9501053 Crimp Housing, Female, with Friction Ramp and Void, 5 Circuits, Natural
	3.96mm Pitch SPOX 9501061 Crimp Housing, Female, with Friction Ramp, 6 Circuits, Natural
	3.96mm Pitch SPOX 9501063 Crimp Housing, Female, with Friction Ramp and Void, 6 Circuits, Natural
	3.96mm Pitch SPOX 9501071 Crimp Housing, Female, with Friction Ramp, 7 Circuits, Natural
	3.96mm Pitch SPOX 9501073 Crimp Housing, Female, with Friction Ramp and Void, 7 Circuits, Natural
	3.96mm Pitch SPOX 9501081 Crimp Housing, Female, with Friction Ramp, 8 Circuits, Natural
	3.96mm Pitch SPOX 9501083 Crimp Housing, Female, with Friction Ramp and Void, 8 Circuits, Natural
	3.96mm Pitch SPOX 9501091 Crimp Housing, Female, with Friction Ramp, 9 Circuits, Natural
	3.96mm Pitch SPOX 9501101 Crimp Housing, Female, with Friction Ramp, 10 Circuits, Natural
	3.96mm Pitch SPOX 9501103 Crimp Housing, Female, with Friction Ramp and Void, 10 Circuits, Natural

3.96mm Pitch SPOX Crimp Housing, Female, with Friction Ramp, 11 Circuits, Natural	9501111
3.96mm Pitch SPOX Crimp Housing, Female, with Friction Ramp and Void, 11 Circuits, Natural	9501113
3.96mm Pitch SPOX Crimp Housing, Female, with Friction Ramp, 12 Circuits, Natural	9501121
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 2 Circuits, Natural	9503021
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 3 Circuits, Natural	9503031
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Natural	9503041
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Natural	9503051
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Natural	9503061
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Natural	9503071
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural	9503081
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural	9503091
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural	9503101
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11 Circuits, Natural	9503111
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 Circuits, Natural	9503121
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 Circuits, Natural	9503131
KK 3.96mm Crimp Terminal Housing,	9503141

Friction Ramp, 14 Circuits, Natural	
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 15 Circuits, Natural	9503151
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 16 Circuits, Natural	9503161
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 17 Circuits, Natural	9503171
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 18 Circuits, Natural	9503181
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 19 Circuits, Natural	9503191
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 20 Circuits, Natural	9503201
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 21 Circuits, Natural	9503211
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 22 Circuits, Natural	9503221
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 23 Circuits, Natural	9503231
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 24 Circuits, Natural	9503241
KK 3.96mm Crimp Terminal Housing, 2 Circuits, Natural	9507021
KK 3.96mm Crimp Terminal Housing, 3 Circuits, Natural	9507031
KK 3.96mm Crimp Terminal Housing, 4 Circuits, Natural	9507041
KK 3.96mm Crimp Terminal Housing, 5 Circuits, Natural	9507051
KK 3.96mm Crimp Terminal Housing, 6 Circuits, Natural	9507061
KK 3.96mm Crimp Terminal Housing, 7 Circuits, Natural	9507071
KK 3.96mm Crimp Terminal Housing, 8 Circuits, Natural	9507081

KK 3.96mm Crimp Terminal Housing, 9 Circuits, Natural	9507091
KK 3.96mm Crimp Terminal Housing, 10 Circuits, Natural	9507101
KK 3.96mm Crimp Terminal Housing, 11 Circuits, Natural	9507111
KK 3.96mm Crimp Terminal Housing, 12 Circuits, Natural	9507121
KK 3.96mm Crimp Terminal Housing, 13 Circuits, Natural	9507131
KK 3.96mm Crimp Terminal Housing, 14 Circuits, Natural	9507141
KK 3.96mm Crimp Terminal Housing, 15 Circuits, Natural	9507151
KK 3.96mm Crimp Terminal Housing, 16 Circuits, Natural	9507161
KK 3.96mm Crimp Terminal Housing, 17 Circuits, Natural	9507171
KK 3.96mm Crimp Terminal Housing, 18 Circuits, Natural	9507181
KK 3.96mm Crimp Terminal Housing, 19 Circuits, Natural	9507191
KK 3.96mm Crimp Terminal Housing, 20 Circuits, Natural	9507201
KK 3.96mm Crimp Terminal Housing, 21 Circuits, Natural	9507211
KK 3.96mm Crimp Terminal Housing, 22 Circuits, Natural	9507221
KK 3.96mm Crimp Terminal Housing, 23 Circuits, Natural	9507231
KK 3.96mm Crimp Terminal Housing, 24 Circuits, Natural	9507241
KK 3.96mm Crimp Terminal Housing, 2 Circuits, Natural	9508020
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 2 Circuits, Natural	9508021
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 2 Circuits, Natural	9508023
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Natural	9508041
KK 3.96mm Crimp Terminal Housing,	9508043

Friction Ramp, 4 Circuits, Natural	
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural	9508093
KK 3.96mm Crimp Terminal Housing, 10 Circuits, Natural	9508100
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural	9508101
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural	9508103
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Natural	9508141
3.96mm Pitch KK Crimp Housing, Female, Friction Ramp, 2 Circuits, Natural	9524024
3.96mm Pitch KK Crimp Housing, Female, Friction Ramp, 3 Circuits, Natural	9524034
3.96mm Pitch KK Crimp Housing, Female, Friction Ramp, 4 Circuits, Natural	9524044
3.96mm Pitch KK Crimp Housing, Female, Friction Ramp, 5 Circuits, Natural	9524054
3.96mm Pitch KK Crimp Housing, Female, Friction Ramp, 6 Circuits, Natural	9524064
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 2 Circuits	9652028
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, with Void, 2 Circuits	9652029
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 3 Circuits	9652038
SPOX and KK 396 Wire-to-Board Header, Vertical, with	9652039

Friction Lock, with Void, 3 Circuits	
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 4 Circuits	9652048
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, with Void, 4 Circuits	9652049
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 5 Circuits	9652058
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 6 Circuits	9652068
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, with Void, 6 Circuits	9652069
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 7 Circuits	9652078
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, with Void, 7 Circuits	9652079
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 8 Circuits	9652088
SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, with Void, 8 Circuits	9652089
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 2 Circuits, Glow-Wire Capable	9930200
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 3 Circuits, Glow-Wire Capable	9930300
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Glow-Wire Capable	9930400
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5	9930500

Circuits, Glow-Wire Capable	
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Glow-Wire Capable	9930600
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Glow-Wire Capable	9930700
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Glow-Wire Capable	9930800
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Glow-Wire Capable	9930900
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Glow-Wire Capable	9931000
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11 Circuits, Glow-Wire Capable	9931100
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 Circuits, Glow-Wire Capable	9931200
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 Circuits, Glow-Wire Capable	9931300
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Glow-Wire Capable	9931400
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 15 Circuits, Glow-Wire Capable	9931500
15 PIN MICRO-D FEMAL ASSY M8351309B11	10008503
15/C METALSHELL RECEPT.WIRED	10008637
15/C METAL SHELL PLUG WIRED	10008638
25/C RECEP. HARNESS ASSY	10008645
37/C RECEP. HARNESS ASSY	10008647

STAT. 3CKT RECEP. PIN 1/4 IN 1 FT	10008653
R/A 3CKT PLUG SOC. INSERT PUR 12 FEET	10008654
15/C M SHELL RECEPT. WIRED 72.0	10008655
5.08mm Pitch KK Crimp Terminal Housing, 2 Circuits, Natural	10011024
5.08mm Pitch KK Crimp Terminal Housing, 3 Circuits, Natural	10011034
5.08mm Pitch KK Crimp Terminal Housing, 4 Circuits, Natural	10011044
5.08mm Pitch KK Crimp Terminal Housing, 5 Circuits, Natural	10011054
5.08mm Pitch KK Crimp Terminal Housing, 6 Circuits, Natural	10011064
5.08mm Pitch KK Crimp Terminal Housing, 7 Circuits, Natural	10011074
5.08mm Pitch KK Crimp Terminal Housing, 8 Circuits, Natural	10011084
5.08mm Pitch KK Crimp Terminal Housing, 9 Circuits, Natural	10011094
5.08mm Pitch KK Crimp Terminal Housing, 10 Circuits, Natural	10011104
5.08mm Pitch KK Crimp Terminal Housing, 11 Circuits, Natural	10011114
5.08mm Pitch KK Crimp Terminal Housing, 12 Circuits, Natural	10011124
5.08mm Pitch SPOX Crimp Terminal Housing, 2 Circuits, Natural	10013026
5.08mm Pitch SPOX Crimp Terminal Housing, 3 Circuits, Natural	10013036
5.08mm Pitch SPOX Crimp Terminal Housing, 4 Circuits, Natural	10013046

5.08mm Pitch SPOX Crimp Terminal Housing, 5 Circuits, Natural	10013056
5.08mm Pitch SPOX Crimp Terminal Housing, 6 Circuits, Natural	10013066
5.08mm Pitch SPOX Crimp Terminal Housing, 7 Circuits, Natural	10013076
5.08mm Pitch SPOX Crimp Terminal Housing, 8 Circuits, Natural	10013086
5.08mm Pitch SPOX Crimp Terminal Housing, 9 Circuits, Natural	10013096
KK PC Board Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 2 Circuits	10021022
KK PC Board Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 3 Circuits	10021032
KK PC Board Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 4 Circuits	10021042
KK PC Board Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 5 Circuits	10021052
KK PC Board Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 6 Circuits	10021062
KK PC Board Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 7 Circuits	10021072
KK PC Board Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 8 Circuits	10021082
KK PC Board Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 9 Circuits	10021092
KK PC Board Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 10 Circuits	10021102

KK PC Board Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 11 Circuits	10021112
KK PC Board Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 12 Circuits	10021122
5.08mm Pitch KK Header, Right Angle, Square Pin, 4 Circuits, Tin (Sn) Plating	10061045
KK Header, Right Angle, Square Pin, 5 Circuits, Tin (Sn) Plating	10061055
KK Header, Vertical, Round Pin, 2 Circuits, Tin (Sn) Plating, Pin Length 19.05mm	10081021
KK Header, Vertical, Round Pin, 2 Circuits, Tin (Sn) Plating, Pin Length 23.80mm	10081022
KK Header, Vertical, Round Pin, 2 Circuits, Tin (Sn) Plating, Pin Length 20.32mm	10081029
KK Header, Vertical, Round Pin, 3 Circuits, Tin (Sn) Plating, Pin Length 19.05mm	10081031
KK Header, Vertical, Round Pin, 3 Circuits, Tin (Sn) Plating, Pin Length 20.32mm	10081039
KK Header, Vertical, Round Pin, 4 Circuits, Tin (Sn) Plating, Pin Length 19.05mm	10081041
KK Header, Vertical, Round Pin, 4 Circuits, Tin (Sn) Plating, Pin Length 20.32mm	10081049
KK Header, Vertical, Round Pin, 5 Circuits, Tin (Sn) Plating, Pin Length 19.05mm	10081051
KK Header, Vertical, Round Pin, 6 Circuits, Tin (Sn) Plating, Pin Length 19.05mm	10081061

	KK Header, Vertical, 10081069 Round Pin, 6 Circuits, Tin (Sn) Plating, Pin Length 20.32mm
	KK Header, Vertical, 10081071 Round Pin, 7 Circuits, Tin (Sn) Plating, Pin Length 19.05mm
	KK Header, Vertical, 10081081 Round Pin, 8 Circuits, Tin (Sn) Plating, Pin Length 19.05mm
	KK Header, Vertical, 10081082 Round Pin, 8 Circuits, Tin (Sn) Plating, Pin Length 23.80mm
	KK Header, Vertical, 10081089 Round Pin, 8 Circuits, Tin (Sn) Plating, Pin Length 20.32mm
	KK Header, Vertical, 10081091 Round Pin, 9 Circuits, Tin (Sn) Plating, Pin Length 19.05mm
	KK Header, Vertical, 10081101 Round Pin, 10 Circuits, Tin (Sn) Plating, Pin Length 19.05mm
	KK Header, Vertical, 10081102 Round Pin, 10 Circuits, Tin (Sn) Plating, Pin Length 23.80mm
	KK Header, Vertical, 10081111 Round Pin, 11 Circuits, Tin (Sn) Plating, Pin Length 19.05mm
	KK Header, Vertical, 10081112 Round Pin, 11 Circuits, Tin (Sn) Plating, Pin Length 23.80mm
	KK Header, Vertical, 10081121 Round Pin, 12 Circuits, Tin (Sn) Plating, Pin Length 19.05mm
	KK Header, Vertical, 10085021 with Polarizing Backwall, 2 Circuits, Tin (Sn) Plating
	KK Header, Vertical, 10085031 with Polarizing Backwall, 3 Circuits, Tin (Sn) Plating
	KK Header, Vertical, 10085041 with Polarizing

Backwall, 4 Circuits, Tin (Sn) Plating	
KK Header, Vertical, with Polarizing Backwall, 5 Circuits, Tin (Sn) Plating	10085051
KK Header, Vertical, with Polarizing Backwall, 6 Circuits, Tin (Sn) Plating	10085061
KK Header, Vertical, with Polarizing Backwall, 7 Circuits, Tin (Sn) Plating	10085071
KK Header, Vertical, with Polarizing Backwall, 8 Circuits, Tin (Sn) Plating	10085081
KK Header, Vertical, with Polarizing Backwall, 9 Circuits, Tin (Sn) Plating	10085091
KK Header, Vertical, with Polarizing Backwall, 10 Circuits, Tin (Sn) Plating	10085101
KK Header, Vertical, with Polarizing Backwall, 11 Circuits, Tin (Sn) Plating	10085111
KK Header, Vertical, with Polarizing Backwall, 12 Circuits, Tin (Sn) Plating	10085121
KK PC Board Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 2 Circuits	10101021
KK PC Board Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 2 Circuits	10101023
KK PC Board Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 3 Circuits	10101031
KK PC Board Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 3 Circuits	10101033
KK PC Board Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 4 Circuits	10101041
KK PC Board Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 4 Circuits	10101043

KK PC Board Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 5 Circuits	10101051
KK PC Board Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 5 Circuits	10101053
KK PC Board Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 6 Circuits	10101061
KK PC Board Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 6 Circuits	10101063
KK PC Board Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 7 Circuits	10101071
KK PC Board Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 7 Circuits	10101073
KK PC Board Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 8 Circuits	10101081
KK PC Board Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 8 Circuits	10101083
KK PC Board Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 9 Circuits	10101091
KK PC Board Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 9 Circuits	10101093
KK PC Board Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 10 Circuits	10101101
KK PC Board Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 10 Circuits	10101103
KK PC Board Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 11 Circuits	10101111

KK PC Board Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 11 Circuits	10101113
KK PC Board Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 12 Circuits	10101121
KK PC Board Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 12 Circuits	10101123
KK 254 Crimp Housing, High Pressure, 2 Circuits, Natural	10112023
KK 254 Crimp Housing, High Pressure, 3 Circuits, Natural	10112033
KK 254 Crimp Housing, High Pressure, 4 Circuits, Natural	10112043
KK 254 Crimp Housing, High Pressure, 5 Circuits, Natural	10112053
KK 254 Crimp Housing, High Pressure, 6 Circuits, Natural	10112063
KK 254 Crimp Housing, High Pressure, 7 Circuits, Natural	10112073
KK 254 Crimp Housing, High Pressure, 8 Circuits, Natural	10112083
KK 254 Crimp Housing, High Pressure, 9 Circuits, Natural	10112093
KK 254 Crimp Housing, High Pressure, 10 Circuits, Natural	10112103
KK 254 Crimp Housing, High Pressure, 11 Circuit	10112113
KK 254 Crimp Housing, High Pressure, 12 Circuits, Natural	10112123
KK 254 Crimp Housing, High Pressure, 13 Circuits, Natural	10112133
KK 254 Crimp Housing, High	10112143

Pressure, 14 Circuits, Natural	
KK 254 Crimp Housing, High Pressure, 15 Circuits, Natural	10112153
KK 254 Crimp Housing, High Pressure, 16 Circuits, Natural	10112163
KK 254 Crimp Housing, High Pressure, 17 Circuits, Natural	10112173
KK 254 Crimp Housing, High Pressure, 18 Circuits, Natural	10112183
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 2 Male Terminals	10181031
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 3 Male Terminals	10181032
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 1 Female Terminal, 2 Male Terminals	10181033
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 1 Female Terminal, 2 Male Terminals	10181034
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 2 Male Terminals, 1 Female Terminal	10181035
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 1 Female Terminal, 1 Male Terminal	10181036
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 2 Female Terminals, 1 Male Terminal	10181037
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 3 Circuits, 3 Female Terminals	10181038
2.36mm Diameter Standard .093" Pin	10181040

and Socket Header, Shrouded, 4 Circuits, 1 Female Terminal, 1 Male Terminal	
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 4 Male Terminals	10181041
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 4 Female Terminals	10181042
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 1 Female Terminal, 3 Male Terminals	10181043
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 3 Female Terminals, 1 Male Terminals	10181044
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 2 Male Terminals, 2 Female Terminals	10181045
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 3 Male Terminals, 1 Female Terminal	10181046
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 1 Female Terminal, 3 Male Terminals	10181047
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 1 Female Terminal, 2 Male Terminals, 1 Female Terminal, 1 Male Terminal	10181048
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits, 2 Female Terminals, 1 Male Terminal, 1 Female Terminal, 1 Male Terminal, 1 Female Terminal	10181049
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 4 Circuits,	10181050

2 Female Terminals, 2 Male Terminals	
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 9 Circuits, 9 Male Terminals	10181090
2.36mm Diameter Standard .093" Pin and Socket Header, 3 Rows, Shrouded, Unfilled Polyester, UL 94V-0, 9 Circuits, 9 Female Terminals	10181091
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 12 Circuits, 12 Male Terminals	10181120
2.36mm Diameter Standard .093" Pin and Socket Header, 3 Rows, Shrouded, Unfilled Polyester, UL 94V-0, 12 Circuits, 12 Female Terminals	10181122
2.36mm Diameter Standard .093" Pin and Socket Header, Shrouded, 15 Circuits, 15 Male Terminals	10181150
5.08mm Pitch SPOX Crimp Housing, Female, with Friction Ramp and Void, 2 Circuits	10221022
2.50mm Pitch KK Crimp Terminal Housing, 3 Circuits	10302031
5.00/7.50mm Pitch SPOX Header, Vertical, with Friction Lock, 2 Circuits	10311028
5.00/7.50mm Pitch SPOX Header, Vertical, with Friction Lock, 3 Circuits	10311038
5.00/7.50mm Pitch SPOX Header, Vertical, with Friction Lock, 4 Circuits	10311048
5.00/7.50mm Pitch SPOX Header, Vertical, with Friction Lock, 5 Circuits	10311058
5.00/7.50mm Pitch SPOX Header, Vertical, with Friction Lock, 6 Circuits	10311068

This document was generated on 09/14/2019

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

LifeElectronics
Живое партнерство

ООО «ЛайфЭлектроникс» **“LifeElectronics” LLC**

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru

www.lifeelectronics.ru