

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [62100-5110](#)
Status: **Active**
Description: Backplane Insertion Tool for Signal Contact Insertion

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	T9999
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Product Name	N/A
Survey	www.molex.com//review/apptool_survey.html
Tool Type	Handtool
UPC	800756778679

Material Info

Reference - Drawing Numbers

Application Tooling Documents ATS-621005110, TM-622018699, TM-622022099



EU RoHS	China RoHS
----------------	-------------------

Compliance Status

Not Reviewed

REACH SVHC

Not Reviewed

Low-Halogen Status

Not Reviewed

Need more information on product environmental compliance?

Email productcompliance@molex.com
 For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series

T9999Series

Use With

GbX I-Trac™ Backplane [75705](#) , [76015](#) , [76035](#)

Application Tooling	FAQ
Description	Product #

GbX I-Trac™ Vertical0757051523

Header Module,
 1.85mm by 3.70mm
 Pitch, Unguided,
 Dual End Wall, 11
 Rows, 5 Columns,
 110 Circuits, Mating
 Pin Length 4.70mm

GbX I-Trac™ Vertical0757051613

Header Module,
 1.85mm by 3.70mm
 Pitch, Unguided,
 Left End Wall, 11
 Rows, 6 Columns,
 132 Circuits, Mating

Pin Length 4.70mm,
Orientation Key A
GbX I-Trac™ Vertical0757051622
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Dual End Wall, 11
Rows, 6 Columns,
132 Circuits, Mating
Pin Length 3.90mm,
Orientation Key B
GbX I-Trac™ Vertical0757051635
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Right End Wall, 11
Rows, 6 Columns,
132 Circuits, Mating
Pin Length 4.70mm
and 5.70mm
GbX I-Trac™ Vertical0757051803
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Open Ends, 11
Rows, 8 Columns,
176 Circuits, Mating
Pin Length 4.70mm
GbX I-Trac™ Vertical0757051822
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Dual End Walls, 11
Rows, 8 Columns,
176 Circuits, Mating
Pin Length 3.90mm
GbX I-Trac™ Vertical0757053605
Header Module,
1.85mm by 3.70mm
Pitch, Left Guide,
Right Open, 11
Rows, 8 Columns,
176 Circuits, Mating
Pin Length 4.70mm
and 5.70mm
GbX I-Trac™ Vertical0757055803
Header Module,
1.85mm by 3.70mm
Pitch, Right Guide,
Left Open, 11 Rows,
8 Columns, 176
Circuits, Mating Pin
Length 4.70mm
GbX I-Trac™ 0757059602
Vertical Header
Module, 1.85mm
by 3.70mm Pitch,
Right Guide, Left
Endwall, 11 Rows,
5 Columns, 110
Circuits, Staggered
Mating Pin Length
3.90mm, Lead-Free
GbX I-Trac™ 0760157105
Vertical Header

Module, 1.85mm
by 3.70mm Pitch,
Left Guide, Right
Endwall, 7 Rows,
10 Columns, 140
Circuits, Staggered
Mating Pin Length
4.70mm & 5.70mm
GbX I-Trac™ Vertical0760353804

Header Module,
1.85mm by 3.70mm
Pitch, Left Guide,
Right Open, 15
Rows, 8 Columns,
240 Circuits, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757051605

Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Open Ends, 11
Rows, 6 Columns,
132 Circuits, Mating
Pin Length 5.70mm
& 4.70mm Staggered
Pins
GbX I-Trac™ Vertical0757053804

Header Module,
1.85mm by 3.70mm
Pitch, Left Guide,
Right Open, 11
Rows, 8 Columns,
176 Circuits, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757053814

Header Module,
1.85mm by 3.70mm
Pitch, Left Guide,
Right Open, 11
Rows, 8 Columns,
176 Circuits, Key
Orientation A, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757053824

Header Module,
1.85mm by 3.70mm
Pitch, Left Guide,
Right Open, 11
Rows, 8 Columns,
176 Circuits, Key
Orientation B, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757053834

Header Module,
1.85mm by 3.70mm
Pitch, Left Guide,
Right Open, 11
Rows, 8 Columns,
176 Circuits, Key
Orientation C, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757055103

Header Module,
1.85mm by 3.70mm
Pitch, Right Guide,

Left Open, 11 Rows,
10 Columns, 200
Circuits, Mating Pin
Length 4.70mm
GbX I-Trac™ Vertical0757055104
Header Module,
1.85mm by 3.70mm
Pitch, Right Guide,
Left Open, 11 Rows,
10 Columns, 200
Circuits, Mating Pin
Length 5.70mm
GbX I-Trac™ Vertical0757055503
Header Module,
1.85mm by 3.70mm
Pitch, Right Guide,
Left Open, 11 Rows,
5 Columns, 110
Circuits, Mating Pin
Length 4.70mm
GbX I-Trac™ Vertical0757055504
Header Module,
1.85mm by 3.70mm
Pitch, Right Guide,
Left Open, 11 Rows,
5 Columns, 110
Circuits, Mating Pin
Length 5.70mm
GbX I-Trac™ Vertical0757055602
Header Module,
1.85mm by 3.70mm
Pitch, Right Guide,
Left Open, 11 Rows,
6 Columns, 132
Circuits, Mating Pin
Length 3.90mm
GbX I-Trac™ Vertical0757055603
Header Module,
1.85mm by 3.70mm
Pitch, Right Guide,
Left Open, 11 Rows,
6 Columns, 132
Circuits, Mating Pin
Length 4.70mm
GbX I-Trac™ Vertical0757055604
Header Module,
1.85mm by 3.70mm
Pitch, Right Guide,
Left Open, 11 Rows,
6 Columns, 132
Circuits, Mating Pin
Length 5.70mm
GbX I-Trac™ Vertical0757055605
Header Module,
1.85mm by 3.70mm
Pitch, Right Guide,
Left Open, 11 Rows,
6 Columns, 132
Circuits, Staggered
Mating Pin Length
4.70mm & 5.70mm
GbX I-Trac™ Vertical0757051103
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,

Open Ends, 11
Rows, 10 Columns,
220 Circuits, Mating
Pin Length 4.70mm
GbX I-Trac™ Vertical0757051104
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Open Ends, 11
Rows, 10 Columns,
220 Circuits, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757051113
Header Module,
1.85mm by 3.70mm
Pitch, Unguided, Left
End Wall, 11 Rows,
10 Columns, 220
Circuits, Mating Pin
Length 4.70mm
GbX I-Trac™ Vertical0757051115
Header Module,
1.85mm by 3.70mm
Pitch, Unguided, Left
End Wall, 11 Rows,
10 Columns, 220
Circuits, Staggered
Mating Pin Length
4.70mm & 5.70mm
GbX I-Trac™ Vertical0757051123
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Dual End Wall, 11
Rows, 10 Columns,
220 Circuits, Mating
Pin Length 4.70mm
GbX I-Trac™ Vertical0757051124
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Dual End Walls, 11
Rows, 10 Columns,
220 Circuits, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757051133
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Right End Wall, 11
Rows, 10 Columns,
220 Circuits, Mating
Pin Length 4.70mm
GbX I-Trac™ Vertical0757051503
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Open Ends, 11
Rows, 5 Columns,
110 Circuits, Mating
Pin Length 4.70mm
GbX I-Trac™ Vertical0757051504
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,

Open Ends, 11
Rows, 5 Columns,
110 Circuits, Mating
Pin Length 5.70mm
GbX I-Trac™ 0757051505
Vertical Header
Module, 1.85mm
by 3.70mm Pitch,
Unguided, Open
Ends, 11 Rows,
5 Columns, 110
Circuits, Staggered
Mating Pin Length
4.70mm & 5.70mm,
Lead-Free
GbX I-Trac™ Vertical0757051513
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Left End Wall, 11
Rows, 5 Columns,
110 Circuits, Mating
Pin Length 4.70mm
GbX I-Trac™ 0757051525
Vertical Header
Module, 1.85mm
by 3.70mm Pitch,
Unguided, Dual End
Walls, 11 Rows,
10 Columns, 220
Circuits, Staggered
Mating Pin Length
4.70mm & 5.70mm
GbX I-Trac™ Vertical0757051533
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Right End Wall, 11
Rows, 5 Columns,
110 Circuits, Mating
Pin Length 4.70mm
GbX I-Trac™ Vertical0757051602
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Open Ends, 11
Rows, 6 Columns,
132 Circuits, Mating
Pin Length 3.90mm
GbX I-Trac™ Vertical0757051603
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Open Ends, 11
Rows, 6 Columns,
132 Circuits, Mating
Pin Length 4.70mm
GbX I-Trac™ Vertical0757051604
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Open Ends, 11
Rows, 6 Columns,
132 Circuits, Mating
Pin Length 5.70mm

GbX I-Trac™ Vertical0757051614
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Left End Wall, 11
Rows, 6 Columns,
132 Circuits, Mating
Pin Length 5.70mm,
Orientation Key A

GbX I-Trac™ Vertical0757051615
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Left End Wall, 11
Rows, 6 Columns,
132 Circuits, Mating
Pin Length 5.70mm
& 4.70mm Staggered
Pins

GbX I-Trac™ Vertical0757051623
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Dual End Wall, 11
Rows, 6 Columns,
132 Circuits, Mating
Pin Length 4.70mm,
Orientation Key B

GbX I-Trac™ Vertical0757051624
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Dual End Walls, 11
Rows, 6 Columns,
132 Circuits, Mating
Pin Length 5.70mm,
Orientation Key B

GbX I-Trac™ 0757051625
Vertical Header
Module, 1.85mm
by 3.70mm Pitch,
Unguided, Dual End
Walls, 11 Rows,
6 Columns, 132
Circuits, Staggered
Mating Pin Length
4.70mm & 5.70mm,

GbX I-Trac™ Vertical0757051633
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Right End Wall, 11
Rows, 6 Columns,
132 Circuits, Mating
Pin Length 4.70mm

GbX I-Trac™ Vertical0757051634
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Right End Wall, 11
Rows, 6 Columns,
132 Circuits, Mating
Pin Length 5.70mm

GbX I-Trac™ Vertical0757051804
Header Module,

1.85mm by 3.70mm
Pitch, Unguided,
Open Ends, 11
Rows, 8 Columns,
176 Circuits, Mating
Pin Length 5.70mm
GbX I-Trac™ Vertical0757051813
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Left End Wall, 11
Rows, 8 Columns,
176 Circuits, Mating
Pin Length 5.70mm,
Orientation Key A
GbX I-Trac™ Vertical0757051823
Header Module,
1.85mm by 3.70mm
Pitch, Unguided,
Dual End Walls, 11
Rows, 8 Columns,
176 Circuits, Mating
Pin Length 4.70mm

This document was generated on 05/17/2013

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru