


REV.	SHEET 1 OF 4	DOCUMENT NO. 10-597878-()	
		LTR	DATE
A		INITIAL RELEASE	1/25/10
B		(CL 11) SEE CHG NOTICE ECN: B1963-0000	12/12/11
C		(CL 11) SEE CHG NOTICE ECN: B5923-0000	6/14/13
D		(CL 11) SEE CHG NOTICE ECN: B6621-0000	1/22/14
E		(CL 11) ADDED -93 & -094 ECN: B7821-0000	2/26/14
F		(CL 11) SEE CHG NOTICE ECN: B8395-0000	4/30/14
G		(CL 11) SEE CHG NOTICE ECN: C0271-0000	4/18/16



8 CRIMP SLEEVE AND SPRING TIGHTLY TO BODY PER 9-9383. A 15 POUND AXIAL LOAD SHALL NOT DISLODGE SPRING. SLEEVE SHALL WITHSTAND A .4 IN-OZ TORQUE WITHOUT SPINNING.

7. SPECIFIED GENERAL TOLERANCES:

$\pm .005$

6 INDICATED AREA MEETS THE SOLDERABILITY REQUIREMENTS OF MIL-STD-202, METHOD 208.

5. MEETS THE APPLICABLE REQUIREMENTS OF M39029/56.

4. ALL DIMENSIONS ARE AFTER PLATING.

3. PROCESS SPEC:
ASSY 9-9383
TEST 9-5272-16

2 INDICATED DIMENSION TO BE FROM SHOULDER TO POINT OF ENGAGEMENT OF SPRING AND A.0300±.0002 DIAMETER SQUARE ENDED PIN.

1. A.0305+.0002-.0000 DIA HARDENED STEEL PIN SHALL ENGAGE SOCKET WITH A FORCE NOT GREATER THAN 9.5 OZ. A .0295+.0000-.0002 DIAMETER HARDENED STEEL PIN SHALL DISENGAGE SOCKET WITH A FORCE NOT LESS THAN 1.25 OZ. DEPTH OF ENGAGEMENT OF PINS SHALL BE .116 MIN. FROM FRONT OF CONTACT. PINS SHALL HAVE A SPHERICAL TIP AND A 3/ FINISH.

NOTES:

THE USE OF THIS DOCUMENT IS UNLIMITED. HOWEVER, DOCUMENTS REFERENCED HEREON MAY CONTAIN LIMITED RIGHTS DATA.

N/A

NEXT ASSEMBLY

PRO/ENGINEER INFORMATION	
Pro/e Model Used:	10-597878.ASSEM
Drawing Name:	10-597878

10. SOCKET SPRING TINES (ITEM 2) ARE GOLD PLATED PER AS39029 REQUIREMENTS.

9 TO COMPLETE PART NUMBER, ADD APPLICABLE SUFFIX DIGIT FOR CONTACT BODY FINISH

SUFFIX DIGIT

I
5
D

FINISH


GOLD 20-30 MICROINCHES
GOLD 9-7362-5
GOLD 9-7362-D

UNLESS OTHERWISE SPECIFIED	SPECIFICATIONS
LINEAR DIMENSIONS ARE IN INCHES TOLERANCES: .XXXX = ±.0005 ANGLES= ±2° .XXX = ±.010 .XX = ±.03 .X = ±.1 ----- DIM.& TOL. PER ASME Y14.5M; DRM PER MIL-DTL-31000; OTHER Amphenol Sds. PER 9-3800 LEGENDS: =FLAG NOTE CALL OUT REFERENCE ONLY	MATERIAL SPEC. N/A
	PROCESS SPEC. SEE NOTE 3

POS	QTY	PART NUMBER	DESCRIPTION	NOTE
3	I	10-407914-22B	SLEEVE	8
2	I	10-597871-725	SPRING	8
I	I	10-597879-()	CONTACT BODY	

PARTS LIST					
APPROVALS		DATE	AMPHENOL CORPORATION 40-60 DELAWARE AVENUE SIDNEY, N.Y. 13838		
PREPARED BY HTANG		20-Feb-09			
ENGINEER IN CHARGE LRATCHFORD					
DESIGN MANAGER HJOHNSON					
DESIGN ACTIVITY GROUP MIL-AER DEVELOP					
THIRD ANGLE PROJECTION			CONTACT, SOCKET, ELECTRICAL CONNECTOR SIZE 22D, TYPE LJT-R, HYBRID, PCB		
		SIZE C	CAGE CODE 77820	DOCUMENT NO. 10-597878-()	REV. G
		SCALE: 10.0		REF. 10-597872-451	SHEET 1 OF 4

DETAIL A
TYPE II
SCALE 10



[illegible]

4						3						2						10-597878-()																	
ASSEMBLY NUMBER						BODY						F						L						(M)						TYPE					
10-597878-31()						10-597879-31()						.460 ^{+.000} _{-.015}						.783±.005						1.406						I					
10-597878-32()						10-597879-32()						.804±.005						1.129±.003						1.752											
10-597878-33()						10-597879-33()						.479±.005						.754±.003						1.377											
10-597878-34()						10-597879-34()						.460±.005						1.203±.003						1.826						II					
10-597878-35()						10-597879-35()						.450±.005						.880±.005						1.503											
10-597878-36()						10-597879-36()						.520±.003						.747±.005						1.370											
10-597878-37()						10-597879-37()						.730±.003						.830±.002						1.453						I					
10-597878-38()						10-597879-38()						.460 ^{+.000} _{-.015}						1.017±.003						1.640											
10-597878-39()						10-597879-39()						1.577±.005						1.687±.005						2.310											
10-597878-40()						10-597879-40()						.280 ^{+.000} _{-.015}						.782±.005						1.405						II					
10-597878-41()						10-597879-41()						.588 ^{+.003} _{-.000}						.730±.003						1.353											
10-597878-42()						10-597879-42()						.623±.005						.748±.005						1.371											
10-597878-43()						10-597879-43()						.340±.005						.460±.005						1.083						I					
10-597878-44()						10-597879-44()						.280 ^{+.000} _{-.015}						.782±.005						1.405											
10-597878-45()						10-597879-45()						1.450 ^{+.000} _{-.015}						2.167±.003						2.790											
10-597878-46()						10-597879-46()						.520±.005						.833±.002						1.456						II					
10-597878-47()						10-597879-47()						.600±.003						.700±.003						1.323											
10-597878-48()						10-597879-48()						.280 ^{+.000} _{-.015}						.550±.005						1.173											
10-597878-49()						10-597879-49()						.280±.005						.805±.005						1.428						I					
10-597878-50()						10-597879-50()						.257±.005						.503±.005						1.126											
NOTES: SEE SHEET I																																			
THE USE OF THIS DOCUMENT IS UNLIMITED. HOWEVER, DOCUMENTS REFERENCED HEREON MAY CONTAIN LIMITED RIGHTS DATA.																																			
10-597878-()						SHEET 3 OF 4						REV. G																							

10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	
10-597878-()						SHEET 3 OF 4						REV. G																	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru