







	LEFT INDICATOR DOWN	2227225-6
	LEFT INDICATOR UP	2227225-5
	NO LIGHTPIPE	2227225-4
	LEFT INDICATOR DOWN	2227225-3
	LEFT INDICATOR UP	2227225-2
	NO LIGHTPIPE	2227225-1
CONTACT FINISH	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DNK 03AUG2012 M. SHIRK CHK 03AUG2012 D. SZCZESNY		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.0 1 PLC ±.025 2 PLC ±.015 3 PLC ±.01 4 ANGLES ±.1 FINISH		NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZOSFP+ STACKED	
MATERIAL SEE NOTE 1		WEIGHT - CUSTOMER DRAWING		SIZE CAGE CODE DRAWING NO A100779C=227225	
SEE NOTE 2		SCALE 4:1 SHEET 1 OF 4 REV A		RESTRICTED TO -	


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-




2227225-1 / 2227225-4
NO LIGHTPIPE IN ASSEMBLY
SCALE 3:1




2227225-2 / 2227225-5
LEFT LIGHTPIPE INDICATOR
POINTING TO UPPER PORT
SCALE 3:1



2227225-3 / 2227225-6
LEFT LIGHTPIPE INDICATOR
POINTING TO LOWER PORT
SCALE 3:1



VIEW Y-Y




RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 3:1

0.19
BOTTOM OF CUTOUT
IN PANEL TO TOP
OF PC BOARD

6.00±0.30
DISTANCE BETWEEN BACK
OF PANEL AND FRONT OF
PC BOARD



SECTION U-U




SECTION V-V
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009				DWN M. SHIRK 03AUG2012	TE Connectivity		
DIMENSIONS: mm				CHK D. SZCZESNY 03AUG2012			
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVD	NAME		
0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ± FINISH				PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015	CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED		
MATERIAL SEE NOTE 1				WEIGHT -	SIZE A100779		
SEE NOTE 2				CUSTOMER DRAWING	CAGE CODE 2227225		
				SCALE 4:1	SHEET 2 OF 4		
					REV A		


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN M. SHIRK 03AUG2012	NAME	
DIMENSIONS: mm		CHK D. SZCZESNY 03AUG2012	CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZQSFP+ STACKED	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	RESTRICTED TO	
0 PLC $\pm$		PRODUCT SPEC	A100779C=2227225	
1 PLC ± 0.25		108-60102	SCALE 4:1 SHEET 3 OF 4 REV A	
2 PLC ± 0.15		APPLICATION SPEC		
3 PLC $\pm$		114-60015		
4 PLC $\pm$		WEIGHT		
ANGLES		CUSTOMER DRAWING		
FINISH				
SEE NOTE 1				
SEE NOTE 2				



DETAIL H
SCALE 10:1



DETAIL L
SCALE 10:1



DETAIL K
SCALE 10:1

KEEP-OUT AREAS
COMPONENT SIDE OF BOARD
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		OWN 03AUG2012 M SHIRK CHK 03AUG2012 D SZCZESNY		 TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ±°		CAGE AND CONNECTOR ASSEMBLY, WITH EMI GASKET, 2X2, ZOSFP+ STACKED	
		PRODUCT SPEC 108-60102 APPLICATION SPEC 114-60015		SIZE A1	
MATERIAL FINISH		WEIGHT		CAGE AND DRAWING NO. C=2227225	
SEE NOTE 1		SEE NOTE 2		RESTRICTED TO -	
CUSTOMER DRAWING				SCALE 4:1 SHEET 4 OF 4 REV A	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru