









LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			AL2	REVISED PER ECO-11-004820	11MAR11	RK	HMR



- | | |
|---|--|
|  | NO POSITION MARKING. |
|  | NO PART NO. MARKING. |
|  | STRIPPABLE TAPE SEAL, SEE FIGURE 8. |
|  | OBSOLETE PARTS: OBSOLETE CIS
STREAMLINING PER D.RENAUD/D.SINISI |

- 1 FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7519.
- 2 SWITCH SHOWN IN OPEN POSITION.
- 3 ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLACK.
- 4 STAMPING WILL VARY ON 2 AND 3 POSITION TOPS DUE TO SPACE RESTRICTIONS.
- 5 STRIPPABLE TRANSPARENT SEAL, SEE FIG 6.
- 6 .315 DIMENSION APPLIES AT TERMINAL TIPS. TERMINALS ARE .300^{+.010}_{-.000} AT MOUNTING SURFACE.

		FIG 2	FIG 3A& 7	—	1.08	10	6-435802-3
		FIG 1	FIG 3B		.88	8	3-435802-8
	SUPSD BY 1-435802-6	—FIG 2	 	 	.58	5	3-435802-1
	 OBSOLETE	—FIG 2	   	 	.88	8	3-435802-0
	SUPSD BY 2-5435802-9	—FIG 2	 		.48	4	2-435802-9
	SUPSD BY 1-435802-0	—FIG 1		—	.28	2	2-435802-8
	OBSOLETE	FIG 1		 	.28	2	2-435802-7
	OBSOLETE	FIG 2		 	1.08	10	2-435802-6
	OBSOLETE	FIG 2	FIG 4	—	.88	8	2-435802-5
	OBSOLETE	FIG 2			.88	8	2-435802-4
	OBSOLETE	FIG 2	FIG 3A& 5	—	.48	4	2-435802-3
		FIG 2	FIG 3A		1.28	12	2-435802-2
		FIG 2			1.18	11	2-435802-1
		FIG 2			1.08	10	2-435802-0
		FIG 2			.98	9	1-435802-9
		FIG 2			.78	7	1-435802-8
		FIG 2			.68	6	1-435802-7
		FIG 2			.58	5	1-435802-6
		FIG 2			.48	4	1-435802-5
	SUPSD BY 435802-2	—FIG 2			.38	3	1-435802-4
	SUPSD BY 3-1437590-2	—FIG 1	FIG 3B		.28	2	1-435802-3
	 OBSOLETE	—FIG 2		—	1.28	12	1-435802-2
		FIG 1	FIG 3B	—	.28	2	1-435802-0
		FIG 2	FIG 3A		.88	8	435802-9
		FIG 2		—	1.08	10	435802-8
	SUPSD BY 5435802-7	—FIG 2		—	.98	9	435802-7
		FIG 2		—	.78	7	435802-6
		FIG 2		—	.68	6	435802-5
		FIG 2		—	.58	5	435802-4
		FIG 2		—	.48	4	435802-3
		FIG 2	FIG 3A	—	.38	3	435802-2
	435802-1 SHOWN	FIG 2	FIG 3A	—	.88	8	435802-1
		HOUSING	MARKING	PROTECTIVE SEAL	A	NO OF POSN	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TALLEY 9-19-89		 TE Connectivity				
		CHK R. MILLER 9-19-89						
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± -.005 3 PLC ± - 4 PLC ± - ANGLES ± -		APVD H. LEITER 9-19-89				
		PRODUCT SPEC —		NAME SWITCH ASSY, DIP, TYPE C, 7000 SERIES, SPST, SIDE ACTUATED				
		APPLICATION SPEC —						
MATERIAL HOUSING & ROCKERS: POLYESTER CONTACTS: BERYLLIUM COPPER		FINISH CONTACTS; PLATED .000030 MIN GOLD IN CONTACT AREA OVER .000050 MIN NICKEL		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
		WEIGHT —		A2	00779	C-435802	—	
CUSTOMER DRAWING						SCALE 4:1	SHEET 1 of 2	REV A1 2

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AD	00		—	SEE SHEET 1	—	—	—




FIG 3A




FIG 3B




FIG 4





FIG 5



PROTECTIVE SEAL
FIG 6





FIG 7



PROTECTIVE SEAL





FIG 8

.010±.010

.005^{+.010}_{-.005}
TYP

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. TALLEY 9-19-89	 TE Connectivity					
DIMENSIONS: INCHES		CHK R. MILLER 9-19-89						
	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .005 4 PLC ± - ANGLES ± -	APVD H. LEITER 9-19-89	NAME SWITCH ASSY, DIP, TYPE C, 7000 SERIES, SPST, SIDE ACTUATED					
		PRODUCT SPEC —						
		APPLICATION SPEC —	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO		
		MATERIAL SEE SHEET 1	FINISH SEE SHEET 1	WEIGHT —	A2	00779	C-435802	—
CUSTOMER DRAWING			SCALE	4:1	SHEET	2 of 2	REV	AL2

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru