




1. CONNECTOR DIMENSIONS ARE PER ARINC 600 SPECIFICATION.

2. CONNECTOR IS SUPPLIED WITH CONTACTS (PER TABLE) ASSEMBLED AS SHOWN.

3. KEYING SHOWN IN POSITION "36" FOR ILLUSTRATION ONLY. CONNECTORS SHIPPED WITH KEYING INSTALLED IN POSITION PER TABLE. FOR POSITION "00" KEYING HARDWARE SHIPPED UNASSEMBLED.

WITH CONTACT FULLY SEATED IN CAVITY.

5. CONTACTS NOT SHOWN IN FRONT & REAR VIEWS FOR CLARITY.

KEYING POSITION	CONTACTS	CONTACTS	PART NUMBER
36	CONTACTS INCLUDED AND NOT INSTALLED	211431-2 (SZ 22 POSTED SOCKET, QTY=365) 448140-8 (SZ 12 POSTED PIN, QTY=4) 448139-8 (SZ 16 POSTED PIN, QTY=1) 1445626-3 (SZ 8 POSTED QUADRAX, QTY=1)	1883228-2
36	CONTACTS INCLUDED AND INSTALLED (SEE SHEET #2)	211431-2 (SZ 22 POSTED SOCKET, QTY=327) 448140-8 (SZ 12 POSTED PIN, QTY=4) 448139-8 (SZ 16 POSTED PIN, QTY=1) 1445626-3 (SZ 8 POSTED QUADRAX, QTY=1)	1883228-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES [mm]

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ± -
1 PLC ± -
2 PLC ± -
3 PLC ± .010 [0.25]
4 PLC ± -
ANGLES ± -
FINISH SEE CALLOUTS

MATERIAL SEE CALLOUTS

DWN P. YEAGER 9-17-06
CHK K. HOGAN 9-17-06
APVD K. HOGAN 9-17-06
PRODUCT SPEC
APPLICATION SPEC
WEIGHT -
CUSTOMER DRAWING

Tyco Electronics
Tyco Electronics Corporation
Harrisburg, Pa 17105-3608

NAME
RECEPTACLE ASSEMBLY,
SIZE 3, ARINC 600, (SELECTIVE CONTACT LOADING),
(150/150/1102/150/150/6T6)

SIZE
A1

CAGE CODE
00779

DRAWING NO
1883228

RESTRICTED TO
-

SCALE
2:1

SHEET
1 OF 3

REV
D

29MAY2009 us016412 H:\docmod\1883228_1_e.dwg

D

C

B






A

D

C

B

A



SHADED HOLES ARE LOADED WITH CONTACTS
FOR 1883228-1 ONLY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN P. YEAGER 9-17-06	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
DIMENSIONS: INCHES [mm]		CHK K. HOGAN 9-17-06	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD K. HOGAN 9-17-06	RECEPTACLE ASSEMBLY, SIZE 3, ARINC 600, (SELECTIVE CONTACT LOADING), (150/150/11Q2/150/150/6T6)	
0. PLC ± .010 [0.25]		PRODUCT SPEC	SIZE	
1. PLC ± .010 [0.25]		APPLICATION SPEC	CAGE CODE	
2. PLC ± .010 [0.25]		—	DRAWING NO	
3. PLC ± .010 [0.25]		—	RESTRICTED TO	
4. PLC ± .010 [0.25]		—	—	
MATERIAL SEE CALLOUTS		WEIGHT —	A100779C=1883228	
FINISH SEE CALLOUTS		CUSTOMER DRAWING		
SCALE 2:1		SHEET 2 OF 3 REV D		


LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
DF	AO	—	—	SEE SHEET 1	—	—

D


C

B

A



DETAIL T
SCALE 10:1
2 PLC



SUGGESTED P.C. BOARD LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C.C.THOMAS 12-11-06	AMP Tyco Electronics Corporation Harriaburg, PA 17105-3608	
DIMENSIONS: INCHES [mm]		CHK K.HOGAN 12-11-06		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD K.HOGAN 12-11-06	NAME RCPT ASSY, SIZE 3, ARINC 600, (150/150/11Q2/150/150/6T6)	
		PRODUCT SPEC		
	0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± .005 [0.13] 4 PLC ± - ± - ANGLES	APPLICATION SPEC	SIZE A1	
		WEIGHT		
MATERIAL SEE TABLE	FINISH SEE TABLE	CUSTOMER DRAWING	SCALE 2:1	SHEET 3 OF 3

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru