



LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
GP	00		D1	REVISED PER ECO-11-005027	10MAY2011	RK	HMR	
			E	REVISED PER ECO-14-000886	20FEB2014	JW	SH	
			E1	REVISED PER ECO-14-010419	11JUL2014	JW	SH	
			F	REVISED PER ECO-15-013594	25SEP2015	JW	SH	

- 1 MATERIAL: COPPER ALLOY.
- 2 FINISH: TIN PLATING PER ASTM B 545, 1.25µm MINIMUM THICKNESS
ALL OVER NICKEL FLASH PER QQ-N-290. NONPLATED EDGES PERMISSIBLE.
- 3 PADS AND VIAS CHASSIS GROUND.
- 4 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 5 REFERENCE APPLICATION SPEC 114-13120, HOLE A, FOR RECOMMENDED
DRILL HOLE DIAMETER AND PLATING THICKNESSES.
- 6 COMPANY LOGO IN APPROXIMATE AREA SHOWN
- 7 DATE CODE AND PART NUMBER IN APPROXIMATE AREA SHOWN.
- 8 MATERIAL:NICKEL SILVER ALLOY(NO PLATING)








1761014-1&3
1X2 CAGE ASSEMBLY
SCALE 4:1



SUPERSEDED BY:
1761014-3

NO	8	1 x 2 CAGE	1761014-3
2	1	1 x 2 CAGE	1761014-1
FINISH	MATERIAL	DESCRIPTION	PART NO


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN W. VAN SCOY 15MAR2004	 TE Connectivity	
DIMENSIONS:		CHK MJ PHILLIPS 15MAR2004		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD MJ PHILLIPS 15MAR2004	NAME	
		PRODUCT SPEC	ASSEMBLY, CAGE, 1X2 PRESS FIT, SFP	
	0 PLC ±° 1 PLC ±° 2 PLC ±° 3 PLC ±° 4 PLC ±° ANGLES ±°	108-1950	SIZE CAGE CODE DRAWING NO	
		APPLICATION SPEC	RESTRICTED TO	
MATERIAL	FINISH	114-13120	A100779C=1761014	
		WEIGHT -	-	
CUSTOMER DRAWING		SCALE 4:1	SHEET 1 OF 2	REV F



LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-



PT CONNECTOR
RECOMMENDED PCB
CONFIGURATION
SCALE 10:1



RECOMMENDED PC BOARD
CONFIGURATION
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN W. VAN SCOY 15MAR2004	TE Connectivity	
DIMENSIONS:		CHK M.J. PHILLIPS 15MAR2004		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD M.J. PHILLIPS 15MAR2004	NAME	
Ø	0 PLC ±	PRODUCT SPEC	ASSEMBLY, CAGE, 1X2 PRESS FIT, SFP	
	1 PLC ±0.10	108-1950		
	2 PLC ±	APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
	3 PLC ±	114-13120		
	4 PLC ±	WEIGHT	A100779C=1761014	
	ANGLES ±2°	CUSTOMER DRAWING		
MATERIAL	FINISH	SCALE 4:1	SHEET 2 OF 2	REV F

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru