



61729

PRODUCT NUMBER CODE



	61729	-	X	0	X	X	X	P	S	LF
<u>BASE PRODUCT NUMBER</u>										
<u>HOUSING COLOR OPTION</u>										
0 - WHITE										
1 - BLACK										
<u>SHIELD OPTION</u>										
1 - FULL BACK										
2 - PARTIAL BACK										
S - FULL BACK (SPECIAL MATERIAL FOR 12,000 DURABILITY CYCLES)										
P - PARTIAL BACK (SPECIAL MATERIAL FOR 12,000 DURABILITY CYCLES)										
<u>TERMINAL PLATING OPTION</u>										
0 - 50u" NI UNDERPLATED 30U" GXT CONTACT AREA 100u" PURE TIN TAIL AREA										
1 - 50u" NI UNDERPLATED 30U" GOLD CONTACT AREA 100u" PURE TIN TAIL AREA										
<u>PACKAGING OPTION</u>										
B-TUBES										
R-TAPE & REEL										
<u>DATE CODE OPTION</u>										
ONLY FOR PANASONIC										
<u>LEAD FREE OPTION</u>										




P.C. BOARD LAYOUT


[illegible]

PRODUCT NO.

61729



TYPE"1" FULL BACK



TYPE"2" PARTIAL BACK

NOTES:

1. MATERIAL:
SHIELD & CONTACTS: COPPER ALLOY
HOUSING: UL 94V-0 THERMOPLASTIC. COLOR: SEE PRODUCT NUMBER CODE.
2. PLATING: SEE PRODUCT NUMBER CODE.
SHIELD: BRIGHT TIN
NICKEL UNDERPLATE.
3. DATUMS & BASIC DIMENSIONS TO BE DETERMINED BY CUSTOMER
4. RECOMMENDED BOARD THICKNESS IS 1.57 mm (.062)
5. PACKING STANDARD GS-14-920 WILL BE APPLIED FOR LEAD FREE P/N'S
6. FOR LEAD FREE P/N, THE PRODUCT MEET EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008
7. FOR LEAD FREE P/N'S, THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 40 SECONDS IN A CONVECTION, INFRARED OR VAPOR PHASE REFLOW OVEN.
8. THE PART CAN BE USED FOR PIP PROCESS.

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		FCI		www.fciconnect.com	
ltr	ecr no	dr	date	linear	.0 ± 0.20	projection	title	product family	code	size	sheet
v					.00 ± 0.10						
					.000 ± 0.05						
				angles	± 2°						
				dr	SHIRLEY HSU 03/03/97	MM/INCH		USB			
				enr	R Y LIU 03/03/97			RECEPTACLE B TYPE			
				chr	R Y LIU 03/03/97	scale					
				appd	JENN TSAO 03/03/97	5 : 1					
sheet	revision										
index	sheet										

PDM: Rev:V

STATUS: Released

Printed: Jul 28, 2010

6

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru