





| LOC |    | DIST |     | REVISONS                  |           |     |      |  |
|-----|----|------|-----|---------------------------|-----------|-----|------|--|
| GP  | 00 | P    | LTR | DESCRIPTION               | DATE      | DWN | APVD |  |
|     |    | C1   |     | REVISED PER ECO-11-004835 | 11MAR2011 | RK  | HMR  |  |
|     |    | D    |     | REVISED PER ECO-11-019224 | 05JAN2012 | TX  | AC   |  |
|     |    | D2   |     | REVISED PER ECR-18-001078 | 23JAN2018 | IT  | SH   |  |

- 1 MATERIAL:  
CAGE ASSEMBLY - 0.25mm THICK NICKEL-SILVER ALLOY.  
EMI SPRINGS - COPPER ALLOY.
- 2 FINISH:  
EMI SPRINGS - 0.8um MIN MATTE TIN OVER 0.8um MIN NICKEL  
NON PLATED EDGES PERMISSIBLE.
3. MATES WITH SFP MSA COMPLIANT TRANSCEIVERS.
- 4 PADS AND VIAS CHASSIS GROUND.
- 5 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
6. MINIMUM PC BOARD THICKNESS:  
SINGLE SIDED = 1.50mm.
7. NOTE DELETED






2007194-2  
SAME AS 2007194-1 EXCEPT AS SHOWN  
TOP VIEW



2007194-1  
TOP VIEW


APPROXIMATE LOCATION  
OF DATE CODE LABEL



|           |                  |                |
|-----------|------------------|----------------|
| TAPE&REEL | EMI HOLES        | 2007194-5      |
| TRAY      | HEATSINK OPENING | 2007194-2      |
| TRAY      | EMI HOLES        | 2007194-1      |
| PACKAGE   | DESCRIPTION      | PART<br>NUMBER |

|                                           |  |                                 |                                                                                                                         |  |
|-------------------------------------------|--|---------------------------------|-------------------------------------------------------------------------------------------------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.    |  | DWN<br>Z.M.REAM<br>10JUL2007    | <div><div>TE Connectivity</div><div>SFP+ IXI CAGE ASSEMBLY,<br/>PCI, SOLDER TAILS,<br/>EXTERNAL EMI SPRINGS</div></div> |  |
| DIMENSIONS:                               |  | CHK<br>M.R.SCHMITT<br>10JUL2007 |                                                                                                                         |  |
| mm                                        |  | APVD<br>R.H.WERTZ<br>10JUL2007  |                                                                                                                         |  |
| TOLERANCES UNLESS<br>OTHERWISE SPECIFIED: |  | PRODUCT SPEC                    |                                                                                                                         |  |
| 0 PLC ±0.1                                |  | 108-2364                        | SIZE CAGE CODE DRAWING NO                                                                                               |  |
| 1 PLC ±0.1                                |  | APPLICATION SPEC                |                                                                                                                         |  |
| 2 PLC ±0.1                                |  | 114-13120                       | A100779C=2007194                                                                                                        |  |
| 3 PLC ±0.05                               |  | WEIGHT                          |                                                                                                                         |  |
| 4 PLC ±0.05                               |  | CUSTOMER DRAWING                | SCALE 6:1 SHEET 1 OF 2 REV D2                                                                                           |  |
| ANGLES ±0.5                               |  |                                 |                                                                                                                         |  |
| FINISH                                    |  |                                 |                                                                                                                         |  |





| LOC |  | DIST |  | REVISONS |     |      |  |
|-----|--|------|--|----------|-----|------|--|
| GP  |  | 00   |  | DATE     | OWN | APVD |  |
|     |  |      |  | DATE     | OWN | APVD |  |
|     |  |      |  | DATE     | OWN | APVD |  |
|     |  |      |  | DATE     | OWN | APVD |  |

|                                        |  |  |  |                             |  |  |  |                                                                       |  |  |  |
|----------------------------------------|--|--|--|-----------------------------|--|--|--|-----------------------------------------------------------------------|--|--|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  |  |  | OWN: Z.M. REAM 10JUL2007    |  |  |  | TE Connectivity                                                       |  |  |  |
| DIMENSIONS:                            |  |  |  | CHK: M.R. SCHMITT 10JUL2007 |  |  |  | NAME: SFP+ 1X1 CAGE ASSEMBLY, PCI, SOLDER TAILS, EXTERNAL EMI SPRINGS |  |  |  |
| mm                                     |  |  |  | APVD: R.H. WERTZ 10JUL2007  |  |  |  | SIZE: 108-2364                                                        |  |  |  |
|                                        |  |  |  | PRODUCT SPEC                |  |  |  | APPLICATION SPEC                                                      |  |  |  |
|                                        |  |  |  | 114-13120                   |  |  |  | CAGE CODE: 2007194                                                    |  |  |  |
| MATERIAL                               |  |  |  | WEIGHT                      |  |  |  | CUSTOMER DRAWING                                                      |  |  |  |
|                                        |  |  |  | SCALE: 6:1                  |  |  |  | SHEET 2 OF 2                                                          |  |  |  |
|                                        |  |  |  |                             |  |  |  | REV: 02                                                               |  |  |  |

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)