building a smarter, unified business foundation

WORLDWIDE

[CHANGE] ENGLISH

REGISTER / LOG IN

FOLLOW US



SOLUTIONS PRODUCTS AND SERVICES SUPPORT **ABOUT US** 



## Back to Result



ABM100-S6-D Add to BOM | Add to Favorites

4-Way Cable Tie Mounts Without Adhesive

Product Details Related Documents

Std. Pallet Volume (cf)         46.010250           Std. Pallet Weight (b)         536.4000           Std. Cm. Volume (cf)         1.2781           Std. Cm. Weight (b)         14.9000           Std. Pkg. Qsy.         500           RoHS Compliancy Status         Compliant           Part Description         4-Way Cable Tie Mounts Without Adhesive           Product Type         Cable Tie Mounts - User Supplied Adhesive           Material         Nylon 6.6           Color         White           UL Recognized         E136577           Width (in.)         1.00           Length (in.)         1.00           Length (in.)         0.20           Width (mm)         25.4           Length (mm)         25.4           Length (mm)         25.4           Length (mm)         25.4           Compliant         ves           Flammability Rating         v.2           Scew Size Meline         M3           Scew Size Meline         46 (M3)           Type         Te Mount - User Supplied Adhesive           Mounting Method         46 (M3) Screw or User Supplied Adhesive		
Std. Cm. Volume (cf)         1.281           Std. Cm. Weight (b)         14.9000           Std. Pkg. Oty.         500           RcHS Compliancy Status         Compliant           Product Type         Cable Tie Mounts Without Adhesive           Product Type         Cable Tie Mounts - User Supplied Adhesive           Material         Nylon 6.6           Color         Write           UL Recognized         £136577           Width (n)         1.00           Lergth (ln)         5.1           Height (rm)         5.1           Height (mm)         25.4           Length (mm)         25.4           Length (rm)         25.4           Length (rm)         25.4           CE Compliant         Yes           Farmability Rating         V-2           Screw Size Metric         M3           Screw Size         #6 (M3)           Type         Tie Mount - User Supplied Adhesive           Pricing Description         Cable Tie Mount, #6 Screw (M3), 1*x1* (25.4mm x 25.4mm), WH           Used With Cable Ties         M, I, S	Std. Pallet Volume (cf)	46.010250
Sid. Cin. Weight (itb)         14.9000           Sid. Cin. Weight (itb)         14.9000           Sid. Pkg. Dky.         500           Richs Compliancy Status         Compliant           Product Type         4-Way Cable Tie Mounts Without Adhesive           Product Type         Cable Tie Mounts - User Supplied Adhesive           Material         Nylon 6.6           Color         White           UL Recognized         E136577           Width (in.)         1.00           Length (in.)         1.00           Height (im.)         5.1           Height (in.)         0.20           Width (in.)         25.4           Length (im.)         25.4           Ce Compliant         Yes           Flammability Rating         V-2           Screw Size Metric         M3           Screw Size Metric         M6 (M3)           Type         Tie Mount - User Supplied Adhesive           Pricing Description         Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH           Used With Cable Ties         M, I, S	Std. Pallet Weight (lb)	536.4000
Std. Pkg. City.         500           RoHS Compliancy Status         Compliant           Part Description         4-Way Cable Tie Mounts Without Adhesive           Product Type         Cable Tie Mounts - User Supplied Adhesive           Material         Nylon 6.6           Color         White           UL Recognized         E136577           Width (in.)         1.00           Length (in.)         5.1           Height (mm)         5.1           Height (in.)         0.20           Width (inm)         25.4           Longth (mm)         25.4           Longth (mm)         25.4           CE Compliant         Yes           Flammability Rating         V-2           Screw Size         Min           Screw Size         #6 (Mt3)           Type         Tie Mount - User Supplied Adhesive           Pricing Description         Cable Tie Mount, #6 Screw (M3), 1*x1* (25.4mm x 25.4mm), WH           Used With Cable Ties         M, I, S	Std. Ctn. Volume (cf)	1.2781
Robis Complianty Status         Compliant           Part Description         4-Way Cable Tie Mounts Without Adhesive           Product Type         Cable Tie Mounts - User Supplied Adhesive           Material         Nylon 6.8           Color         White           UL Recognized         E136577           Width (in.)         1.00           Length (in.)         1.00           Height (mm)         5.1           Height (in.)         0.20           Width (inm)         25.4           Length (inm)         25.4           Length (inm)         25.4           CE Compliant         Yes           Flammability Rating         V-2           Screw Size Metric         M3           Screw Size         #6 (M3)           Type         Tie Mount - User Supplied Adhesive           Pricing Description         Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH           Used With Cable Ties         M, I, S	Std. Ctn. Weight (lb)	14.9000
Part Description         4-Way Cable Tie Mounts Without Adhesive           Product Type         Cable Tie Mounts - User Supplied Adhesive           Material         Nylon 6.6           Color         White           UL Recognized         E136577           Width (In.)         1.00           Length (In.)         5.1           Height (Inm)         5.1           Height (In.)         0.20           Width (Imm)         25.4           Length (Imm)         25.4           CE Compliant         Yes           Flammability Rating         V-2           Screw Size Metric         M3           Screw Size         #6 (M3)           Type         Tie Mount - User Supplied Adhesive           Pricing Description         Cable Tie Mount, #6 Screw (M3), 1*x1*(25.4mm x 25.4mm), WH           Used With Cable Ties         M, 1, S	Std. Pkg. Qty.	500
Product Type         Cable Tie Mounts - User Supplied Adhesive           Material         Nylon 6.6           Color         White           UL Recognized         E136577           Width (In.)         1.00           Length (In.)         5.1           Height (mm)         5.1           Height (In.)         0.20           Width (mm)         25.4           Length (mm)         25.4           CE Complant         Yes           Flammability Rating         V-2           Screw Size Metric         M3           Screw Size         #6 (M3)           Type         Tie Mount - User Supplied Adhesive           Pricing Description         Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH           Used With Cable Ties         M, I, S	RoHS Compliancy Status	Compliant
Material         Nylon 6.6           Cotor         White           UL Recognized         E136577           Width (In.)         1.00           Length (In.)         1.00           Height (mm)         5.1           Height (mm)         2.20           Width (mm)         25.4           Length (mm)         25.4           CE Compliant         Yes           Flammability Rating         V-2           Screw Size Metric         M3           Screw Size Metric         M3           Screw Size         #6 (M3)           Type         Tie Mount - User Supplied Adhesive           Pricing Description         Cable Tie Mount, #6 Screw (M3), 1*x1* (25.4mm x 25.4mm), WH           Used With Cable Ties         M, I, S	Part Description	4-Way Cable Tie Mounts Without Adhesive
Color         White           UL Recognized         E136577           Width (In.)         1.00           Length (In.)         1.00           Height (Imm)         5.1           Height (Imm)         0.20           Width (Imm)         25.4           Length (Imm)         25.4           CE Compliant         Yes           Flammability Rating         V-2           Screw Size Metric         M3           Screw Size Metric         M3           Screw Size         #6 (M3)           Type         Tie Mount - User Supplied Adhesive           Pricing Description         Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH           Used With Cable Ties         M, I, S	Product Type	Cable Tie Mounts - User Supplied Adhesive
UL Recognized         E136577           Wridth (In.)         1.00           Length (In.)         1.00           Height (Inm)         5.1           Height (In.)         0.20           Wridth (mm)         25.4           Length (mm)         25.4           CE Compliant         Yes           Flammability Rating         V-2           Screw Size Metric         M3           Screw Size         #6 (M3)           Type         Tie Mount - User Supplied Adhesive           Pricing Description         Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH           Used With Cable Ties         M, I, S	Material	Nylon 6.6
Width (In.)         1.00           Length (In.)         1.00           Height (mm)         5.1           Height (In.)         0.20           Width (mm)         25.4           Length (mm)         25.4           CE Compliant         Yes           Flammability Rating         V-2           Screw Size Metric         M3           Screw Size         #6 (M3)           Type         Tie Mount - User Supplied Adhesive           Pricing Description         Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH           Used With Cable Ties         M, I, S	Color	White
Length (In.)         1.00           Height (In.)         5.1           Height (In.)         0.20           Width (mm)         25.4           Length (mm)         25.4           CE Compliant         Yes           Flammability Rating         V-2           Screw Size Metric         M3           Screw Size         #6 (M3)           Type         Tie Mount - User Supplied Adhesive           Pricing Description         Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH           Used With Cable Ties         M, I, S	UL Recognized	E136577
Height (mm)         5.1           Height (In.)         0.20           Width (mm)         25.4           Length (mm)         25.4           CE Compliant         Yes           Flammability Rating         V-2           Screw Size Metric         M3           Screw Size         #6 (M3)           Type         Tie Mount - User Supplied Adhesive           Pricing Description         Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH           Used With Cable Ties         M, I, S	Width (In.)	1.00
Height (In.)         0.20           Width (mm)         25.4           Length (mm)         25.4           CE Compliant         Yes           Flammability Rating         V-2           Screw Size Metric         M3           Screw Size         #6 (M3)           Type         Tie Mount - User Supplied Adhesive           Pricing Description         Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH           Used With Cable Ties         M, I, S	Length (In.)	1.00
Width (mm)         25.4           Length (mm)         25.4           CE Compliant         Yes           Flammability Rating         V-2           Screw Size Metric         M3           Screw Size         #6 (M3)           Type         Tie Mount - User Supplied Adhesive           Pricing Description         Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH           Used With Cable Ties         M, I, S	Height (mm)	5.1
Length (mm) 25.4  CE Compliant Yes  Flammability Rating V-2  Screw Size Metric M3  Screw Size #6 (M3)  Type Tie Mount - User Supplied Adhesive  Pricing Description Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH  Used With Cable Ties M, I, S	Height (In.)	0.20
CE Compliant Yes  Flammability Rating V-2  Screw Size Metric M3  Screw Size #6 (M3)  Type Tie Mount - User Supplied Adhesive  Pricing Description Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH  Used With Cable Ties M, I, S	Width (mm)	25.4
Flammability Rating V-2  Screw Size Metric M3  Screw Size #6 (M3)  Type Tie Mount - User Supplied Adhesive  Pricing Description Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH  Used With Cable Ties M, I, S	Length (mm)	25.4
Screw Size Metric M3  Screw Size #6 (M3)  Type Tie Mount - User Supplied Adhesive  Pricing Description Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH  Used With Cable Ties M, I, S	CE Compliant	Yes
Screw Size #6 (M3)  Type Tie Mount - User Supplied Adhesive  Pricing Description Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH  Used With Cable Ties M, I, S	Flammability Rating	V-2
Type Tie Mount - User Supplied Adhesive Pricing Description Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH Used With Cable Ties M, I, S	Screw Size Metric	M3
Pricing Description Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH Used With Cable Ties M, I, S	Screw Size	#6 (M3)
Used With Cable Ties M, I, S	Туре	Tie Mount - User Supplied Adhesive
10, 1, 0	Pricing Description	Cable Tie Mount, #6 Screw (M3), 1"x1" (25.4mm x 25.4mm), WH
Mounting Method #6 (M3) Screw or User Supplied Adhesive	Used With Cable Ties	M, I, S
	Mounting Method	#6 (M3) Screw or User Supplied Adhesive
Environment Indoor	Environment	Indoor
Max. Bundle Diameter (mm) 4.8	Max. Bundle Diameter (mm)	4.8
Min. Order Qty. 500.0000	Min. Order Qty.	500.0000



OOO «ЛайфЭлектроникс" "LifeElectronics" LLC

ИНН 7805602321 КПП 780501001 P/C 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 3010181090000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

## Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный) Email: org@lifeelectronics.ru