PRODUCT SPECIFICATION

Brand	Kasp
Product Range	Aluminium Combination Padlocks
Catalogue number	105
Date	19/04/2013

Range Description
Aluminium Combination Padlocks

Features

- 3 digit resettable combination
- Light outdoor use
- Anodised aluminium body
- Steel shackle
- Nickel plated brass dials





Item Number	Item Description	EAN No	Commodity code	Carton Qty
K10520BLAD	Aluminium Combination Padlock – 20mm Black	5013969904178	83011000	12
K10520BLUD	Aluminium Combination Padlock – 20mm Blue	5013969904192	83011000	12
K10520GRED	Aluminium Combination Padlock – 20mm Green	5013969904215	83011000	12
K10520PIND	Aluminium Combination Padlock – 20mm Pink	5013969904185	83011000	12
K10520REDD	Aluminium Combination Padlock – 20mm Red	5013969904161	83011000	12
K10520YELD	Aluminium Combination Padlock – 20mm Yellow	5013969904208	83011000	12
K10530BLAD	Aluminium Combination Padlock – 30mm Black	5013969904239	83011000	12
K10530BLUD	Aluminium Combination Padlock – 30mm Blue	5013969904253	83011000	12
K10530GRED	Aluminium Combination Padlock – 30mm Green	5013969904277	83011000	12

Copyright Carl Kammerling International Ltd

K10530PIND	Aluminium Combination Padlock – 30mm Pink	5013969904246	83011000	12
K10530REDD	Aluminium Combination Padlock – 30mm Red	5013969904222	83011000	12
K10530YELD	Aluminium Combination Padlock – 30mm Yellow	5013969904260	83011000	12

<table>
<tr><td>Technical product information</td><td>

Body – Solid Aluminium

Shackle- *S*teel, chrome plated

Locking mechanism- Rotating disc type. Re-settable.
To re-set, open the padlock and turn the shackle through 180 degrees, push the shackle down in to the body of the lock, rotate the dials to the new combination and lift the shackle back up

Security rating:

Item	Security rating
K10520	2
K10530	3

Shackle Dimensions:

	Shackle		
Dimensions mm	Dia	Internal width	Internal height
K10520	3	9	20
K10530	5	12	27

Use environment- Light outdoor use

Recommended applications- Luggage, lockers, cabinets and other low security applications

</td></tr>
<tr><td>Standards compliance</td><td>None applicable</td></tr>
<tr><td>User health and safety information</td><td>None applicable</td></tr>
<tr><td>RoHS/WEEE compliance</td><td>This product range does not fall within the scope of RoHS or WEEE regulations</td></tr>
<tr><td>Material safety data</td><td>None applicable</td></tr>
<tr><td>Warranty</td><td>KASP padlocks are guaranteed against defects in manufacture and/or materials for 10 years
Damage caused through inappropriate use or attempted break in is not covered</td></tr>
<tr><td>Country of origin</td><td>China</td></tr>
</table>

Copyright Carl Kammerling International Ltd

Dimensional details

	Product only				Product on primary packaging			
Item	**Width mm**	**Depth mm**	**Height mm**	**Net weight g**	**Width mm**	**Depth mm**	**Height mm**	**Gross weight g**
K10520BLAD	22	12	54	24	93	13	130	42
K10520BLUD	22	12	54	24	93	13	130	42
K10520GRED	22	12	54	24	93	13	130	42
K10520PIND	22	12	54	24	93	13	130	42
K10520REDD	22	12	54	24	93	13	130	42
K10520YELD	22	12	54	24	95	13	130	42
K10530BLAD	32	15	73	62	95	20	130	80
K10530BLUD	32	15	73	62	95	20	130	80
K10530GRED	32	15	73	62	95	20	130	80
K10530PIND	32	15	73	62	95	20	130	80
K10530REDD	32	15	73	62	95	20	130	80
K10530YELD	32	15	73	62	95	20	130	80

	Shelf box (secondary packaging)				Euro Pallet data Wi x Hi	
Item	**Width mm**	**Depth mm**	**Height mm**	**Gross weight g**	**No of cartons on base**	**Number of rows high**
K10520BLAD	135	135	100	555		
K10520BLUD	135	135	100	555		
K10520GRED	135	135	100	555		
K10520PIND	135	135	100	555		
K10520REDD	135	135	100	555		
K10520YELD	135	135	100	555		
K10530BLAD	135	170	100	1016		
K10530BLUD	135	170	100	1016		
K10530GRED	135	170	100	1016		
K10530PIND	135	170	100	1016		
K10530REDD	135	170	100	1016		
K10530YELD	135	170	100	1016		

Copyright Carl Kammerling International Ltd

Packaging waste details

	Primary Packaging				Secondary packaging			
Item	**Plastic g**	**Use**	**Card g**	**Use**	**Plastic g**	**Use**	**Card g**	**Use**
K10520BLAD	14	Blister	4	Backing card			51	Box
K10520BLUD	14	Blister	4	Backing card			51	Box
K10520GRED	14	Blister	4	Backing card			51	Box
K10520PIND	14	Blister	4	Backing card			51	Box
K10520REDD	14	Blister	4	Backing card			51	Box
K10520YELD	14	Blister	4	Backing card			51	Box
K10530BLAD	14	Blister	4	Backing card			56	Box
K10530BLUD	14	Blister	4	Backing card			56	Box
K10530GRED	14	Blister	4	Backing card			56	Box
K10530PIND	14	Blister	4	Backing card			56	Box
K10530REDD	14	Blister	4	Backing card			56	Box
K10530YELD	14	Blister	4	Backing card			56	Box

Copyright Carl Kammerling International Ltd

LifeElectronics
Живое партнерство

ООО «ЛайфЭлектроникс» **“LifeElectronics” LLC**

ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru

www.lifeelectronics.ru