

10 9 8 7 6 5 4 3 2 1

F

E

D

C

B

A

F


E

D




C

B


A



REF. -50 OPT. SCREW  
(WHERE APPLICABLE)



4 CIRCUIT SHOWN



NOTES:

1. MATERIAL: SEE TABLE
2. FINISHES: SEE TABLE
3. "XX" REFERS TO THE QUANTITY OF CIRCUITS
4. ROHS COMPLIANT

|      |      |                                               |                 |                    |
|------|------|-----------------------------------------------|-----------------|--------------------|
| 5    | XX   | SCREW&WASHER, #6-32X.25, PAN, PH/SL (-50 OPT) | STEEL           | ZN, CLEAR CHROMATE |
| 4    | XX   | SCREW, #6-32X.25, PAN, PH/SL (-49 OPT)        | BRASS           | NICKEL PLATE       |
| 3    | XX   | SCREW, #6-32X.25, PAN, PH/SL (STD.)           | STEEL           | ZN, CLEAR CHROMATE |
| 2    | XX   | TERMINAL, PC                                  | BRASS           | TIN PLATE          |
| 1    | 1    | INSULATOR, SR BTS PC CS 2 MO C                | POLYESTER (PBT) | BLACK              |
| ITEM | QTY. | DESCRIPTION                                   | MATERIAL        | FINISH             |

ADD STD AND -49 OPT  
EC NO: WNA2009-0702  
DRAWN: JENC INAS 2009/05/26  
CHKD: CYORK 2009/05/27  
APPR: JMAGNE IL 2009/05/27

QUALITY SYMBOLS  
▽=0  
▽=0

| GENERAL TOLERANCES (UNLESS SPECIFIED)                |              |
|------------------------------------------------------|--------------|
|                                                      |              |
| 4 PLACES                                             | ± --- ± ---  |
| 3 PLACES                                             | ± --- ± .005 |
| 2 PLACES                                             | ± 0.13 ± .01 |
| 1 PLACE                                              | ± 0.3 ± ---  |
| ANGULAR ± 2 °                                        |              |
| DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS |              |

| DIMENSION STYLE |            |
|-----------------|------------|
| MM/IN           |            |
| DRAWN BY        | DATE       |
| R. KEMP         | 2003/05/16 |
| CHECKED BY      | DATE       |
| P. WALTZ        | 2003/05/22 |
| APPROVED BY     | DATE       |
| P. WALTZ        | 2003/05/22 |
| MATERIAL NO.    |            |
| SEE SHT. 2      |            |
| SIZE            | B          |

|                                                                                                |                      |                                                                                       |                           |
|------------------------------------------------------------------------------------------------|----------------------|---------------------------------------------------------------------------------------|---------------------------|
| SCALE<br>2:1                                                                                   | DESIGN UNITS<br>INCH |  | THIRD ANGLE<br>PROJECTION |
| TITLE                                                                                          |                      |                                                                                       |                           |
| 8.26MM [.325] SR BTS, CS<br>PC, NO MTG. ENDS                                                   |                      |                                                                                       |                           |
| MOLEX INCORPORATED                                                                             |                      |                                                                                       |                           |
| DOCUMENT NO.<br>SD-38704-001                                                                   |                      |                                                                                       | SHEET NO.<br>1 OF 2       |
| THIS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                      |                                                                                       |                           |

|   |    |   |   |   |   |   |   |   |   |   |
|---|----|---|---|---|---|---|---|---|---|---|
|   | 10 | 9 | 8 | 7 | 6 | 5 | 4 | 3 | 2 | 1 |
| F |    |   |   |   |   |   |   |   |   |   |
|   |    |   |   |   |   |   |   |   |   |   |
|   |    |   |   |   |   |   |   |   |   |   |
| E |    |   |   |   |   |   |   |   |   |   |
|   |    |   |   |   |   |   |   |   |   |   |
|   |    |   |   |   |   |   |   |   |   |   |
| D |    |   |   |   |   |   |   |   |   |   |
|   |    |   |   |   |   |   |   |   |   |   |
|   |    |   |   |   |   |   |   |   |   |   |
| C |    |   |   |   |   |   |   |   |   |   |
|   |    |   |   |   |   |   |   |   |   |   |
|   |    |   |   |   |   |   |   |   |   |   |
| B |    |   |   |   |   |   |   |   |   |   |
|   |    |   |   |   |   |   |   |   |   |   |
|   |    |   |   |   |   |   |   |   |   |   |
| A |    |   |   |   |   |   |   |   |   |   |

| NO. OF<br>CIRCUITS | DIM. "A" |      | DIM. "B" |       | ASSEMBLY<br>MATERIAL NO.<br>(STANDARD) | ASSEMBLY<br>MATERIAL NO.<br>(-49 OPT) | ASSEMBLY<br>MATERIAL NO.<br>(-50 OPT) |
|--------------------|----------|------|----------|-------|----------------------------------------|---------------------------------------|---------------------------------------|
|                    | mm       | in   | mm       | in    |                                        |                                       |                                       |
| 02                 | 18.5     | 0.73 | 8.26     | .325  | 387044102                              | 387044502                             | 387044902                             |
| 03                 | 26.8     | 1.06 | 16.51    | .650  | 387044103                              | 387044503                             | 387044903                             |
| 04                 | 35.1     | 1.38 | 24.77    | .975  | 387044104                              | 387044504                             | 387044904                             |
| 05                 | 43.3     | 1.70 | 33.02    | 1.300 | 387044105                              | 387044505                             | 387044905                             |
| 06                 | 51.5     | 2.03 | 41.28    | 1.625 | 387044106                              | 387044506                             | 387044906                             |
| 07                 | 59.8     | 2.35 | 49.53    | 1.950 | 387044107                              | 387044507                             | 387044907                             |
| 08                 | 68.0     | 2.68 | 57.79    | 2.275 | 387044108                              | 387044508                             | 387044908                             |
| 09                 | 76.3     | 3.00 | 66.04    | 2.600 | 387044109                              | 387044509                             | 387044909                             |
| 10                 | 84.6     | 3.33 | 74.30    | 2.925 | 387044110                              | 387044510                             | 387044910                             |
| 11                 | 92.8     | 3.65 | 82.55    | 3.250 | 387044111                              | 387044511                             | 387044911                             |
| 12                 | 101.1    | 3.98 | 90.81    | 3.575 | 387044112                              | 387044512                             | 387044912                             |
| 13                 | 109.3    | 4.30 | 99.06    | 3.900 | 387044113                              | 387044513                             | 387044913                             |
| 14                 | 117.6    | 4.63 | 107.32   | 4.225 | 387044114                              | 387044514                             | 387044914                             |
| 15                 | 125.8    | 4.95 | 115.57   | 4.550 | 387044115                              | 387044515                             | 387044915                             |
| 16                 | 134.1    | 5.28 | 123.83   | 4.875 | 387044116                              | 387044516                             | 387044916                             |

|                                                                                                                                |                                       |             |                                                            |        |                          |                     |                    |                                                                                                                                  |                           |  |  |  |                     |
|--------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|-------------|------------------------------------------------------------|--------|--------------------------|---------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------|---------------------------|--|--|--|---------------------|
| SEE SHEET ONE<br>EC NO: WNA2009-0702<br>DRWN: JENCINAS 2009/05/26<br>CHKD: CYORK 2009/05/27<br>APPR: JMAGNE IL 2009/05/27<br>B | QUALITY SYMBOLS<br><br>▽=0<br><br>◻=0 | DESCRIPTION | GENERAL TOLERANCES (UNLESS SPECIFIED)                      |        | DIMENSION STYLE<br>MM/IN |                     | SCALE<br>1:1       | DESIGN UNITS<br>INCH                                                                                                             | THIRD ANGLE<br>PROJECTION |  |  |  |                     |
|                                                                                                                                |                                       |             |                                                            | mm     | INCH                     | DRAWN BY<br>R. KEMP | DATE<br>2003/05/16 | TITLE<br>8.26MM [.325] SR BTS, CS<br>PC, NO MTG. ENDS                                                                            |                           |  |  |  |                     |
|                                                                                                                                |                                       |             | 4 PLACES                                                   | ± ---  | ± ---                    | CHECKED BY          | DATE               |                                                                                                                                  |                           |  |  |  |                     |
|                                                                                                                                |                                       |             | 3 PLACES                                                   | ± ---  | ± .005                   | P. WALTZ            | 2003/05/22         | MOLEX MOLEX INCORPORATED                                                                                                         |                           |  |  |  |                     |
|                                                                                                                                |                                       |             | 2 PLACES                                                   | ± 0.13 | ± .01                    | APPROVED BY         | DATE               |                                                                                                                                  |                           |  |  |  |                     |
|                                                                                                                                |                                       |             | 1 PLACE                                                    | ± 0.3  | ± ---                    | P. WALTZ            | 2003/05/22         | MATERIAL NO.<br>DOCUMENT NO.<br>SD-38704-001                                                                                     |                           |  |  |  |                     |
|                                                                                                                                |                                       |             | ANGULAR ± 2 °                                              |        |                          | SEE CHART           |                    |                                                                                                                                  |                           |  |  |  | SHEET NO.<br>2 OF 2 |
|                                                                                                                                |                                       |             | DRAFT WHERE APPLICABLE<br>MUST REMAIN<br>WITHIN DIMENSIONS |        |                          | SIZE<br>B           |                    | THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX<br>INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION |                           |  |  |  |                     |
|                                                                                                                                |                                       |             | REV                                                        |        |                          |                     |                    |                                                                                                                                  |                           |  |  |  |                     |

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)

[www.lifeelectronics.ru](http://www.lifeelectronics.ru)