



THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



NOTES:



- 1. SEE SHEET 2 FOR PRODUCT DESCRIPTIONS AND TECHNICAL SPECIFICATIONS.
- 2. SEE CURRENT CATALOG FOR PATCH CORD LENGTHS AND PACKAGE QUANTITIES.
- 3. FOR LENGTHS OTHER THAN THOSE LISTED IN CATALOG, CONTACT YOUR PANDUIT SALES PERSON.
- 4. TESTED TO EIA/TIA 568-B.3.
- 5. ALL MATERIALS AND COMPONENTS USED MEET THE MATERIAL RESTRICTIONS OF RoHS, (EUROPEAN DIRECTIVE 2002/95/EC ON THE RESTRICTION OF HAZARDOUS SUBSTANCES) AS PROPOSED BY THE RoHS TECHNICAL ADAPTATION COMMITTEE.

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH
R	12-15-09	EFK		RELEASED TO PRODUCTION	01302-56				

<p align="center">900um BUFFERED NETKEY FIBER OPTIC SC PIGTAIL CUSTOMER DRAWING</p>	
 <p align="center"><b>PANDUIT</b>™ CORP. TINLEY PARK, ILL 60477</p>	
<p>ALL DIMENSIONS ARE GIVEN IN INCHES UNLESS OTHERWISE SPECIFIED.</p> <p>DIMENSIONAL TOLERANCES ARE: (.X) ±.03   (.XXX) ±.010   (.3)</p> <p>THIRD ANGLE PROJECTION</p>	<p>DRAWING FILENAME M01302CU_DC/00A</p> <p>SCALE NONE</p> <p>PART NO. NKF•BNO13-NM**</p> <p>DRAWING NO. 01302-56</p> <p>SIZE A</p>
<p>DRAWN BY EFK</p> <p>DATE 12-15-09</p> <p>CHK'D</p>	<p>MATERIAL</p> <p>SHEET 1 OF 2</p>

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

900um BUFFERED SC PIGTAIL						
PANDUIT PART NUMBER	LENGTH (**) M = METERS	CABLE		CONNECTORS		
		FIBER TYPE	COUNT	BOOT COLOR	MAX. IL	MIN. RL
NKF6BN013-NM**	01, 02, 03	62.5/125 OM1	SIMPLEX 900um BUFFER	WHITE	0.75dB	26dB
NKF5BN013-NM**		50/125 OM2		BLACK		
NKF5BN013-NM**		50/128 OM3		AQUA		
NKF9BN013-NM**		SINGLEMODE OS1		WHITE	40dB	

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH	900um BUFFERED NETKEY FIBER OPTIC SC PIGTAIL CUSTOMER DRAWING			
R	12-15-09	EFK		RELEASED TO PRODUCTION	01302-56						 <b>PANDUIT</b> ™ CORP. TINLEY PARK, ILL 60477		
										 THIRD ANGLE PROJECTION	ALL DIMENSIONS ARE GIVEN IN INCHES UNLESS OTHERWISE SPECIFIED. DIMENSIONAL TOLERANCES ARE: (.X) ±.03   0.8   ANGLES (.XXX) ±.010   0.3	DRAWING FILENAME <b>M01302CU_DC/00A</b>	
										DRAWN BY <b>EFK</b>	MATERIAL	SCALE <b>NONE</b>	
										DATE <b>12-15-09</b>	PART NO. <b>NKF*BN013-NM**</b>	DRAWING NO. <b>01302-56</b>	SIZE <b>A</b>
										CHK'D	SHEET 2 OF 2		

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)