




THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.



NOTES:

1. SEE SHEET 2 FOR PRODUCT DESCRIPTIONS AND TECHNICAL SPECIFICATIONS.
2. SEE CURRENT CATALOG FOR PATCH CORD LENGTHS AND PACKAGE QUANTITIES.
3. FOR LENGTHS OTHER THAN THOSE LISTED IN CATALOG, CONTACT YOUR PANDUIT SALES PERSON.
4. TESTED TO EIA/TIA 568-B.3.
5. ALL MATERIALS AND COMPONENTS USED MEET THE MATERIAL RESTRICTIONS OF RoHS, (EUROPEAN DIRECTIVE 2002/95/EC ON THE RESTRICTION OF HAZARDOUS SUBSTANCES) AS PROPOSED BY THE RoHS TECHNICAL ADAPTATION COMMITTEE.

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH
R	12-15-09	EFK		RELEASED TO PRODUCTION	01302-56				



<p>900µm BUFFERED NETKEY FIBER OPTIC SC PIGTAIL CUSTOMER DRAWING</p>	
 <p><b>PANDUIT</b><sup>TM</sup> CORP. TINLEY PARK, ILL 60477</p>	
<p>ALL DIMENSIONS ARE GIVEN IN INCHES UNLESS OTHERWISE SPECIFIED.</p> <p>DIMENSIONAL TOLERANCES ARE: (.X) ±.03   0.8   ANGLES (.XXX) ±.010   0.3</p>	<p>DRAWING FILENAME M01302CU_DC/00A</p> <p>SCALE NONE</p>
<p>THIRD ANGLE PROJECTION</p> 	<p>PART NO. NKF•BNO13-NM**</p>
<p>DRAWN BY EFK</p> <p>DATE 12-15-09</p> <p>CHK'D</p>	<p>DRAWING NO. 01302-56</p> <p>SHEET 1 OF 2</p> <p>SIZE A</p>

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

900um BUFFERED SC PIGTAIL						
PANDUIT PART NUMBER	LENGTH (**) M = METERS	CABLE		CONNECTORS		
		FIBER TYPE	COUNT	BOOT COLOR	MAX. IL	MIN. RL
NKF6BN013-NM**	01, 02, 03	62.5/125 OM1	SIMPLEX 900um BUFFER	WHITE	0.75dB	26dB
NKF5BN013-NM**		50/125 OM2		BLACK		
NKFXBN013-NM**		50/128 OM3		AQUA		
NKF9BN013-NM**		SINGLEMODE OS1		WHITE	40dB	

REV	DATE	BY	CHK	DESCRIPTION	ECN	R	CUST	SUP	OTH
R	12-15-09	EFK		RELEASED TO PRODUCTION	01302-56				

900um BUFFERED NETKEY FIBER OPTIC SC PIGTAIL CUSTOMER DRAWING									
		<b>PANDUIT</b> ™ CORP. TINLEY PARK, ILL 60477							
		ALL DIMENSIONS ARE GIVEN IN INCHES UNLESS OTHERWISE SPECIFIED.				DRAWING FILENAME M01302CU_DC/00A			
		DIMENSIONAL TOLERANCES ARE: (.X) ±.03   (.XXX) ±.010   (.3)				SCALE NONE			
DRAWN BY EFK		MATERIAL				PART NO. NKF*BN013-NM**			
DATE 12-15-09						DRAWING NO. 01302-56		SIZE A	
CHK'D						SHEET 2 OF 2			

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)  
Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)