

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0740579001](#)
Status: **Active**
Overview: [vhdm](#)
Description: 2.00mm (.079") Pitch VHDM® Board-to-Board Backplane Header, Vertical, 6-Row, Open Signal Module, 60 Circuits, 10 Columns, Pin Length 4.75mm (.187"), 0.76µm (30µ") Gold (Au) Plating, Lead Free

Documents:
[Drawing \(PDF\)](#)


[RoHS Certificate of Compliance \(PDF\)](#)

General

Product Family	Backplane Connectors
Series	74057
Application	Backplane
Application Tooling Documents	Tooling Manual
Comments	Backplane Header Module, Signal, Open
Component Type	PCB Header
Overview	vhdm
Product Name	VHDM®
Style	N/A

Physical

Circuits (Loaded)	60
Circuits (maximum)	60
Color - Resin	Black
Durability (mating cycles max)	200
First Mate / Last Break	No
Guide to Mating Part	No
Keying to Mating Part	None
Material - Metal	Beryllium Copper, High Performance Alloy (HPA)
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	High Temperature Thermoplastic
Number of Columns	N/A
Number of Pairs	Open Pin Field
Number of Rows	6
Orientation	Vertical
PC Tail Length (in)	0.098 In
PC Tail Length (mm)	2.50 mm
PCB Locator	No
PCB Retention	None
PCB Thickness Recommended (in)	0.071 In
PCB Thickness Recommended (mm)	1.80 mm
Packaging Type	Tube
Pitch - Mating Interface (in)	0.079 In
Pitch - Mating Interface (mm)	2.00 mm
Pitch - Term. Interface (in)	0.079 In
Pitch - Term. Interface (mm)	2.00 mm
Plating min: Mating (µin)	30
Plating min: Mating (µm)	0.75
Plating min: Termination (µin)	30
Plating min: Termination (µm)	0.75
Polarized to PCB	Yes
Stackable	Yes
Surface Mount Compatible (SMC)	Yes



Series

image - Reference only

EU RoHS

**ELV and RoHS
Compliant**

REACH SVHC

**Contains SVHC: No
Halogen-Free
Status**

China RoHS



**Need more information on product
environmental compliance?**

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[74057Series](#)

Mates With
[74030](#) VHDM® Board-to-Board
Daughtercard Receptacle




Application Tooling | FAQ
Tooling specifications and manuals are found by selecting the products below. Crimp Height Specifications are then contained in the Application Tooling Specification document.
Global

Description	Product #
Flat Rock Tooling for Pneumatic Press	0622013700
VHDM® Insertion Module for Advanced Mate Signal Header, 6 Row by 11 Wide, 20.00mm (.787")	0622011101
VHDM® Signal Pin Inserter Repair Tool	0622015700

Temperature Range - Operating	105°C	VHDM® 6 Row Pin and Shield Repair Tool	0622015800
Termination Interface: Style	Through Hole - Compliant Pin	VHDM® 6 Row Shield Extraction Tool	0622016000
Electrical		VHDM® Insertion Module for Advanced Mate Signal Header, 6 Row by 10 Wide, 20.00mm (.787")	0622020203
Current - Maximum per Contact	1A	VHDM® Insertion Module for Advanced Mate Signal Header, 6 Row by 25 Wide, 50.00mm (1.97")	0622020204
Data Rate	3.125 Gbps	VHDM® Insertion Module for Advanced Mate Signal Header, 6 Row by 10 Wide, 20.00mm (.787")	0622020207
Real Signals (per 25mm)	75		
Shield Type	Ground Plane Shield		
Shielded	Yes		
Voltage - Maximum	120V AC (RMS)/DC		
Material Info			
Reference - Drawing Numbers			
Packaging Specification	PK-74057-003		
Sales Drawing	SD-74057-002		
VHDM and Very High Density Metric are trademarks of Amphenol Corporation			

This document was generated on 05/19/2010



PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION




BACKPLANE HOLE PATTERN RECOMMENDED DIMENSIONS

NOTES:

1. MATERIALS:
HOUSING - LIQUID CRYSTAL POLYMER (LCP),
GLASS-FILLED, UL 94V-0, COLOR: BLACK
SIGNAL PIN & SHIELD - COPPER ALLOY
2. FINISHES:
CONTACT AREA: SELECTIVE GOLD (Au)
PCB TAILS: SELECTIVE TIN/LEAD (Sn/Pb)
OR SELECTIVE MATTE TIN (Sn)
NICKEL (Ni) OVERALL.
3. THIS PART CONFORMS TO MOLEX PRODUCT
SPECIFICATION PS-74031-999
4. FOR MIXED CONTACT LENGTHS CONSULT
MOLEX FOR AVAILABILITY
5. FOR SPECIFIC MATERIAL NUMBERS & MATING
INFORMATION REFER TO SHEET 2
6. PACKAGE PER PK-74057-003
7. EITHER MARK PART WITH PART NUMBER & DATE
CODE APPROXIMATELY WHERE SHOWN OR PLACE
LABEL ON THE TUBE.



ADDED 15 COLUMN EC NO: UCP2006-1491 DRWN: JONIAK 2006/01/19 CHKD: JONIAK 2006/01/19 APPR: CBIXLER 2006/01/23 K				DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 2.5:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION ◎ □	
		mm		INCH		DRAWN BY MWANG		DATE 1998/11/09		TITLE VHDM 6 ROW OPEN END BACKPLANE SALES ASSEMBLY			
4 PLACES		± ---		± ---		CHECKED BY JLAURX		DATE 1998/11/09					
3 PLACES		± ---		± ---		APPROVED BY CBIXLER		DATE 1998/11/09		MOLEX MOLEX INCORPORATED			
2 PLACES		± ---		± ---		MATERIAL NO. SEE SHEET 3		DOCUMENT NO. SD-74057-002					
1 PLACE		± ---		± ---		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							
ANGULAR ±1/2°													
REV						THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							



MATERIAL NUMBER ASSIGNMENT

74057-*** ** SEE TABLES (SHEET 3)

- NUMBER OF COLUMNS/PLATING
- 10 = 10 COLUMN TIN/LEAD
 - 15 = 15 COLUMN TIN/LEAD
 - 25 = 25 COLUMN TIN/LEAD
 - 90 = 10 COLUMN MATTE TIN
 - 95 = 15 COLUMN MATTE TIN
 - 85 = 25 COLUMN MATTE TIN

ADDED 15 COLUMN EC NO: UCP2006-1491 DRWN: JONIAK 2006/01/19 CHKD: JONIAK 2006/01/19 APPR: CBIXLER 2006/01/23 K	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
				mm	INCH	DRAWN BY MWANG	DATE 1998/11/09	TITLE VHDM 6 ROW OPEN END BACKPLANE SALES ASSEMBLY	
			4 PLACES	± ---	± ---	CHECKED BY JLAURX	DATE 1998/11/09		
			3 PLACES	± ---	± ---				
			2 PLACES	± ---	± ---				
			1 PLACE	± ---	± ---	APPROVED BY CBIXLER	DATE 1998/11/09	 MOLEX INCORPORATED	
			ANGULAR ±1/2°		MATERIAL NO. SEE SHEET 3		DOCUMENT NO. SD-74057-002		
REV		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				

	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																									
F	<table><tr><th>PART NUMBER</th><th>COLUMN</th><th>NUMBER OF SIGNAL</th><th>NUMBER OF PIN</th><th>NUMBER OF SHIELD</th><th>A</th><th>B</th><th>M</th><th>Au (um) THICKNESS</th></tr><tr><td>74057-1001</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td rowspan="6">4.75</td><td rowspan="6"></td><td>0.76</td></tr><tr><td>74057-1006</td><td>1.27</td></tr><tr><td>74057-1501</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-1506</td><td>1.27</td></tr><tr><td>74057-2501</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-2501</td><td>1.27</td></tr><tr><td>74057-1002</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td>0.76</td></tr><tr><td>74057-1007</td><td>1.27</td></tr><tr><td>74057-1502</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-1507</td><td>1.27</td></tr><tr><td>74057-2502</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-2507</td><td>1.27</td></tr><tr><td>74057-1003</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td rowspan="6">4.25</td><td rowspan="6"></td><td>0.76</td></tr><tr><td>74057-1008</td><td>1.27</td></tr><tr><td>74057-1503</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-1508</td><td>1.27</td></tr><tr><td>74057-2503</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-2508</td><td>1.27</td></tr><tr><td>74057-1004</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td>0.76</td></tr><tr><td>74057-1009</td><td>1.27</td></tr><tr><td>74057-1504</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-1509</td><td>1.27</td></tr><tr><td>74057-2504</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-2509</td><td>1.27</td></tr></table>								PART NUMBER	COLUMN	NUMBER OF SIGNAL	NUMBER OF PIN	NUMBER OF SHIELD	A	B	M	Au (um) THICKNESS	74057-1001	10	60	10	20.00	18.00	4.75		0.76	74057-1006	1.27	74057-1501	15	90	15	30.00	28.00	0.76	74057-1506	1.27	74057-2501	25	150	25	50.00	48.00	0.76	74057-2501	1.27	74057-1002	10	60	10	20.00	18.00	0.76	74057-1007	1.27	74057-1502	15	90	15	30.00	28.00	0.76	74057-1507	1.27	74057-2502	25	150	25	50.00	48.00	0.76	74057-2507	1.27	74057-1003	10	60	10	20.00	18.00	4.25		0.76	74057-1008	1.27	74057-1503	15	90	15	30.00	28.00	0.76	74057-1508	1.27	74057-2503	25	150	25	50.00	48.00	0.76	74057-2508	1.27	74057-1004	10	60	10	20.00	18.00	0.76	74057-1009	1.27	74057-1504	15	90	15	30.00	28.00	0.76	74057-1509	1.27	74057-2504	25	150	25	50.00	48.00	0.76	74057-2509	1.27	<table><tr><th>PART NUMBER</th><th>COLUMN</th><th>NUMBER OF SIGNAL</th><th>NUMBER OF PIN</th><th>NUMBER OF SHIELD</th><th>A</th><th>B</th><th>M</th><th>Au (um) THICKNESS</th></tr><tr><td>74057-9001</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td rowspan="6">4.75</td><td rowspan="6"></td><td>0.76</td></tr><tr><td>74057-9006</td><td>1.27</td></tr><tr><td>74057-9501</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-9506</td><td>1.27</td></tr><tr><td>74057-8501</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-8501</td><td>1.27</td></tr><tr><td>74057-9002</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td>0.76</td></tr><tr><td>74057-9007</td><td>1.27</td></tr><tr><td>74057-9502</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-9507</td><td>1.27</td></tr><tr><td>74057-8502</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-8507</td><td>1.27</td></tr><tr><td>74057-9003</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td rowspan="6">4.25</td><td rowspan="6"></td><td>0.76</td></tr><tr><td>74057-9008</td><td>1.27</td></tr><tr><td>74057-9503</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-9508</td><td>1.27</td></tr><tr><td>74057-8503</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-8508</td><td>1.27</td></tr><tr><td>74057-9004</td><td rowspan="2">10</td><td rowspan="2">60</td><td rowspan="2">10</td><td rowspan="2">20.00</td><td rowspan="2">18.00</td><td>0.76</td></tr><tr><td>74057-9009</td><td>1.27</td></tr><tr><td>74057-9504</td><td rowspan="2">15</td><td rowspan="2">90</td><td rowspan="2">15</td><td rowspan="2">30.00</td><td rowspan="2">28.00</td><td>0.76</td></tr><tr><td>74057-9509</td><td>1.27</td></tr><tr><td>74057-8504</td><td rowspan="2">25</td><td rowspan="2">150</td><td rowspan="2">25</td><td rowspan="2">50.00</td><td rowspan="2">48.00</td><td>0.76</td></tr><tr><td>74057-8509</td><td>1.27</td></tr></table>								PART NUMBER	COLUMN	NUMBER OF SIGNAL	NUMBER OF PIN	NUMBER OF SHIELD	A	B	M	Au (um) THICKNESS	74057-9001	10	60	10	20.00	18.00	4.75		0.76	74057-9006	1.27	74057-9501	15	90	15	30.00	28.00	0.76	74057-9506	1.27	74057-8501	25	150	25	50.00	48.00	0.76	74057-8501	1.27	74057-9002	10	60	10	20.00	18.00	0.76	74057-9007	1.27	74057-9502	15	90	15	30.00	28.00	0.76	74057-9507	1.27	74057-8502	25	150	25	50.00	48.00	0.76	74057-8507	1.27	74057-9003	10	60	10	20.00	18.00	4.25		0.76	74057-9008	1.27	74057-9503	15	90	15	30.00	28.00	0.76	74057-9508	1.27	74057-8503	25	150	25	50.00	48.00	0.76	74057-8508	1.27	74057-9004	10	60	10	20.00	18.00	0.76	74057-9009	1.27	74057-9504	15	90	15	30.00	28.00	0.76	74057-9509	1.27	74057-8504	25	150	25	50.00	48.00	0.76	74057-8509	1.27	
PART NUMBER	COLUMN	NUMBER OF SIGNAL	NUMBER OF PIN	NUMBER OF SHIELD	A	B	M	Au (um) THICKNESS																																																																																																																																																																																																																																																											
74057-1001	10	60	10	20.00	18.00	4.75		0.76																																																																																																																																																																																																																																																											
74057-1006								1.27																																																																																																																																																																																																																																																											
74057-1501	15	90	15	30.00	28.00			0.76																																																																																																																																																																																																																																																											
74057-1506								1.27																																																																																																																																																																																																																																																											
74057-2501	25	150	25	50.00	48.00			0.76																																																																																																																																																																																																																																																											
74057-2501								1.27																																																																																																																																																																																																																																																											
74057-1002	10	60	10	20.00	18.00	0.76																																																																																																																																																																																																																																																													
74057-1007						1.27																																																																																																																																																																																																																																																													
74057-1502	15	90	15	30.00	28.00	0.76																																																																																																																																																																																																																																																													
74057-1507						1.27																																																																																																																																																																																																																																																													
74057-2502	25	150	25	50.00	48.00	0.76																																																																																																																																																																																																																																																													
74057-2507						1.27																																																																																																																																																																																																																																																													
74057-1003	10	60	10	20.00	18.00	4.25		0.76																																																																																																																																																																																																																																																											
74057-1008								1.27																																																																																																																																																																																																																																																											
74057-1503	15	90	15	30.00	28.00			0.76																																																																																																																																																																																																																																																											
74057-1508								1.27																																																																																																																																																																																																																																																											
74057-2503	25	150	25	50.00	48.00			0.76																																																																																																																																																																																																																																																											
74057-2508								1.27																																																																																																																																																																																																																																																											
74057-1004	10	60	10	20.00	18.00	0.76																																																																																																																																																																																																																																																													
74057-1009						1.27																																																																																																																																																																																																																																																													
74057-1504	15	90	15	30.00	28.00	0.76																																																																																																																																																																																																																																																													
74057-1509						1.27																																																																																																																																																																																																																																																													
74057-2504	25	150	25	50.00	48.00	0.76																																																																																																																																																																																																																																																													
74057-2509						1.27																																																																																																																																																																																																																																																													
PART NUMBER	COLUMN	NUMBER OF SIGNAL	NUMBER OF PIN	NUMBER OF SHIELD	A	B	M	Au (um) THICKNESS																																																																																																																																																																																																																																																											
74057-9001	10	60	10	20.00	18.00	4.75		0.76																																																																																																																																																																																																																																																											
74057-9006								1.27																																																																																																																																																																																																																																																											
74057-9501	15	90	15	30.00	28.00			0.76																																																																																																																																																																																																																																																											
74057-9506								1.27																																																																																																																																																																																																																																																											
74057-8501	25	150	25	50.00	48.00			0.76																																																																																																																																																																																																																																																											
74057-8501								1.27																																																																																																																																																																																																																																																											
74057-9002	10	60	10	20.00	18.00	0.76																																																																																																																																																																																																																																																													
74057-9007						1.27																																																																																																																																																																																																																																																													
74057-9502	15	90	15	30.00	28.00	0.76																																																																																																																																																																																																																																																													
74057-9507						1.27																																																																																																																																																																																																																																																													
74057-8502	25	150	25	50.00	48.00	0.76																																																																																																																																																																																																																																																													
74057-8507						1.27																																																																																																																																																																																																																																																													
74057-9003	10	60	10	20.00	18.00	4.25		0.76																																																																																																																																																																																																																																																											
74057-9008								1.27																																																																																																																																																																																																																																																											
74057-9503	15	90	15	30.00	28.00			0.76																																																																																																																																																																																																																																																											
74057-9508								1.27																																																																																																																																																																																																																																																											
74057-8503	25	150	25	50.00	48.00			0.76																																																																																																																																																																																																																																																											
74057-8508								1.27																																																																																																																																																																																																																																																											
74057-9004	10	60	10	20.00	18.00	0.76																																																																																																																																																																																																																																																													
74057-9009						1.27																																																																																																																																																																																																																																																													
74057-9504	15	90	15	30.00	28.00	0.76																																																																																																																																																																																																																																																													
74057-9509						1.27																																																																																																																																																																																																																																																													
74057-8504	25	150	25	50.00	48.00	0.76																																																																																																																																																																																																																																																													
74057-8509						1.27																																																																																																																																																																																																																																																													
E																	E																																																																																																																																																																																																																																																		
D																	D																																																																																																																																																																																																																																																		
C																	C																																																																																																																																																																																																																																																		
B	TIN/LEAD CHART								LEAD FREE CHART								B																																																																																																																																																																																																																																																		
A																	A																																																																																																																																																																																																																																																		
ADDED 15 COLUMN EC NO: UCP2006-1491 DRWN: JONI AK 2006/01/19 CHKD: JONI AK 2006/01/19 APPR: CBI XLER 2006/01/23 REV QUALITY SYMBOLS ▽=0 ▽=0 GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>3 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>2 PLACES</td><td>±---</td><td>±---</td></tr><tr><td>1 PLACE</td><td>±---</td><td>±---</td></tr></table> ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS DIMENSION STYLE MM ONLY <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>J JONI AK</td><td>2006/01/10</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>J JONI AK</td><td>2006/01/10</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>J JONI AK</td><td>2006/01/10</td></tr></table> MATERIAL NO. SEE CHARTS SIZE B SCALE --- DESIGN UNITS METRIC THIRD ANGLE PROJECTION MOLEX MOLEX INCORPORATED DOCUMENT NO. SD-74057-002 SHEET NO. 3 OF 3 THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												mm	INCH	4 PLACES	±---	±---	3 PLACES	±---	±---	2 PLACES	±---	±---	1 PLACE	±---	±---	DRAWN BY	DATE	J JONI AK	2006/01/10	CHECKED BY	DATE	J JONI AK	2006/01/10	APPROVED BY	DATE	J JONI AK	2006/01/10																																																																																																																																																																																																																														
	mm	INCH																																																																																																																																																																																																																																																																	
4 PLACES	±---	±---																																																																																																																																																																																																																																																																	
3 PLACES	±---	±---																																																																																																																																																																																																																																																																	
2 PLACES	±---	±---																																																																																																																																																																																																																																																																	
1 PLACE	±---	±---																																																																																																																																																																																																																																																																	
DRAWN BY	DATE																																																																																																																																																																																																																																																																		
J JONI AK	2006/01/10																																																																																																																																																																																																																																																																		
CHECKED BY	DATE																																																																																																																																																																																																																																																																		
J JONI AK	2006/01/10																																																																																																																																																																																																																																																																		
APPROVED BY	DATE																																																																																																																																																																																																																																																																		
J JONI AK	2006/01/10																																																																																																																																																																																																																																																																		
	10	9	8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																									

ADDED 15 COLUMN

EC NO: UCP2006-1491

DRWN: JJONIAK 2006/01/19

CHKD: JJONIAK 2006/01/19

APPR: CBI XLER 2006/01/23

REV

QUALITY SYMBOLS

▽=0

▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± ---	± ---
1 PLACE	± ---	± ---
ANGULAR ±1/2°		

DRAFT WHERE APPLICABLE
MUST REMAIN
WITHIN DIMENSIONS

DIMENSION STYLE
MM ONLY

DRAWN BY	DATE
JJONIAK	2006/01/10
CHECKED BY	DATE
JJONIAK	2006/01/10
APPROVED BY	DATE
JJONIAK	2006/01/10

MATERIAL NO.

SEE CHARTS

SIZE
B

SCALE

DESIGN UNITS
METRIC

THIRD ANGLE
PROJECTION

VHDM 6 ROW
OPEN END BACKPLANE
SALES ASSEMBLY

MOLEX INCORPORATED

DOCUMENT NO.
SD-74057-002

SHEET NO.
3 OF 3

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru