

LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
AG	00	A		REVISED PER ECO-14-018497	17DEC2014	AP	DG	
		B		REVISED PER ECO-15-013728	23SEP2015	JY	SH	
		C		REVISED PER ECO-15-013876	16MAY2016	JY	SH	

D

C

B




A

D

C

B

A



1. MATERIALS
RECEPTACLE HOUSING, LCP, BLACK, UL94V-0 RATED
SHIELD ASSY: NICKEL-SILVER COPPER ALLOY
CONTACTS: COPPER ALLOY
EMI SPRING: COPPER ALLOY
THREADED NUT: BRASS
CHICKLETS: LCP, BLACK, UL 94V-0 RATED
LIGHTPIPE CLIP: STAINLESS STEEL
LIGHTPIPE: POLYCARBONATE

2. FINISH
EMI SPRING: TIN PLATE OVER NICKEL PLATE
NON-PLATED EDGES PERMISSABLE
THREADED NUT: NICKEL PLATE

3. CONTACT FINISH: CONFORMS TO THE REQUIREMENTS OF TE PRODUCT SPECIFICATION, 108-2399. BASED ON EIA/ECA-364-1000.01A. (CONTROLLED ENVIRONMENT APPLICATIONS) ON MATING END. TIN PLATED ON PCB TAIL

4. THREAD LENGTH OF FASTENER = PCB THICKNESS+1.45 MAX


5. RECOMMENDED TRACE KEEP OUT ZONE

2198484-1 AS SHOWN


LOWER HEIGHT	14.53	2198484-2
STANDARD HEIGHT	15.54	2198484-1
LIGHT PIPE	H HOLE HIGHT OF LP	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SECHRIST CHK J. SECHRIST APVD	15NOV2011 15NOV2011 -
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.1 1 PLC ±0.25 2 PLC ±0.13 3 PLC ±. 4 PLC ±. ANGLES ±. FINISH	
MATERIAL		PRODUCT SPEC 108-2462 APPLICATION SPEC 114-13316 WEIGHT	
Customer Drawing		NAME RECEPTACLE ASSEMBLY, MINI-SAS HD, 1X W/ LIGHT PIPES SIZE CAGE CODE DRAWING NO A100779 C=2198484 RESTRICTED TO	
SCALE 6:1		SHEET 1 OF 4 REV C	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AG	00		A	REVISED PER ECO-14-018497	11DEC2014	AP	DG



2198484-1 AS SHOWN
SCALE 6:1



2198484-2 AS SHOWN
UNSPECIFIED DIMENSIONS ARE SAME AS 2198484-1
SCALE 6:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

J. SECHRIST

15NOV2011

CHK

J. SECHRIST

15NOV2011

APVD

-

-

DIMENSIONS:

mm

0 PLC

±

1 PLC

±0.25

2 PLC

±0.13

3 PLC

±

4 PLC

±

ANGLES

±

FINISH

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC

108-2462

APPLICATION SPEC

114-13316

WEIGHT

-

Customer Drawing

TE Connectivity

NAME

RECEPTACLE ASSEMBLY,
MINI-SAS HD, 1X
W/ LIGHT PIPES

SIZE

A1

CAGE CODE

00779

DRAWING NO

2198484

RESTRICTED TO

-

SCALE

6:1

SHEET


2

OF




4

REV

C



LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AG	00	-	-	SEE SHEET 1	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	J. SECHRIST	15NOV2011	 TE Connectivity		
		CHK	J. SECHRIST	15NOV2011			
DIMENSIONS:		APVD	J. SECHRIST	-	NAME		
mm							
		TOLERANCES UNLESS OTHERWISE SPECIFIED:			RECEPTACLE ASSEMBLY,		
		0 PLC ±			MINI-SAS HD, 1X		
		1 PLC ±0.25			W/ LIGHT PIPES		
		2 PLC ±0.13					
		4 PLC ±					
		ANGLES ±					
MATERIAL		FINISH			RESTRICTED TO		
-		-			-		
		Customer Drawing			A 100779 © 2198484		
					SCALE 6:1 SHEET 4 OF 4 REV C		

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru