







REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN APVD
	A	ECO-14-011664	28JUL2014	YS TD



- IDENTIFICATION MARKING ON THIS SURFACE CONTAINS ASSEMBLY P/N AND DATE CODE (YYDD). TEXT ORIENTATION, SIZE, AND LOCATION CAN VARY AS LONG AS TEXT IS ON SURFACE SHOWN AND READABLE.
- SHIELD SEAM CAN BE POSITIONED AS SHOWN OR ROTATED 180° FROM POSITION SHOWN.
- NOTE DELETED
- THESE DIMENSIONS DEFINE FASTENER SIZE LIMITS FOR PROPER COMPONENT FUNCTIONALITY. END USER MUST ENSURE FASTENER AND/OR WASHER DIAMETER IS 8.6 MM MIN FOR PROPER RETENTION. THESE ARE NOT PRODUCT FEATURES - NO INSPECTION REQUIRED FOR THESE ITEMS.
- SURFACE FINISH APPLIES TO AREAS SHOWN IN MOUNTING INTERFACE SPECIFICATION
- USE WITH MQS RECEPTACLE P/N: 963715-6, 963715-5, 928999-6 OR 928999-5, DEPENDING ON WIRE SIZE AND MATING PLUG USED



SILVER	F	1-2103396-6
SILVER	E	1-2103396-5
SILVER	D	1-2103396-4
SILVER	B	1-2103396-2
SILVER	A	1-2103396-1
TIN	F	2103396-6
TIN	E	2103396-5
TIN	D	2103396-4
TIN	B	2103396-2
TIN	A	2103396-1
SHIELD FINISH	INDEX	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. DEWILTE 27SEP2012	NAME		HVA280 2P HEADER ASSY W/HVIL PLASTIC STITCHED CHART DRAWING	
DIMENSIONS:		CHK T. DEWILTE 28SEP2012	PRODUCT SPEC		SIZE	
mm		APVD T. DEWILTE 28SEP2012	APPLICATION SPEC		CAGE CODE	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		WEIGHT		DRAWING NO		RESTRICTED TO
0 PLC ±0.50		Customer Drawing		2103396		1
1 PLC ±0.50		SCALE		2:1		2
2 PLC ±0.15		SHEET		1		OF
3 PLC ±0.05		REV		A		2
4 PLC ±		REV		A		2
ANGLES ±3		REV		A		2
FINISH		REV		A		2

REVISIONS				
P.	LTR.	DESCRIPTION	DATE	DWN. APVD.
	-	SEE SHEET 1	-	-

	X-2103396-1 (KEY A)	X-2103396-2 (KEY B)	X-2103396-4 (KEY D)	X-2103396-5 (KEY E)	X-2103396-6 (KEY F)
FRONT VIEW	 X •PA66-GF33•	 X •PA66-GF33•	 X •PA66-GF33•	 X •PA66-GF33•	 X •PA66-GF33•
SIDE VIEW					
REAR VIEW					
INTERFACE VIEW - MOUNTING SIDE	 KEY A MOUNTING INTERFACE	 KEY B MOUNTING INTERFACE	 KEY D MOUNTING INTERFACE	 KEY E MOUNTING INTERFACE	 KEY F MOUNTING INTERFACE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN.
T. DEWILTE
27SEP2012

CHK.
T. DEWILTE
28SEP2012

APVD.
T. DEWILTE
28SEP2012

DIMENSIONS:

mm

0 PLC ±0.50

1 PLC ±0.50

2 PLC ±0.15

3 PLC ±0.05

4 PLC ±

ANGLES ±3

FINISH

TOLERANCES UNLESS OTHERWISE SPECIFIED:

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

Customer Drawing

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

TE Connectivity

HVA280 2P HEADER ASSY
W/HVIL - PLASTIC STITCHED
CHART DRAWING

A100779C=2103396

SCALE 2:1

SHEET 2 OF 2

REV A

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru