









LOC		DIST		REVISIONS			
FX		00		REV	DESCRIPTION	DATE	OWN
				D1	REVISED PER ECR 07-029132	07JAN2008	DLD WTW
				E	REVISED PER ECR 07-030366	08JAN2008	DLD WTW
				F	REVISED PER ECO 08-006962	19MAR2008	DLD WTW



- NOTE(S):
1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
 2. COMPATIBLE WIRE SIZES FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
 3. TPA AND CAM LEVER ARE SHIPPED IN THEIR PRE-LOADED POSITION.
ALL ASSEMBLIES ARE TO BE TRAY PACKAGED.
 4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A=ASSEMBLY PROCESS
USED) ARE PRINTED IN THIS LOCATION.
 5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 26.09 GRAMS.
 6. OPTIONAL WIRESHIELD P/N 8-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TYCO ELECTRONICS SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



THIS VIEW SHOWS THE
MODIFIED CAM LEVER
SCALE 2:1

KEYING OPTION "G" SHOWN
SEE SHEET 2 FOR BILL OF MATERIALS
AND SHEET 3, 4 AND 5 FOR PIN-OUT CHARTS

TOLERANCES UNLESS OTHERWISE SPECIFIED:		TYPICAL DIMENSIONS:		DIMENSIONS:	
0 PLC ±.3		1 PLC ±.3		2 PLC ±.3	
3 PLC ±.3		4 PLC ±.3		ANGLES ±.3°	
FINISH		MATERIAL		SEE CHART ON SHEET 2	
CUSTOMER DRAWING		SIZE		3.1	
SCALE		SHEET		1 OF 5	
REV		F			

[illegible][illegible]

THIS DRAWING IS THE PROPERTY OF THE COMPANY AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM THE COMPANY. IT IS TO BE USED ONLY FOR THE PROJECT AND QUANTITY SPECIFIED. IT IS TO BE DESTROYED WHEN NO LONGER REQUIRED.		DRAWN A. HOLT 14NOV2006 CHECKED W. WELLINSKY 14NOV2006 APPROVED W. WELLINSKY		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC $\pm .01$ 2 PLC $\pm .02, .10$ 3 PLC $\pm .01$ 4 PLC $\pm .01$ ANGLES $\pm .5^\circ$		NAME 40 WAY SHORTING BAR ARM PLUG ASSEMBLY WITHOUT SHORTING BARS LOADED	
		PRODUCT SPEC APPLICATION SPEC		SIZE CASE CODE DRAWING NO A1 00779 C 1924170	
MATERIAL SEE CHART ON SHEET 2		WEIGHT CUSTOMER DRAWING		RESTRICTED TO SCALE 3:1 SHEET 2 OF 5 REV F	

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																													
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																													
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																													
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40						
											11	12										21	22						27	28	29	30					35	36	37	38	39	40	0-1924170-1	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22								27	28	29	30					35	36	37	38	39	40	0-1924170-2	G
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924170-3	G		
							7	8	9	10	11	12	13	14	15	16																				35	36	37	38	39	40	0-1924170-4	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16						21	22							27	28	29	30					35	36	37	38	39	40	0-1924170-5	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14												24										35	36						0-1924170-6	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16										24						29	30					35	36						0-1924170-7	G
							7	8	9	10	11	12																								35	36	37	38	39	40	0-1924170-8	G		
			3	4	5	6	7	8	9	10	11	12																							35	36	37	38	39	40	0-1924170-9	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16														27	28	29	30					35	36	37	38	39	40	1-1924170-0	G	
							7	8	9	10	11	12						18																	35	36	37	38	39	40	1-1924170-1	G			
1	2	3	4				7	8	9	10	11	12	13	14	15	16					21	22							27	28	29	30					35	36	37	38	39	40	1-1924170-2	G	
1	2						7	8	9	10	11	12									21	22													35	36	37	38	39	40	1-1924170-3	G			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22												35	36	37	38	39	40	1-1924170-4	G			
1	2	3	4				7	8	9	10	11	12	13	14	15	16	17	18				21	22												35	36	37	38	39	40	1-1924170-5	G			
1	2						7	8	9	10	11	12									21	22													35	36	37	38	39	40	1-1924170-6	G			
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	1-1924170-7	G			
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18																	35	36	37	38	39	40	1-1924170-8	G			
							7	8	9	10	11	12																								35	36	37	38	39	40	1-1924170-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				21	22	23	24	25	26	27	28	29	30				35	36	37	38	39	40	2-1924170-0	G				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22																		39	40			2-1924170-1	G	
							7	8	9	10	11	12	13	14	15	16																							39	40			2-1924170-2	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16																						39	40			2-1924170-3	G		
1	2						7	8	9	10	11	12					17	18			21	22	23	24	25	26									35	36	37	38	39	40	2-1924170-4	G			
1	2						7	8	9	10	11	12					17	18			21	22	23	24										35	36	37	38	39	40	2-1924170-5	G				
							7	8	9	10	11	12	13	14	15	16	17	18																		35	36	37	38	39	40	2-1924170-6	G		
							7	8	9	10	11	12	13	14	15	16	17	18								26									35	36	37	38	39	40	2-1924170-7	G			
							7	8	9	10	11	12	13	14	15	16	17	18																				39	40			2-1924170-8	G		
			3	4			7	8	9	10	11	12	13	14	15	16																					37	38	39	40			2-1924170-9	G	
											11	12																								37	38	39	40			3-1924170-0	G		
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	3-1924170-1	G			
1	2						7	8	9	10	11	12	13	14	15	16					21	22													35	36	37	38	39	40	3-1924170-2	G			
1	2						7	8	9	10	11	12	13	14	15	16	17	18			21	22													35	36	37	38	39	40	3-1924170-3	G			
1	2						7	8	9	10	11	12									21	22													35	36	37	38	39	40	3-1924170-4	G			
1	2						7	8	9	10	11	12	13	14	15	16					21	22													35	36	37	38	39	40	3-1924170-5	G			
1	2			5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22														35	36	37	38	39	40	3-1924170-6	G			
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22			24										35	36	37	38	39	40	3-1924170-7	G				
1	2						7	8	9	10	11	12									21	22		24										35	36	37	38	39	40	3-1924170-8	G				
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18			21	22	23	24											35	36	37	38	39	40	3-1924170-9	G				
											11	12							19	20				24											37	38	39	40			4-1924170-0	G			
					5	6	7	8	9	10	11	12	13	14	15	16			19	20				24												37	38	39	40			4-1924170-1	G		
1	2				5	6	7	8	9	10	11	12	13	14	15	16					21	22		24										35	36	37	38	39	40	4-1924170-2	G				
1	2	3	4	5	6	7	8				11	12	13	14	15	16			19	20	21	22	23	24										35	36	37	38	39	40	4-1924170-3	G				
1	2	3	4	5	6						11	12	13	14</																															

LOC	DIST	REVISIONS						
FX	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	

PIN OUT CHART																																											
BLANK CAVITIES INDICATE OPEN TERMINAL HOLE POSITIONS																																											
CAVITIES WITH A NUMERIC SYMBOL INDICATE CLOSED TERMINAL HOLE POSITIONS																																											
TERMINAL HOLE POSITION																																								ASSEMBLY PART NUMBER		KEYING OPTION	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40				
				5	6	7	8	9	10	11	12	13	14	15	16								24			27	28	29	30						35	36	37	37	39	40	6-1924170-6	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18				23	24		26									35	36	37	37	39	40	6-1924170-7	G		
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24			27	28	29	30						35	36	37	37	39	40	6-1924170-8	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16							24												35	36	37	37	39	40	6-1924170-9	G	
1	2			5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30							37	38	39	40	7-1924170-0	G		
				5	6	7	8	9	10	11	12	13	14	15	16								24												35	36	37	38	39	40	7-1924170-1	G	
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	7-1924170-2	G		
1	2					7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38	39	40	7-1924170-3	G		
											11	12											24																		7-1924170-4	G	
1	2										11	12	13	14	15	16							24																		7-1924170-5	G	
											11	12																				32					37	38	39	40	7-1924170-6	G	
											11	12											24																		7-1924170-7	G	
											11	12																						33	34						7-1924170-8	G	
						7	8	9	10	11	12									19	20			24																	7-1924170-9	G	
						7	8	9	10	11	12									19	20													33	34						8-1924170-0	G	
						7	8	9	10	11	12																									37	38	39	40	8-1924170-1	G		
							9	10	11	12							17	18	19	20	21	22		24		26								33	34	35	36	37	38	39	40	8-1924170-2	G
				5	6	7	8	9	10	11	12	13	14	15	16																						37	38			8-1924170-3	G	
			3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20														33	34		37	38	39	40	8-1924170-4	G
						7	8	9	10	11	12	13	14	15	16				19	20															33	34		37	38	39	40	8-1924170-5	G
1	2					7	8	9	10	11	12		14	15		17	18			21	22			25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-6	G		
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-7	G	
1	2					7	8	9	10			13	14	15	16					21	22		24				27	28	29	30					35	36	37	38	39	40	8-1924170-8	G	
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22		24		25	26	27	28	29	30	31	32	33	34	35	36	37	38			8-1924170-9	G	
1	2	3	4			7	8	9	10	11	12		14	15		17	18			21	22	23	24	25	26	27	28	29	30	31	32			35	36	37	38			9-1924170-0	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24			27	28	29	30					35	36	37	38			9-1924170-1	G		
		3	4	5	6					11	12												24												35	36	37	38	39	40	9-1924170-2	G	
						7	8	9	10	11	12												24												35	36	37	38			9-1924170-3	G	
										11	12												24												35	36	37	38	39	40	9-1924170-4	G	
		3	4	5	6					11	12									19	20																	39	40	9-1924170-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30					35	36	37	38	39	40	9-1924170-6	G	
						7	8	9	10	11	12	13	14	15	16				19	20				24												37	38	39	40	9-1924170-7	G		
		3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20				24										33	34		37	38	39	40	9-1924170-8	G	
		3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20				24												37	38	39	40	9-1924170-9	G		
						7	8	9	10	11	12	13	14	15	16				19	20				24												37	38	39	40	0-1924171-1	G		
										11	12								19	20																				0-1924171-2	G		
		3	4	5	6	7	8	9	10	11	12								19	20				24													39	40	0-1924171-3	G			
						7	8	9	10	11	12																							33	34						0-1924171-4	G	
										11	12																													0-1924171-5	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16					21	22		24											35	36	37	38	39	40	0-1924171-6	G		
						7	8	9	10	11	12												24													35	36					0-1924171-7	G
										11	12	13	14	15	16								24																		0-1924171-8	G	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21	22	23	24		26	27	28	29	30				35	36	37	38		40	0-1924171-9	G		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16				19	20	21			24		26	27	28	29	30					35	36	37	38	39	40	1-1924171-0	G	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru