

Simple Fiber Amplifier E3X-SD/-NA

The Highest Level of Power and Precision in the Industry with "GIGA RAY" Giga Power Lighting Element

- Stable detection of minute objects even when the Sensor is covered with dust and oil in severe environments.
- Quick-tuning to automatically adjust light level and set threshold value.
- Use the one-key one-function feature for quick, easy operation.
- · Reasonable price.



CE

Ordering Information

Amplifier Units [Refer to *Dimensions* on page *13*.] Digital Display and Direct Key Setting

| Item | A | Connection | Ratings and | Model | | |
|-----------------|------------|-------------------------|----------------|-------------|-------------|--|
| item | Appearance | method | Specifications | NPN output | PNP output | |
| Standard models | 2.3 | Pre-wired (2 m) | | E3X-SD21 2M | E3X-SD51 2M | |
| | | Wire-saving connector * | | E3X-SD7 | E3X-SD9 | |

^{*}An Amplifier Unit Connector (sold separately) is required.

Bar Display and Adjuster Setting

| Item | Appearance | Connection | Ratings and | Model | | |
|-----------------------------|------------|--------------------------|-----------------------|--------------|--------------|--|
| Item | Appearance | method | Specifications | NPN output | PNP output | |
| Standard models | 2,41 27 | Pre-wired (2 m) | | E3X-NA11 2M | E3X-NA41 2M | |
| | | Wire-saving connector *1 | | E3X-NA6 | E3X-NA8 | |
| High-speed detection models | 2,41 57 | Pre-wired (2 m) | Response time: 20 μs | E3X-NA11F 2M | E3X-NA41F 2M | |
| Water-resistant models | H | Pre-wired (2 m) | Degree of protection: | E3X-NA11V 2M | E3X-NA41V 2M | |
| | H | Connector (M8) *2 | IP66 | E3X-NA14V | E3X-NA44V | |

^{*1.} An Amplifier Unit Connector (sold separately) is required.

^{*2.} A Sensor I/O Connector (sold separately) is required.

Amplifier Unit Connectors (sold separately) Note: Protective seals provided. [Refer to Dimensions on page 17.]

| Item | Appearance | Cable length | No. of conductors | Model |
|------------------|------------|--------------|-------------------|----------|
| Master Connector | | 2 m | 3 | E3X-CN11 |
| Slave Connector | | 2 111 | 1 | E3X-CN12 |

Ordering Precautions for Amplifier Units Connectors

A Connector is not provided with the Amplifier Unit. Refer to the tables at the right when placing an order.

| Amplifier Units | | | | | |
|-----------------|---------|---------|--|--|--|
| Туре | NPN | PNP | | | |
| Standard | E3X-SD7 | E3X-SD9 | | | |
| models | E3X-NA6 | E3X-NA8 | | | |

Applicable Connectors (sold separately) Master Connector Slave Connector E3X-CN11 (3-wire) E3X-CN12 (1-wire)

When Using 5 Amplifier Units

5 Amplifier Units

1 Master Connector + 4 Slave Connectors

Sensor I/O Connectors (Models for Connectors: A Connector is not provided with the Amplifier Unit. Be sure to order a Connector separately.)
[Refer to *Dimensions* on XS3.]

| Size | Cable specifications | Appearance | | Cable type | | Model |
|-------------------|----------------------|------------|--|------------|--------------------|-----------------|
| | | Straight | | 2 m | | XS3F-M421-402-A |
| M8 Standard cable | Ctandard cable | connector | | 5 m | Four- conductor | XS3F-M421-405-A |
| | Statiuaru cable | L-shaped | | 2 m | cable | XS3F-M422-402-A |
| | | connector | | 5 m | | XS3F-M422-405-A |

Accessories (sold separately)

Mounting Brackets

A Mounting Bracket is not provided with the Amplifier Unit. Order a Mounting Bracket separately if required.

[Refer to Dimensions on page 17.]

| Appearance | Applicable models | Model | Quantity |
|------------|--------------------------------|----------|----------|
| | E3X-SD□ E3X-NA□ E3X-NA□F | E39-L143 | 1 |
| | E3X-NA□V | E39-L148 | ' |

End Plate

End Plates are not provided with the Amplifier Unit. Order End Plates separately if required. [Refer to *Dimensions* on page 17.]

| Appearance | Model | Quantity |
|------------|-------|----------|
| | PFP-M | 1 |

Ratings and Specifications

Amplifier Units

| | | Digital display and direct key setting | Ba | ır display and adjuster set | ting | | | |
|----------------------------|---|---|--|--|--|--|--|--|
| | Туре | Standard models | Standard models | High-speed detection models | Water-resistant models | | | |
| Item | Model | E3X-SD□ | E3X-NA□ | E3X-NA□F | E3X-NA□V | | | |
| Light source | (wavelength) | Red, 4-element LED (625 nm) | | | Red LED (680 nm) | | | |
| Power suppl | ly voltage | 12 to 24 VDC ±10%, ripple (p-p): 10% max. | | | | | | |
| | 960 mW max. (Power consumption/ Current consumption (Power supply voltage: 24 V, Current consumption: 40 mA max.) (Power supply voltage: 12 V, Current consumption: 80 mA max.) | | | | | | | |
| Control outp | out | Open-collector output (NPN or PNP) Load power supply: 26.4 V max., Load current: 50 mA max. (Residual voltage: 1.5 V max.) Light-ON/Dark-ON mode selector | Open-collector output (NPN or PNP) Load power supply: 26.4 V max., Load current: 50 mA max. (Residual voltage: 1 V max.) Light-ON/Dark-ON mode selector. | | | | | |
| Response tir | me | Operate or reset: 200 μs max. (*1) | | Operate: 20 μs max. Reset: 30 μs max. | Operate or reset: 200 μs max. (*1) | | | |
| Sensitivity a | djustment | UP/DOWN direct key setting, teaching with/without a workpiece, automatic teaching | 8-turn sensitivity adjuster (with indicator) | | | | | |
| Protection circuits | | Power supply reverse polarity protection, output short-circuit protection, output reverse polarity protection | Power supply reverse polarity protection, output short-circuit protection | | | | | |
| Timer function | on | | No timer, OFF-delay timer; | No timer, OFF-delay timer; or Timer selector (timer time: 40 ms (fixed)) | | | | |
| Mutual interf prevention | ference | Up to 5 Amplifiers (optically synchronized) (*2) | | None | Up to 5 Amplifiers (optically synchronized) (*2) | | | |
| Ambient illur | mination | Receiver side Incandescent lamp: 10,000 lux max. Sunlight: 20,000 lux max. | | | | | | |
| Number of ga Amplifiers | ang-mounted | 16 max. (The ambient temperature specification of | depends on the number of ga | ang-mounted Amplifiers.) | | | | |
| Ambient tem range | nperature | 1 - 1 - 3 1 | | | | | | |
| Ambient hun | midity range | Operating and storage: 35% to 85% (with no condensation) | | | | | | |
| Insulation re | esistance | 20 MΩ. min. (at 500 VDC) | | | | | | |
| Dielectric str | rength | 1,000 VAC at 50/60 Hz for 1 minute (*3) | | | | | | |
| Vibration res | sistance | Destruction: 10 to 55 Hz with a 1.5-mm double amplitude for 2 hours each in X, Y and Z directions | | | | | | |
| Shock resist | tance | Destruction: 500 m/s², for 3 times each in X, Y and Z directions | | | | | | |
| Degree of pro | otection | IEC 60529 IP50 (with Protective Cover attached) | | | IEC 60529 IP66 (with Protective Cover attached) | | | |
| Connection method | | Pre-wired (standard cable length: 2 m), or connect | ctor | | | | | |
| Weight (pack | ked state) (*4) | Pre-wired model: Approx. 100 g, Model with conr | ector: Approx. 55 g | | | | | |
| Material | Case | Polybutylene terephthalate (PBT) | | | | | | |
| water idi | Cover | Polycarbonate (PC) | | | Polyethersulfone (PES) | | | |
| Accessories | | Instruction manual | | | | | | |
| k1 When then | re are 8 or more | E E3X-NA Amplifiers mounted side-by-side, the res | ponse time will be 350 us ma | ax | | | | |

Amplifier Unit Connectors (Wire-saving Connectors)

| Item | Model | E3X-CN11 E3X-CN12 | | | | | |
|--------------------------|---------------|--|--------------------|--|--|--|--|
| Rated cu | rrent | 2.5 A | | | | | |
| Rated vo | Itage | 50 V | | | | | |
| Contact r | resistance | 20 mΩ max. (20 mVDC max., 100 mA max.) (The above figure is for connection to the Amplifier Unit and the adjacent Connector. It does not include the conductor resistance of the cable.) | | | | | |
| Number of | of insertions | Destruction: 50 times (for connection to the Amplifier Unit and the a | djacent Connector) | | | | |
| Material | Housing | Polybutylene terephthalate (PBT) | | | | | |
| wateriai | Contact | Phosphor bronze/gold-plated nickel | | | | | |
| Weight (packed state) Ap | | Approx. 55 g | Approx. 25 g | | | | |

^{*1.} When there are 8 or more E3X-NA Amplifiers mounted side-by-side, the response time will be 350 μs max.
*2. Mutual interference prevention is effective when E3X-SD/-NA-series Amplifiers are gang-mounted without other E3X-series Amplifiers.
*3. Water-resistant models and models with connectors have a dielectric strength of 500 VAC.
*4. Add 10 g for water-resistant models.

Sensing distance

| Amplifier Unit | | | | Sensing distance (Unit: mm) | | |
|-----------------------|-------------------------------|-------------------|--------------|-----------------------------|-----------------------------|-------------------------|
| Fiber Unit Screw-shap | Fiber Unit Screw-shaped model | | | | E3X-NA□F | E3X-NA□V |
| Sensing method | Size | Sensing direction | Model | Standard models | High-speed detection models | Water-resistance models |
| | M3 | Straight | E32-T21R 2M | 120 | 36 | 60 |
| Through- | | Right angle | E32-T11N 2M | 530 | 160 | 280 |
| beam | M4 | Straight | E32-T11R 2M | 560 | 160 | 280 |
| models | IVI4 | | E32-TC200 2M | 800 | 240 | 400 |
| | | | E32-T11L 2M | 1,400 | 420 | 700 |
| | М3 | Right angle | E32-C31N 2M | 25 | 7.5 | 13 |
| | | Straight | E32-D21R 2M | 30 | 10 | 15 |
| | | | E32-C31 2M | 80 | 26 | 40 |
| | M4 | | E32-D211R 2M | 30 | 10 | 15 |
| Reflective | | Right angle | E32-D11N 2M | 170 | 50 | 90 |
| models | | hight angle | E32-C11N 2M | 170 | 50 | 85 |
| | M6 | | E32-D11R 2M | 180 | 60 | 90 |
| | IVIO | Otura i sula t | E32-DC200 2M | 300 | 100 | 150 |
| | | Straight | E32-CC200 2M | 300 | 100 | 150 |
| | | | E32-D11L 2M | 400 | 130 | 200 |

| | | | Amplifier Unit | Sens | ing distance (Unit | : mm) |
|------------------|-------------------|----------|----------------|--------------------|-----------------------------|-------------------------|
| Fiber Unit | | | | E3X-SD□ E3X-NA□ | E3X-NA□F | E3X-NA□V |
| Flat model | Concina | | | | Ligh anged | Water registeres |
| Sensing method | Sensing direction | Size | Model | Standard models | High-speed detection models | Water-resistance models |
| | Top view | Standard | E32-T15XR 2M | 560 | 160 | 280 |
| T I I. | Top view | Small | E32-T25XR 2M | 120 | 36 | 60 |
| Through- beam | Side view | Standard | E32-T15YR 2M | 220 | 66 | 110 |
| models | | Small | E32-T25YR 2M | 60 | 18 | 30 |
| models | Flat view | Standard | E32-T15ZR 2M | 220 | 66 | 110 |
| | rial view | Small | E32-T25ZR 2M | 60 | 18 | 30 |
| | Top view | Standard | E32-D15XR 2M | 180 | 60 | 90 |
| | Top view | Small | E32-D25XR 2M | 30 | 10 | 15 |
| Reflective | Cide view | Standard | E32-D15YR 2M | 40 | 10 | 20 |
| models | Side view | Small | E32-D25YR 2M | 8 | 2.4 | 4 |
| | Flat view | Standard | E32-D15ZR 2M | 40 | 10 | 20 |
| | riai view | Small | E32-D25ZR 2M | 8 | 2.4 | 4 |

| | Amplifier Unit | | | | Sensing distance (Unit: mm) | | |
|------------------|-------------------|------|--------------|-----------------|-----------------------------|-------------------------|--|
| Fiber Unit | | | | E3X-SD□ | E3X-NA□F | E3X-NA□V | |
| Cylindrical | model | | | E3X-NA□ | L3X-NA | L3X-IVAL V | |
| Sensing method | Sensing direction | Size | Model | Standard models | High-speed detection models | Water-resistance models | |
| T | Top view | φ1 | E32-T223R 2M | 120 | 36 | 60 | |
| Through- beam | rop view | фЗ | E32-T12R 2M | 560 | 160 | 280 | |
| models | Side view | φ1 | E32-T24R 2M | 60 | 18 | 30 | |
| modele | | фЗ | E32-T14LR 2M | 220 | 66 | 110 | |
| | | φ1.5 | E32-D22B 2M | 30 | 10 | 15 | |
| | Top view | φ2 | E32-D32 2M | 80 | 26 | 40 | |
| Reflective | Top view | 40 | E32-D22R 2M | 30 | 10 | 15 | |
| models | | фЗ | E32-D32L 2M | 160 | 50 | 80 | |
| | Sido viow | φ2 | E32-D24R 2M | 14 | 4.6 | 7 | |
| - | Side view | ф6 | E32-D14LR 2M | 32 | 10 | 16 | |

| | | | Amplifier Unit | Sens | ing distance (Unit | : mm) |
|---------------------------------------|-------------|---------------|-----------------|--------------------|-----------------------------|-------------------------|
| Fiber Unit Model equipped with sleeve | | | | E3X-SD□ E3X-NA□ | E3X-NA□F | E3X-NA□V |
| Sensing method | Sleeve size | Mounting size | Model | Standard models | High-speed detection models | Water-resistance models |
| T I I. | φ0.25 × 5 | ტ3 | E32-T333-S5 1M | 10 | 3 | 5 |
| Through- beam | φ0.5 × 40 | | E32-T33 1M | 40 | 13.5 | 20 |
| models | φ0.9 × 40 | M3 | E32-TC200F4R 2M | 120 | 36 | 60 |
| modelo | φ1.2 × 90 | M4 | E32-TC200BR 2M | 560 | 160 | 280 |
| | φ0.5 × 15 | φ2 | E32-D331 2M | 3 | 1 | 1.5 |
| Reflective | φ0.8 × 15 | фЗ | E32-D33 2M | 16 | 4 | 10 |
| models | φ1.2 × 40 | M3 | E32-DC200F4R 2M | 30 | 10 | 15 |
| | φ2.5 × 90 | M6 | E32-DC200BR 2M | 180 | 60 | 90 |

| | | | Amplifier Unit | Sens | ing distance (Unit | : mm) |
|-------------------|--|------------|----------------|--------------------|-----------------------------|-------------------------|
| Fiber Unit | Fiber Unit Movable section (Flexibility) | | | | E3X-NA□F | E3X-NA□V |
| Sensing Shape | | Size Model | | Standard models | High-speed detection models | Water-resistance models |
| | Screw-shaped | МЗ | E32-T21 2M | 200 | 60 | 100 |
| - | model | M4 | E32-T11 2M | 720 | 200 | 360 |
| Through- beam | Cylindrical model | φ1.5 | E32-T22B 2M | 200 | 60 | 100 |
| models | | фЗ | E32-T12B 2M | 720 | 200 | 360 |
| models | Flat model | Standard | E32-T15XB 2M | 720 | 200 | 360 |
| | | Small | E32-T25XB 2M | 150 | 40 | 75 |
| | 0 | МЗ | E32-D21 2M | 30 | 10 | 15 |
| | Screw-shaped model | M4 | E32-D21B 2M | 70 | 20 | 35 |
| Deflective | model | M6 | E32-D11 2M | 180 | 60 | 90 |
| Reflective models | Cylindrical | φ1.5 | E32-D22B 2M | 30 | 10 | 15 |
| models | model | фЗ | E32-D221B 2M | 70 | 20 | 35 |
| | Flat model | Standard | E32-D15XB 2M | 180 | 60 | 90 |
| | riai illouei | Small | E32-D25XB 2M | 50 | 16 | 25 |

| | | | Amplifier Unit | Sens | sing distance (Unit | : mm) |
|---------------------------|-----------------------|-----------------|------------------------|--------------------|-----------------------------|-------------------------|
| Fiber Unit Heat-resist | ance model | | | E3X-SD□ E3X-NA□ | E3X-NA□F | E3X-NA□V |
| Sensing method | Operating temperature | Lens | Model | Standard models | High-speed detection models | Water-resistance models |
| | | | E32-T51R 2M | 400 | 120 | 225 |
| | 100°C | Lens | E32-T51R 2M + E39-F1 | 2,000 | 720 | 1,650 |
| | | High-power lens | E32-T51R 2M + E39-F16 | 4,000 * | 1,560 | 2,900 |
| | 150°C | | E32-T51 2M | 800 | 240 | 400 |
| Through- | | Lens | E32-T51 2M + E39-F1-33 | 2,400 | 720 | 1,400 |
| beam | | High-power lens | E32-T51 2M + E39-F16 | 4,000 * | 3,120 | 4,000 * |
| models | | | E32-T54 2M | 260 | 70 | 130 |
| | 200°C | | E32-T81R-S 2M | 360 | 100 | 180 |
| | 200 C | Lens | E32-T61-S 2M + E39-F1 | 4,000 * | 1,800 | 3,000 |
| | 350°C | | E32-T61-S 2M | 600 | 180 | 300 |
| | 350 C | High-power lens | E32-T61-S 2M + E39-F16 | 4,000 * | 2,340 | 3,900 |
| | 100°C | | E32-D51R 2M | 140 | 42 | 70 |
| Deflective | 150°C | | E32-D51 2M | 240 | 80 | 120 |
| Reflective models | 200°C | | E32-D81R 2M | 90 | 27 | 45 |
| Houels | 350°C | | E32-D61 2M | 90 | 27 | 45 |
| | 400°C | | E32-D73 2M | 60 | 18 | 30 |

 $[\]ensuremath{\bigstar}$ The fiber length is 2 m on each side, so the sensing distance is given as 4,000 mm.

| | | Amplifier Unit | Sens | ing distance (Unit | : mm) |
|-------------------|--|----------------|--------------------|-----------------------------|-------------------------|
| Fiber Unit | a sistema a / Oil ma sistema a ma de | | E3X-SD□ E3X-NA□ | E3X-NA□F | E3X-NA□V |
| Sensing method | esistance / Oil-resistance mode Type | Model | Standard models | High-speed detection models | Water-resistance models |
| | ф5 | E32-T12F 2M | 3,200 | 960 | 1,600 |
| | φ7.2 | E32-T11F 2M | 2,100 | 760 | 1,050 |
| | φ5 Heat-resistance | E32-T51F 2M | 1,400 | 400 | 700 |
| Through- beam | φ5 Side view | E32-T14F 2M | 400 | 120 | 200 |
| models | M4 Chemical-resistance cable | E32-T11U 2M | 720 | 200 | 360 |
| • | M4 Right angle Chemical-resistance cable | E32-T11NU 2M | 400 | 120 | 210 |
| | ф6 | E32-D12F 2M | 100 | 32 | 50 |
| Reflective models | φ7 Side view | E32-D14F 2M | 40 | 13 | 20 |
| | M6 Chemical-resistance cable | E32-D11U 2M | 180 | 60 | 90 |

| | | | Sens | sing distance (Unit: mm) | | |
|----------------|-------------------------------------|-------------------|-----------------------|---|----------|-------------------------|
| Fiber Unit | | | E3X-SD□ | E3X-NA□F | E3X-NA□V | |
| Vacuum-re: | sistance model | | E3X-NA | | | |
| Sensing method | Operating ambient temperature | Sensing direction | Model | Standard High-speed models detection models | | Water-resistance models |
| Through- | 120°C | Top view | E32-T51V 1M | 200 | | 100 |
| beam | | | E32-T51V 1M + E39-F1V | 1,200 | | 600 |
| models | | Right angle | E32-T54V 1M | 130 | | 65 |
| | 200°C | | E32-T84SV 1M | 500 | | 250 |

| | | | Amplifier Unit | Sensing distance (Unit: mm) | | |
|---------------------------------------|--------------------------------|------------------------------------|----------------------------|-----------------------------|-----------------------------|----------------------------|
| Fiber Unit Long dista Narrow vi | | nce (High-powe | r), Detection through gaps | E3X-SD□ E3X-NA□ | E3X-NA□F | E3X-NA□V |
| Sensing method | Туре | Sensing direction/ Lens type | Model | Standard models | High-speed detection models | Water-resistance models |
| | High-power | Top view | E32-T17L 10M | 20,000 *1 | 8,400 | 14,000 |
| | (integrated unit) | Side view | E32-T14 2M | 3,600 | 1,080 | 1,800 |
| | | High-power | E32-T11N 2M + E39-F1 | 3,700 | 1,110 | 2,100 |
| | | Ultrahigh-power | E32-T11N 2M + E39-F16 | 4,000 *2 | 2,000 | 3,600 |
| | | High-power | E32-T11R 2M + E39-F1 | 4,000 *2 | 1,260 | 2,100 |
| | | Ultrahigh-power | E32-T11R 2M + E39-F16 | 4,000 *2 | 2,000 | 3,600 |
| | High-power (with lens unit) | Side view | E32-T11R 2M + E39-F2 | 440 | 130 | 220 |
| | | High-power | E32-TC200 2M + E39-F1 | 4,000 *2 | 1,800 | 3,000 |
| | | Ultrahigh-power | E32-TC200 2M + E39-F16 | 4,000 *2 | 3,000 | 4,000 *2 |
| | | Side view | E32-TC200 2M + E39-F2 | 700 | 210 | 350 |
| | | High-power | E32-T11 2M + E39-F1 | 4,000 *2 | 1,200 | 2,000 |
| | | Ultrahigh-power | E32-T11 2M + E39-F16 | 4,000 *2 | 2,600 | 4,000 *2 |
| Through- | | Side view | E32-T11 2M + E39-F2 | 720 | 200 | 360 |
| beam | | High-power | E32-T11U 2M + E39-F1 | 3,600 | 1,080 | 2,000 |
| models | | Ultrahigh-power | E32-T11U 2M + E39-F16 | 4,000 *2 | 2,600 | 4,000 *2 |
| | | Side view | E32-T11U 2M + E39-F2 | 660 | 198 | 330 |
| | | High-power | E32-T11NU 2M + E39-F1 | 1,800 | 700 | 1,500 |
| | | Ultrahigh-power | E32-T11NU 2M + E39-F16 | 4,000 *2 | 1,500 | 2,700 |
| | | High-power | E32-T81R-S 2M + E39-F1 | 1,800 | 630 | 1,100 |
| | | Ultrahigh-power | E32-T81R-S 2M + E39-F16 | 4,000 *2 | 1,300 | 2,300 |
| | | Side view | E32-T81R-S 2M + E39-F2 | 280 | 84 | 140 |
| | | High-power | E32-T61-S 2M + E39-F1 | 4,000 *2 | 1,800 | 3,000 |
| | | Ultrahigh-power | E32-T61-S 2M + E39-F16 | 4,000 *2 | 2,340 | 3,900 |
| | | Side view | E32-T61-S 2M + E39-F2 | 780 | 260 | 390 |
| | Narrow vision | Top view | E32-T22S 2M | 2,000 | 600 | 1,000 |
| | field (aperture angle: 4°) | Side view | E32-T24S 2M | 1,400 | 420 | 700 |
| Reflective models | High-power | Top view | E32-D16 2M | 800 | 140 | 40 to 400 |

^{*1.} The fiber length is 10 m on each side, so the sensing distance is given as 20,000 mm. *2. The fiber length is 2 m on each side, so the sensing distance is given as 4,000 mm.

| | | | Amplifier Unit | Sens | ing distance (Unit | : mm) | |
|--|---------------------------|---------|------------------------|--|--|----------|--|
| Fiber Unit | | | | | E3X-NA□F | E3X-NA□V | |
| Minute object detection (Small-spot model) | | | E3X-NA□ | | | | |
| Sensing Spot diameter Focal length method (mm) Model | | | Standard models | High-speed detection models | Water-resistance models | | |
| | φ0.1 to 0.6 (Variable) | 6 to 15 | E32-C42 1M + E39-F3A | Spot diameter of 0.1 to 0.6 mm at 6 to 15 mm | | | |
| | ф0.1 | 5 | E32-C42S 1M | Spot diameter of 0.1 mm at 5 mm | | | |
| | | 7 | E32-C41 1M + E39-F3A-5 | Spot diameter of 0.1 mm at 7 mm | | | |
| | φ0.2 | 17 | E32-C41 1M + E39-F3B | Spot diameter of 0.2 mm at 17 mm | | | |
| Reflective | +0.5 | 7 | E32-C31 2M + E39-F3A-5 | Spot diameter of 0.5 mm at 7 mm | | at 7 mm | |
| models | ф0.5 | 17 | E32-C31 2M + E39-F3B | Spot dia | Spot diameter of 0.5 mm at 17 mm | | |
| | φ6 | 50 | E32-L15 2M | Spot di | iameter of 6 mm at | 50 mm | |
| | φ4 Parallel light | 0 to 20 | E32-C31 2M + E39-F3C | Spot diamet | Spot diameter of 4 mm max. at 0 to 20 mm | | |
| | ф3 | 50 | E32-C11N 2M + E39-F18 | Spot di | Spot diameter of 3 mm at 50 mm | | |
| | | | E32-CC200 2M + E39-F18 | Spot diameter of 3 mm at 50 mm | | | |

| | | | Amplifier Unit | Sens | ing distance (Unit | : mm) |
|-------------------|----------------|-------------------|----------------|-----------------|-----------------------------|-------------------------|
| Fiber Unit | | | | E3X-SD□ | E3X-NA□F | E3X-NA□V |
| Area-sensii | ng (Area beam) | | | E3X-NA□ | | 20% 10.10.1 |
| Sensing method | Area range | Sensing direction | Model | Standard models | High-speed detection models | Water-resistance models |
| Through- | 11 mm | Side view | E32-T16PR 2M | 800 | 260 | 450 |
| beam | 11111111 | Flat view | E32-T16JR 2M | 700 | 220 | 390 |
| models | 30 mm | | E32-T16WR 2M | 1,380 | 400 | 690 |
| Reflective models | 11 mm | Side view | E32-D36P1 2M | 150 | 50 | 75 |

| | | | Sens | sing distance (Unit: mm) | | |
|----------------|---|----------|--------------|--------------------------|-----------------------------|--------------------------|
| Fiber Unit | Fiber Unit | | | | E3X-NA∏F | E3X-NA□V |
| Detection w | Detection without background interference (Convergent-reflective) | | | E3X-NA□ | LJX-IVA | LJX-IVA_V |
| Sensing method | Sensing detection | Size | Model | Standard models | High-speed detection models | Water-resistance models |
| | Flat view | Standard | E32-L16-N 2M | 0 to 15 | 0 to 12 | 0 to 15 |
| Reflective | | Small | E32-L24S 2M | 0 to 4 | | |
| models | Top view | | E32-L25L 2M | 5.4 to 9 (Center 7.2) | 5.4 to 8 (Center 7.2) | 5.4 to 9 (Center 7.2) |
| | Flat view | | E32-L24L 2M | | 2 to 6 (Center 4) | |


| | | Amplifier Unit | Sens | nsing distance (Unit: mm) | | |
|----------------------|------------------------------|------------------------------------|-----------------|-----------------------------|-------------------------|--|
| Fiber Unit | | | E3X-SD□ | E3X-NA□F | E3X-NA□V | |
| Detection o | of transparent objects (Retr | o-reflective) | E3X-NA□ | | | |
| Sensing method | Туре | Model | Standard models | High-speed detection models | Water-resistance models | |
| | Square | E32-R16 5M + E39-R1 (Attached) | 1,500 | 1,000 | 150 to 1,500 | |
| Retro- | Small | E32-R21 2M + E39-R3 (Attached) | 10 to 250 | 250 | 10 to 250 | |
| reflective models | Film detection *2 | E32-C31 2M + E39-F3R + E39-RP1 | 450 | 135 | 225 | |
| *1 | Film detection *2 | E32-C31 2M + E39-F3R + E39-RSP1 | 220 | 65 | 110 | |

^{*1.} When using a highly reflective object, light reflected from the object may affect the Sensor. *2. Film detection may not be effective for some types of film. Confirm operation in advance.


| | | | Amplifier Unit | Sens | ing distance (Unit | : mm) |
|--------------------------|------------------|------------------------|----------------|---|-----------------------------|----------------------------|
| Fiber Unit FPD / Semi | conductor / Sola | ar battery indus | try | E3X-SD□ E3X-NA□ | E3X-NA□F | E3X-NA□V |
| Sensing method | Application | Operating temperature | Model | Standard models | High-speed detection models | Water-resistance models |
| | Glass | 70°C | E32-L16-N 2M | | 0 to 15 | |
| | substrate | 70 C | E32-A08 2M | 10 to 20 | | |
| | alignment | 300°C | E32-A08H2 3M | | 10 to 20 | |
| | Glass detection | 70°C | E32-L16-N 2M | 0 to 15 | | |
| | Glass | 70°C | E32-A09 2M | , | 15 to 38 (Center 25 |) |
| | substrate | 150°C | E32-A09H 2M | 15 to 38 (Center 25) | | |
| | mapping | 300°C | E32-A09H2 2M | 20 to 30 (Center 25) | | |
| Reflective | WET process | 60°C WET process 70°C | E32-L11FP 5M | 8 to 20 mm from end of lens (recommended: 11 mm) | | |
| models | | | | 19 to 31 mm from center point A of mounting hole (recommended: 22 mm) | | |
| | | | E32-L12FS 5M | 8 to 20 mm from end of lens (recommended: 11 mm) 32 to 44 mm from center point A of mounting hole (recommended: 35 mm) | | |
| | | 85°C | E32-L11FS 5M | 8 to 20 mm from end of lens (recommended: 11 mm) 32 to 44 mm from center point A of mounting hole (recommended: 35 mm) | | |
| | | | E32-A03 2M | 890 | 267 | 445 |
| Through- | Wafer | 7000 | E32-A03-1 2M | 890 | 267 | 445 |
| beam | mapping | 70°C | E32-A04 2M | 340 | 102 | 170 |
| models | | | E32-A04-1 2M | 340 | 102 | 170 |

| | | | Sensing distance (Unit: mm) | | | |
|-------------------|---------------------------|---------------|-----------------------------|---|-----------------------------|-------------------------|
| Fiber Unit | | | E3X-SD□ | E3X-NA□F | E3X-NA□V | |
| Liquid-leve | uid-level detection model | | | E3X-NA | | E3X-INALIV |
| Sensing method | Sensing direction | Pipe diameter | Model | Standard models | High-speed detection models | Water-resistance models |
| | Mounted to | No limit | E32-D36T 5M | Applicable pipe: Tr | ansparent (no restric | ction on diameter) |
| Reflective models | pipe | φ8 to 10 mm | E32-L25T 2M | Applicable pipe: Transparent pipe with diameter of 8 10 mm, recommended pipe wall thickness: 1 mm | | |
| | Wet | | E32-D82F1 4M | | Wet model | |


I/O Circuit Diagrams



Note: Timing Charts for Timer Settings (T: Set Time)



Plug (Sensor I/O Connector)



| Classification | Wire color | Connection pin | Application |
|----------------|------------|----------------|--------------------|
| DC | Brown | 1 | Power supply (+V) |
| | White | 2 | |
| | Blue | 3 | Power supply (0 V) |
| | Black | 4 | Output |

Note: Pin 2 is not used.

Safety Precautions

WARNING

This product is not designed or rated for ensuring safety of persons either directly or indirectly.



Do not use it for such purposes.

Caution

Do not exceed the rated voltage. Excess voltage may result in malfunction or fire.



Do not use an AC power supply.
Using an AC power supply may result in rupturing.



High-temperature environments may result in burn injury.



Precautions for Safe Use

The following precautions must be observed to ensure safety.

- Do not use the product in locations where flammable or explosive gas is present.
- 2. Do not use the product in locations subject to splashing water, oil, or chemicals, or in locations subject to steam.
- 3. Do not attempt to disassemble, repair, or modify the product.
- 4. Do not apply voltage or current in excess of the rated ranges.
- 5. Do not use the product in atmospheres or environments that exceed product ratings.
- 6. Do not wire the product incorrectly, such as using incorrect power supply polarity.
- 7. Connect the load properly.
- 8. Do not short-circuit both ends of the load.
- 9. Do not use the product if the case is damaged.
- 10. When disposing of the product, dispose of it as industrial waste
- 11. Do not use the product in locations subject to direct sunlight.
- 12. The surface temperature of the product may rise as a result of the ambient temperature, power supply, or other usage conditions. Use caution when performing maintenance and washing. Failure to do so may result in burn injury.

Precautions for Correct Use

Do not use the product in atmospheres or environments that exceed product ratings.

Amplifier Units

Designing

Communications Hole

The hole on the side of the Amplifier Unit is a communications hole for preventing mutual interference when Amplifier Units are mounted side-by-side. The E3X-MC11 Mobile Console (sold separately) cannot be used.

If an excessive amount of light is received via the Sensor, the mutual interference prevention function may not work. In this case, make the appropriate adjustments using the sensitivity adjuster.


Mutual interference prevention is effective when E3X-SD/-NA-series Amplifiers are gang-mounted without other E3Xseries Amplifiers.

Mounting


DIN Track Mounting/Removal

Mounting Amplifier Units

1. Mount the Amplifier Units one at a time onto the DIN track.



2. Slide the Amplifier Units together, line up the clips, and press the Amplifier Units together until they click into place.



Removing Amplifier Units

Slide Amplifier Units away from each other, and remove from the DIN track one at a time. (Do not attempt to remove Amplifier Units from the DIN track without separating them first.)


- Note 1. The specifications for ambient temperature will vary according to the number of Amplifier Units used together. For details, refer to Ratings and Specifications.
 - Always turn OFF the power supply before mounting or removing Amplifier Units.

Fiber Connection and Disconnection

The E3X Amplifier Unit has a lock lever. Connect or disconnect the fibers to or from the E3X Amplifier Unit using the following procedures:

1. Connection


Open the Protective Cover, insert the fibers according to the fiber insertion marks on the side of the Amplifier Unit, and lower the lock lever.



Note: If one of the fibers from the Fiber Unit has a white line, such as with a Coaxial Sensor, that fiber is for the Emitter. Insert it into the Emitter section. Refer to Dimensions for the Fiber Unit to see if there is an Emitter fiber.

2. Disconnection

Remove the Protective Cover and raise the lock lever to pull out the fiber.



Note:To maintain the fiber properties, confirm that the lock is released before removing the fiber.

3. Precautions for Fiber Connection/Disconnection

Be sure to lock or unlock the lock lever within an ambient temperature range between -10° C and 40° C.

Operating Environment

Ambient Conditions

If dust or dirt adhere to the hole for optical communications, it may prevent normal communications. Be sure to remove any dust or dirt before using the Units.

Other

Protective Cover


Be sure to mount the Protective Cover before use.

Amplifier Units with Connectors


Mounting

Mounting Connectors

 Insert the Master or Slave Connector into the Amplifier Unit until it clicks into place.




- 2. Join Amplifier Units together as required after all the Master and Slave Connectors have been inserted.
- Attach the stickers (provided as accessories) to the sides of Master and Slave Connectors that are not connected to other Connectors.



Note: Attach the stickers to the sides with grooves.


Removing Connectors

- 1. Slide the slave Amplifier Unit for which the Connector is to be removed away from the rest of the group.
- After the Amplifier Unit has been separated, press down on the lever on the Connector and remove it. (Do not attempt to remove Connectors without separating them from other Amplifier Units first.)




Mounting End Plate (PFP-M)

Depending on how it is mounted, an Amplifier Unit may move during operation. In this case, use an End Plate. Before mounting an End Plate, remove the clip from the master Amplifier Unit using a nipper or similar tool.




The clip can also be removed using the following mechanism, which is incorporated in the construction of the section underneath the clip.

1. Insert the clip to be removed into the slit underneath the clip on another Amplifier Unit.



2. Remove the clip by rotating the Amplifier Unit.





Pull Strengths for Connectors (Including Cables)

E3X-CN11: 30 N max. E3X-CN12: 12 N max.


Dimensions


Amplifier Units





Note: When using E39-L143 Mounting Brackets, there will be small gaps between the Amplifier Units if they are mounted side by side.






Amplifier Unit Connectors (Wire-saving Connectors)

Master Connector E3X-CN11






* E3X-CN11: 4 dia. cable / 3 conductors / Standard length: 2 m (Conductor cross section: 0.2 mm² (AWG24), Insulator diameter: 1.1 mm)

Slave Connector E3X-CN12






* E3X-CN12: 2.6 dia. cable / 1 conductor / Standard length: 2 m (Conductor cross section: 0.2 mm² (AWG24), Insulator diameter: 1.1 mm)

Accessories (sold separately)

Mounting Brackets E39-L143









Material: Stainless steel (SUS304)

End Plates

PFP-M









Nomenclature

Amplifier Units





E3X-NA



Operating Procedure

E3X-SD

1 Sensitivity Setting

The sensitivity can be set with the UP and DOWN Keys similar to using an adjuster knob. The sensitivity can also be easily set by using the following two teaching functions.

2-1. Teaching with/without a Workpiece

Two points (one with the workpiece and the other without) are detected, and the operating level is set to the midpoint. Light level is also automatically set to the optimal value.

| Operation description | Button/Key | |
|---|------------|--|
| Press the TEACH button with the workpiece. | TEACH | |
| Press the TEACH button without the workpiece. | TEACH | |

2-2. Automatic Teaching

Changes within a time are detected, and the operating level is set to the midpoint between the maximum and the minimum values of the changes. This setting is optimal for when the workpieces cannot be stopped. Execute automatic teaching again if the incident light level is not automatically set to the optimal value.

| Operation description | Button/Key | |
|---|------------|--|
| Press the TEACH button for 3 s min. Let the workpiece pass while the button is pressed. | TEACH | |

E3X-NA

1 Displays

A bar display (with four green and one red) showing excess gain is provided in addition to the orange operation indicator. Use these when adjusting the light axis and setting the sensitivity at setup.

| Display/indicator status (for L/ON) | Excess gain level | Description | |
|--|-------------------------|--|--|
| Operation indicator Excess gain level display | Approx. 120% min. | Stable incident | |
| | Approx. 110% to 120% | | |
| | Approx. 90% to 110% | Unstable incident light or Unstable interrupted light | |
| | Approx. 80% to 90% | Stable interrupted light | |
| | Approx. 80% max. | | |

READ AND UNDERSTAND THIS DOCUMENT

Please read and understand this document before using the products. Please consult your OMRON representative if you have any questions or comments

WARRANTY

OMRON's exclusive warranty is that the products are free from defects in materials and workmanship for a period of one year (or other period if specified) from date of sale by OMRON.

OMRON MAKES NO WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, REGARDING NON-INFRINGEMENT, MERCHANTABILITY, OR FITNESS FOR PARTICULAR PURPOSE OF THE PRODUCTS. ANY BUYER OR USER ACKNOWLEDGES THAT THE BUYER OR USER ALONE HAS DETERMINED THAT THE PRODUCTS WILL SUITABLY MEET THE REQUIREMENTS OF THEIR INTENDED USE. OMRON DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED.

LIMITATIONS OF LIABILITY

OMRON SHALL NOT BE RESPONSIBLE FOR SPECIAL, INDIRECT, OR CONSEQUENTIAL DAMAGES, LOSS OF PROFITS OR COMMERCIAL LOSS IN ANY WAY CONNECTED WITH THE PRODUCTS, WHETHER SUCH CLAIM IS BASED ON CONTRACT, WARRANTY, NEGLIGENCE, OR STRICT LIABILITY.

In no event shall responsibility of OMRON for any act exceed the individual price of the product on which liability is asserted.

IN NO EVENT SHALL OMRON BE RESPONSIBLE FOR WARRANTY, REPAIR, OR OTHER CLAIMS REGARDING THE PRODUCTS UNLESS OMRON'S ANALYSIS CONFIRMS THAT THE PRODUCTS WERE PROPERLY HANDLED, STORED, INSTALLED, AND MAINTAINED AND NOT SUBJECT TO CONTAMINATION, ABUSE, MISUSE, OR INAPPROPRIATE MODIFICATION OR REPAIR.

SUITABILITY FOR USE

THE PRODUCTS CONTAINED IN THIS DOCUMENT ARE NOT SAFETY RATED. THEY ARE NOT DESIGNED OR RATED FOR ENSURING SAFETY OF PERSONS, AND SHOULD NOT BE RELIED UPON AS A SAFETY COMPONENT OR PROTECTIVE DEVICE FOR SUCH PURPOSES. Please refer to separate catalogs for OMRON's safety rated products.

OMRON shall not be responsible for conformity with any standards, codes, or regulations that apply to the combination of products in the customer's application or use of the product.

At the customer's request, OMRON will provide applicable third party certification documents identifying ratings and limitations of use that apply to the products. This information by itself is not sufficient for a complete determination of the suitability of the products in combination with the end product, machine, system, or other application or use.

The following are some examples of applications for which particular attention must be given. This is not intended to be an exhaustive list of all possible uses of the products, nor is it intended to imply that the uses listed may be suitable for the products:

- · Outdoor use, uses involving potential chemical contamination or electrical interference, or conditions or uses not described in this document.
- Nuclear energy control systems, combustion systems, railroad systems, aviation systems, medical equipment, amusement machines, vehicles, safety equipment, and installations subject to separate industry or government regulations.
- Systems, machines, and equipment that could present a risk to life or property.

Please know and observe all prohibitions of use applicable to the products.

NEVER USE THE PRODUCTS FOR AN APPLICATION INVOLVING SERIOUS RISK TO LIFE OR PROPERTY WITHOUT ENSURING THAT THE SYSTEM AS A WHOLE HAS BEEN DESIGNED TO ADDRESS THE RISKS, AND THAT THE OMRON PRODUCT IS PROPERLY RATED AND INSTALLED FOR THE INTENDED USE WITHIN THE OVERALL EQUIPMENT OR SYSTEM.

PERFORMANCE DATA

Performance data given in this document is provided as a guide for the user in determining suitability and does not constitute a warranty. It may represent the result of OMRON's test conditions, and the users must correlate it to actual application requirements. Actual performance is subject to the OMRON Warranty and Limitations of Liability.

CHANGE IN SPECIFICATIONS

Product specifications and accessories may be changed at any time based on improvements and other reasons.

It is our practice to change model numbers when published ratings or features are changed, or when significant construction changes are made. However, some specifications of the product may be changed without any notice. When in doubt, special model numbers may be assigned to fix or establish key specifications for your application on your request. Please consult with your OMRON representative at any time to confirm actual specifications of purchased products.

DIMENSIONS AND WEIGHTS

Dimensions and weights are nominal and are not to be used for manufacturing purposes, even when tolerances are shown.

ERRORS AND OMISSIONS

The information in this document has been carefully checked and is believed to be accurate; however, no responsibility is assumed for clerical, typographical, or proofreading errors, or omissions.

PROGRAMMABLE PRODUCTS

OMRON shall not be responsible for the user's programming of a programmable product, or any consequence thereof.

COPYRIGHT AND COPY PERMISSION

This document shall not be copied for sales or promotions without permission.

This document is protected by copyright and is intended solely for use in conjunction with the product. Please notify us before copying or reproducing this document in any manner, for any other purpose. If copying or transmitting this document to another, please copy or transmit it in its entirety.

This document provides information mainly for selecting suitable models. Please read the Instruction sheet carefully for information that the user must understand and accept before purchase, including information on warranty, limitations of liability, and precautions.

OMRON Corporation Industrial Automation Company

Tokyo, JAPAN

Contact: www.ia.omron.com

Regional Headquarters OMRON EUROPE B.V. **Sensor Business Unit**

Carl-Benz-Str. 4, D-71154 Nufringen, Germany Tel: (49) 7032-811-0/Fax: (49) 7032-811-199

OMRON ASIA PACIFIC PTE. LTD. No. 438A Alexandra Road # 05-05/08 (Lobby 2), Alexandra Technopark, Singapore 119967 Tel: (65) 6835-3011/Fax: (65) 6835-2711

OMRON ELECTRONICS LLC One Commerce Drive Schaumburg,

IL 60173-5302 U.S.A. Tel: (1) 847-843-7900/Fax: (1) 847-843-7787

OMRON (CHINA) CO., LTD. Room 2211, Bank of China Tower, 200 Yin Cheng Zhong Road, PuDong New Area, Shanghai, 200120, China Tel: (86) 21-5037-2222/Fax: (86) 21-5037-2200 **Authorized Distributor:**

© OMRON Corporation 2010 All Rights Reserved. In the interest of product improvement, specifications are subject to change without notice. CSM_3_1_1010

Cat. No. E401-E1-01

0110

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Omron:

E3X-NA6 E3X-NA8



OOO «ЛайфЭлектроникс" "LifeElectronics" LLC

ИНН 7805602321 КПП 780501001 P/C 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 3010181090000000703 БИК 044030703

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный) Email: org@lifeelectronics.ru