




LOC		DIST		REVISONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
		REV PER ECO		15-010033	7-10-15	CT	DH



1. MATING CONNECTOR FOR THIS CONNECTOR IS 2033993.


2. MATERIAL- SHELL: ALUMINUM
HOUSING: GLASS FILLED POLYESTER, UL94VO
RETAINING RING: STAINLESS STEEL
KEYING GUIDE PIN: STAINLESS STEEL

3. PLATING- CONTACT MATING AREA:
1.27µm MIN GOLD OVER 1.27µm MIN NICKEL
CONTACT PCB AREA: 0.5µm MIN BRIGHT
TIN-LEAD OVER 1.27µm MIN NICKEL

SHELL: ELECTROLESS NICKEL

4. KEYING GUIDE PIN PACKAGED FOR
ASSEMBLY BY CUSTOMER.


5. PLATING- CONTACT MATING AREA:
1.27µm MIN GOLD OVER 1.27µm MIN NICKEL
CONTACT PCB AREA: 0.5µm MIN TIN
OVER 1.27µm MIN NICKEL




		2	-	-	5-2033994-4
		1	1	-	5-2033994-3
OBSOLETE		2	-	-	5-2033994-2
OBSOLETE		1	1	-	5-2033994-1
		-	-	2	2033994-4
		-	1	1	2033994-3
OBSOLETE		-	-	2	2033994-2
OBSOLETE		-	1	1	2033994-1
		3 PAIR HMZd (RoHS)	8 POSN UPM	3 PAIR HMZd	PART NUMBER
	CONTACT FINISH	MODULE QTY PER ASSY			

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Brent D. Yohn 13JAN2010	TE Connectivity	
DIMENSIONS:		CHK CHONG YI 13JAN2010	NAME	
mm		APVD M. R. McALONIS 13JAN2010	MOTHER BOARD CONNECTOR HIGH SPEED, RUGGEDIZED (HSR) 2 BAY, UNSEALED, VERTICAL	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE	
0 PLC ±"		108-2381	CAGE CODE	
1 PLC ±0.13		APPLICATION SPEC	DRAWING NO	
2 PLC ±0.013		WEIGHT	RESTRICTED TO	
3 PLC ±"			A100779	
4 PLC ±"			C=2033994	
ANGLES			SCALE	
FINISH			3:1	
MATERIAL			SHEET	
2			1 OF 2	
CUSTOMER DRAWING			REV	
			F	


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	-	-	SEE SHEET 1	-	-	-




RECOMMENDED PRINTED CIRCUIT BOARD LAYOUT
AS VIEWED FROM TOP OF PRINTED CIRCUIT BOARD
(SIGNAL TRACES MAY NOT BE ON TOP LAYER)



2033994-4 PCB
SCALE 3:1



2033994-3
SCALE 3:1



2033994-4
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Brent D. Toth CHK CHONG YI APVD M. R. McALONIS	13JAN2010 13JAN2010 13JAN2010	NAME MOTHER BOARD CONNECTOR HIGH SPEED, RUGGEDIZED (HSR) 2 BAY, UNSEALED, VERTICAL	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES FINISH	±" ±" ±0.13 ±0.013 ±" #1	PRODUCT SPEC 108-2381 APPLICATION SPEC	SIZE A1
MATERIAL	-	WEIGHT	-	CAGE CODE 00779	DRAWING NO. 2033994
CUSTOMER DRAWING		SCALE	4:1	SHEET	2 OF 2
		REV	F		

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru