

LOC		DIST		REVISIONS				
GP	00	P	LYR	DESCRIPTION	DATE	DWN	APVD	
				C	REV PER ECO-08-031583	19DEC2008	RG	PD

D

D

C


C

B

B

A

A



1. PART NUMBER CHANGES AND OR DESIGN CHANGES AFFECTING ITEM INTERCHANGEABILITY REQUIRE PRIOR TYCO ELECTRONICS APPROVAL AND AUTHORIZATION BY REVISION TO THIS DRAWING.

2. MATERIAL:
HOUSING: GLASS FILLED POLYESTER, COLOR-BLACK
UL94V-0 FLAMMABILITY RATED
LATCHES: THERMOPLASTIC, GLASS REINFORCED
COLOR: BLACK, UL94V-0 FLAMMABILITY RATED
CONTACTS: COPPER ALLOY
RETENTION POST: COPPER ALLOY

3. FINISH:
SIGNAL CONTACTS:
MATING AREA-0.76µm MIN GOLD OVER 3.81µm MIN NICKEL
0.64µm MIN NICKEL PLATE OVER REMAINDER
SMT TAILS-3.81µm MIN MATTE TIN OVER NICKEL PLATE
POWER CONTACTS:
1.27µm MIN NICKEL PLATE ALL OVER
MATING AREA-0.76µm MIN GOLD OVER NICKEL PLATE
SMT TAILS-3.05µm MIN TIN OVER NICKEL PLATE
RETENTION POSTS:
3.05µm MIN MATTE TIN OVER 0.63µm MIN NICKEL

4. ITEMS PROVIDED TO THIS SPECIFICATION TO BE PERMANENTLY IDENTIFIED WITH PART NUMBER AND DATE CODE.

5. MAXIMUM BURR OF 0.013 ON CARD TAB AREA.

6. SET TRACE BACK FROM PC BOARD EDGE. NO SOLDERMASK ALLOWED BETWEEN PC BOARD EDGE AND TRACE.

7. CONNECTOR ACCEPTS 1.57±0.13 THICK PC BOARD.

8. KEEP OUT AREA FOR COMPONENTS ONLY.

9. FEATURE REQUIRED FOR USE WITH LATCH.

10. CAUTION:
LATCHES ARE INTENDED FOR RETENTION OF PC BOARD TO CONNECTOR. DO NOT ATTEMPT TO FULLY EJECT PC BOARD FROM CONNECTOR WHILE DISENGAGING LATCHES, DAMAGE TO LATCHES AND OR CONNECTOR MAY OCCUR.


11. RECOMMENDED GOLD FINGER LENGTH FOR RELIABLE CONTACT.

12. DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.

13. FOR DESIGN OBJECTIVES SEE 108-2301.

AS SHOWN	1766336-1
DESCRIPTION	PART NO.


IF IT IS DETERMINED TO CHANGE THE DESIGN FOR YOUR ELECTRONIC APPLICATION, IT IS THE CUSTOMER'S RESPONSIBILITY TO CONTACT THE CUSTOMER SUPPORT ORGANIZATION TO OBTAIN THE LATEST REVISION.		DWN	01/25/05	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS:		CHK	HA/GRZYBOWSKI	NAME	
mm		APPD	P.DAMATO	PRODUCT SPEC	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC		SIZE	
9 PLC ±.5		WEIGHT		CAGE CODE	
1 PLC ±.5		CUSTOMER DRAWING		DRAWING NO	
2 PLC ±.25		SCALE		SHEET	
3 PLC ±.25		5:1		OF	
4 PLC ±.0000		4		REV	
ANGLES ±.5		C		C	
FINISH		A		1766336	




DETAIL Z
SCALE 10:1

AMP 4805 REV 31MAR2000



LOC		DIST		REVISIONS					
GP	00	P	LTR	DESCRIPTION			DATE	DWN	APVD
			-	SEE SHEET 1			-	-	-



RECOMMENDED MATING BOARD



RECOMMENDED PC BOARD KEEP OUT AREA



TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED		DWN: HA/GRZYBOWSKI	01/25/05	Tyco Electronics	
TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED		CHK: P.DAMATO	06/28/06	Harrisburg, PA 17105-3608	
TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED		APVD: CHAU/PERCHERRE	06/28/06	NAME: SOCKET CONNECTOR ASSEMBLY	
TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED		PRODUCT SPEC		W/LATCHES	
TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED		APPLICATION SPEC		MC-P6S9 MINI CROWN EDGE	
TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED		A100779	C=1766336		
TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED		CUSTOMER DRAWING	SCALE	SHEET	REV
TYPICAL DIMENSIONS TO CENTERLINE UNLESS OTHERWISE SPECIFIED			5:1	3 OF 4	C



THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE WITHOUT NOTICE AND THE USER'S ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN HA/GRZYBOWSKI 01/25/05 CHW P. DAMATO 06/28/06 CHAU/PERCHERRE		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±.5 2 PLC ±.25 3 PLC ± 4 PLC ±0.0001 ANGLES ±.5		NAME SOCKET CONNECTOR ASSEMBLY W/LATCHES MC-P6S9 MINI CROWN EDGE	
MATERIAL -		FINISH -		SIZE A	
WEIGHT -		APPLICATION SPEC -		CASE CODE 00779	
CUSTOMER DRAWING		DRAWING NO. C-1766336		RESTRICTED TO -	
SCALE 5:1		SHEET 4		OF 4	
REV C					

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru