

CMXSTB200  
 CMXSTB300  
 CMXSTB400

**SURFACE MOUNT SILICON  
 FORWARD REFERENCE DIODE  
 (STABISTOR)**



[www.centrasemi.com](http://www.centrasemi.com)



**SOT-26 CASE**

**DESCRIPTION:**

The CENTRAL SEMICONDUCTOR CMXSTB200 Series types are multi-chip silicon diodes mounted in a surface mount SOT-26 case and designed for applications requiring controlled forward voltage characteristics such as voltage regulation, sensing, and comparing. This series is a surface mount alternative to the 1N4156, 1N4157, and 1N5179 leaded devices, respectively. Special selections of DC parameters including  $V_F$  at various test conditions are available on special order.

**MARKING CODES: CMXSTB200: CST2  
 CMXSTB300: CST3  
 CMXSTB400: CST4**

**MAXIMUM RATINGS: ( $T_A=25^\circ\text{C}$ )**

Power Dissipation  
 Operating and Storage Junction Temperature

**SYMBOL**

$P_D$   
 $T_J, T_{stg}$

350  
 -65 to +150

**UNITS**

mW  
 $^\circ\text{C}$

**ELECTRICAL CHARACTERISTICS PER DEVICE - TESTED BETWEEN PIN 1 AND PIN3: ( $T_A=25^\circ\text{C}$ )**


SYMBOL	TEST CONDITIONS	CMXSTB200		CMXSTB300		CMXSTB400		UNITS
		MIN	MAX	MIN	MAX	MIN	MAX	
$I_R$	$V_R=20\text{V}$		10		10		10	$\mu\text{A}$
$V_F$	$I_F=1.0\text{mA}$	1.11	1.31	1.71	1.91	2.20	2.80	V
$V_F$	$I_F=10\text{mA}$	1.38	1.58	2.08	2.28	2.60	3.20	V
$V_F$	$I_F=100\text{mA}$	1.64	1.94	2.61	2.91	3.40	4.10	V

CMXSTB200  
CMXSTB300  
CMXSTB400



**SURFACE MOUNT SILICON  
FORWARD REFERENCE DIODE  
(STABISTOR)**


**SOT-26 CASE - MECHANICAL OUTLINE**




SYMBOL	DIMENSIONS		DIMENSIONS	
	INCHES		MILLIMETERS	
	MIN	MAX	MIN	MAX
A	0.004	0.007	0.11	0.19
B	0.016	-	0.40	-
C	-	0.004	-	0.10
D	0.039	0.047	1.00	1.20
E	0.074	0.075	1.88	1.92
F	0.037	0.038	0.93	0.97
G	0.102	0.118	2.60	3.00
H	0.059	0.067	1.50	1.70
I	0.016		0.41	
J	0.110	0.118	2.80	3.00

SOT-26 (REV: R2)


**PIN CONFIGURATIONS**



**CMXSTB200**  
**LEAD CODE:**  
1) Anode D1  
2) Cathode D1, Anode D2  
3) Cathode D2  
4) No Connection  
5) No Connection  
6) No Connection  
**MARKING CODE: CST2**




**CMXSTB300**  
**LEAD CODE:**  
1) Anode D1  
2) Cathode D2, Anode D3  
3) Cathode D3  
4) No Connection  
5) Anode D2, Cathode D1  
6) No Connection  
**MARKING CODE: CST3**




**CMXSTB400**  
**LEAD CODE:**  
1) Anode D1  
2) Cathode D3, Anode D4  
3) Cathode D4  
4) No Connection  
5) Anode D3, Cathode D2  
6) Cathode D1, Anode D2  
**MARKING CODE: CST4**


**SUGGESTED MOUNTING PADS (Dimensions in mm)**



**CMXSTB200**



**CMXSTB300**



**CMXSTB400**

R1 (12-February 2010)

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)