THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT – By – ALL RIGHTS RESERVED.

| | |
|---|---|
| PROJECT | PRJ–16–000909157 |
| PART NO. | X–2308340–X |
| DESCRIPTION | FULL METAL HOODS SIZE 1 |
| CUSTOMER | GENERAL MARKET |

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | A1 | REVISED PER ECR–16–013123 | 19SEP2016 | KK | GG |

## 1–2308340–3




## 2–2308340–1




## Case




## Case




NOTES:

1. FINISH:
   1–2308340–1 TO 2–2308340–2 – CASE RAW.
   2–2308340–3 TO 3–2308340–4 – CASE NICKEL–PLATED.
2. LOCKING SCREWS: NICKEL–PLATED
   OTHER SCREWS: ZINC–PLATED
3. TEMPERATURE RANGE: –40°C TO +90°C
4. CABLE DIAMETER WITH EXTERNAL DIAMETER CABLE CLAMP: 4–14 mm.
5. STRAND DIAMETER OF CRIMP FLANGE: 2.7–8.7 mm.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: DIN ISO 2768–m DIN 16901 130B

| | |
|---|---|
| 0 PLC | ± – |
| 1 PLC | ± – |
| 2 PLC | ± – |
| 3 PLC | ± – |
| 4 PLC | ± – |
| ANGLES | ± – |

MATERIAL: –

FINISH: –

| | |
|---|---|
| DWN | KIRAN K 02AUG2016 |
| CHK | GUNASEKHAR G 02AUG2016 |
| APVD | GUNASEKHAR G 02AUG2016 |
| PRODUCT SPEC | – |
| APPLICATION SPEC | – |
| WEIGHT | |

TE Connectivity

NAME: FULL METAL HOODS SIZE 1

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A2 | 00779 | C–2308340 | – |

CUSTOMER DRAWING | SCALE NTS | SHEET 1 OF 2 | REV A1

2308340

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION –,– .
© COPYRIGHT – By – ALL RIGHTS RESERVED.

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|---|---|---|---|---|
| | – | SEE SHEET 1 | – | – | – |

| – | – | 2–2308340–2 | FULL METAL HOODS SIZE1–12 | 1–2308334–6 | 1–2308334–4 | LOCKING SCREW (M3 LONG KNURLED) | LOCKING SCREW (M3 SHORT KNURLED) | S OVER | M3 | 43 |
|---|---|---|---|---|---|---|---|---|---|---|
| – | – | 2–2308340–1 | FULL METAL HOODS SIZE1–11 | 1–2308334–5 | 1–2308334–3 | LOCKING SCREW (4–40 UNC LONG KNURLED) | LOCKING SCREW (4–40 UNC SHORT KNURLED) | | 4–40 UNC | 43 |
| 1–2308340–6 | FULL METAL HOODS SIZE1–6 | – | – | 1–2308334–6 | | LOCKING SCREW (M3 LONG KNURLED) | | 50.0 | M3 | 47 |
| 1–2308340–5 | FULL METAL HOODS SIZE1–5 | – | – | 1–2308334–5 | | LOCKING SCREW (4–40 UNC LONG KNURLED) | | 50.0 | 4–40 UNC | 47 |
| 1–2308340–4 | FULL METAL HOODS SIZE1–4 | 2–2308340–0 | FULL METAL HOODS SIZE1–10 | 1–2308334–4 | | LOCKING SCREW (M3 SHORT KNURLED) | | 24.0 | M3 | 39 |
| 1–2308340–3 | FULL METAL HOODS SIZE1–3 | 1–2308340–9 | FULL METAL HOODS SIZE1–9 | 1–2308334–3 | | LOCKING SCREW (4–40 UNC SHORT KNURLED) | | 24.0 | 4–40 UNC | 39 |
| 1–2308340–2 | FULL METAL HOODS SIZE1–2 | 1–2308340–8 | FULL METAL HOODS SIZE1–8 | 1–2308334–2 | | LOCKING SCREW (M3 W/SPRING WASHER) | | 20.7 | M3 | 38 |
| 1–2308340–1 | FULL METAL HOODS SIZE1–1 | 1–2308340–7 | FULL METAL HOODS SIZE1–7 | 1–2308334–1 | | LOCKING SCREW (4–40 UNC W/SPRING WASHER) | | 20.7 | 4–40 UNC | 38 |
| PART NO. | DESCRIPTION | PART NO. | DESCRIPTION | SUB–PART NO. | | DESCRIPTION | | A | d | WEIGHT, g |
| VERSION 180° | | VERSION 135° | | LOCKING SCREWS | | | | | | |
| PART NO. (CASE RAW) | | | | | | | | | | |

| – | – | 3–2308340–4 | FULL METAL HOODS SIZE1–24 | 1–2308334–6 | 1–2308334–4 | LOCKING SCREW (M3 LONG KNURLED) | LOCKING SCREW (M3 SHORT KNURLED) | S OVER | M3 | 43 |
|---|---|---|---|---|---|---|---|---|---|---|
| – | – | 3–2308340–3 | FULL METAL HOODS SIZE1–23 | 1–2308334–5 | 1–2308334–3 | LOCKING SCREW (4–40 UNC LONG KNURLED) | LOCKING SCREW (4–40 UNC SHORT KNURLED) | | 4–40 UNC | 43 |
| 2–2308340–8 | FULL METAL HOODS SIZE1–18 | – | – | 1–2308334–6 | | LOCKING SCREW (M3 LONG KNURLED) | | 50.0 | M3 | 47 |
| 2–2308340–7 | FULL METAL HOODS SIZE1–17 | – | – | 1–2308334–5 | | LOCKING SCREW (4–40 UNC LONG KNURLED) | | 50.0 | 4–40 UNC | 47 |
| 2–2308340–6 | FULL METAL HOODS SIZE1–16 | 3–2308340–2 | FULL METAL HOODS SIZE1–22 | 1–2308334–4 | | LOCKING SCREW (M3 SHORT KNURLED) | | 24.0 | M3 | 39 |
| 2–2308340–5 | FULL METAL HOODS SIZE1–15 | 3–2308340–1 | FULL METAL HOODS SIZE1–21 | 1–2308334–3 | | LOCKING SCREW (4–40 UNC SHORT KNURLED) | | 24.0 | 4–40 UNC | 39 |
| 2–2308340–4 | FULL METAL HOODS SIZE1–14 | 3–2308340–0 | FULL METAL HOODS SIZE1–20 | 1–2308334–2 | | LOCKING SCREW (M3 W/SPRING WASHER) | | 20.7 | M3 | 38 |
| 2–2308340–3 | FULL METAL HOODS SIZE1–13 | 2–2308340–9 | FULL METAL HOODS SIZE1–19 | 1–2308334–1 | | LOCKING SCREW (4–40 UNC W/SPRING WASHER) | | 20.7 | 4–40 UNC | 38 |
| PART NO. | DESCRIPTION | PART NO. | DESCRIPTION | SUB–PART NO. | | DESCRIPTION | | A | d | WEIGHT, g |
| VERSION 180° | | VERSION 135° | | LOCKING SCREWS | | | | | | |
| PART NO. (CASE Ni–PLATED) | | | | | | | | | | |

NOTE:

* CRIMP FLANGE PN *–2308349–* TO BE ORDERED SEPARATELY.
* CRIMP BARREL TO BE USED IN COMBINATION WITH THE FLANGE PN *–2308350–* TO BE ORDERED SEPARATELY.
* CABLE CLAMP SCREW VERSION PN *–2308272–* TO BE ORDERED SEPARATELY.



CRIMP FLANGE

CRIMP BARREL

CABLE CLAMP

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED: DIN ISO 2768–m DIN 16901 130B
0 PLC ± –
1 PLC ± –
2 PLC ± –
3 PLC ± –
4 PLC ± –
ANGLES ± –

MATERIAL –

FINISH –

| | | |
|---|---|---|
| DWN | KIRAN K | 02AUG2016 |
| CHK | GUNASEKHAR G | 02AUG2016 |
| APVD | GUNASEKHAR G | 02AUG2016 |
| PRODUCT SPEC | – | |
| APPLICATION SPEC | – | |
| WEIGHT | | |

TE Connectivity

NAME: FULL METAL HOODS SIZE 1

| SIZE | CAGE CODE | DRAWING NO | RESTRICTED TO |
|---|---|---|---|
| A2 | 00779 | C–2308340 | – |

CUSTOMER DRAWING | SCALE NTS | SHEET 2 OF 2 | REV A1

2308340

LifeElectronics
Живое партнерство

**ООО «ЛайфЭлектроникс»** **“LifeElectronics” LLC**

*ИНН 7805602321 КПП 780501001 Р/С 40702810122510004610 ФАКБ "АБСОЛЮТ БАНК" (ЗАО) в г.Санкт-Петербурге К/С 30101810900000000703 БИК 044030703*

*Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.*

*С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров*

*Мы предлагаем:*

- *Конкурентоспособные цены и скидки постоянным клиентам.*
- *Специальные условия для постоянных клиентов.*
- *Подбор аналогов.*
- *Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.*

- *Приемлемые сроки поставки, возможна ускоренная поставка.*
- *Доставку товара в любую точку России и стран СНГ.*
- *Комплексную поставку.*
- *Работу по проектам и поставку образцов.*
- *Формирование склада под заказчика.*

- *Сертификаты соответствия на поставляемую продукцию (по желанию клиента).*
- *Тестирование поставляемой продукции.*
- *Поставку компонентов, требующих военную и космическую приемку.*
- *Входной контроль качества.*
- *Наличие сертификата ISO.*

*В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.*

*Конструкторский отдел помогает осуществить:*

- *Регистрацию проекта у производителя компонентов.*
- *Техническую поддержку проекта.*
- *Защиту от снятия компонента с производства.*
- *Оценку стоимости проекта по компонентам.*
- *Изготовление тестовой платы монтаж и пусконаладочные работы.*

*Тел: +7 (812) 336 43 04 (многоканальный)*
*Email: org@lifeelectronics.ru*

***www.lifeelectronics.ru***