




10	9	8	7	6	5	4	3	2
----	---	---	---	---	---	---	---	---



A perspective view of a multi-pin connector assembly. It consists of a base with five vertical slots, each containing a pin. A label is attached to the right side of the assembly, displaying the text "E1", "E2", "E3", "E4", and "E5" in a grid-like arrangement. A circular feature is visible on the rightmost pin.

Top view of the BEAU 66 sign. The sign is rectangular with rounded corners and a central rectangular cutout. It is mounted on two posts. The dimensions are 0.51 inches in height and 0.020 inches in thickness.



1. MATERIAL: SEE TABLE
2. FINISHES: SEE TABLE
3. "XX" REFERS TO THE NUMBER OF CIRCUIT POSITIONS.
4. ASSEMBLY IS ROHS COMPLIANT.

INITIAL RELEASE EC NO: WNA2009-0247 OFW:WCLYORK 2009/10/27 CHY:DREROSS 2009/10/27 APPR:DTITUS 2009/10/27	DESCRIPTION	QUALITY SYMBOLS ▼=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM/IN		SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY C. YORK	DATE 2008/10/13	TITLE SR BTS, 12.70/500 PITCH PC W/MTG ASSY, ROHS COMPLIANT				
			4 PLACES	± ---	± ---	CHECKED BY R. DEROSS	DATE 2008/10/13					
			3 PLACES	± ---	± .005	APPROVED BY DTITUS		DATE 2009/10/27	MOLEX INCORPORATED			
			2 PLACES	± 0.13	± .01							
			1 PLACE	± 0.3	± ---	DOCUMENT NO. SD-38660-004				SHEET NO. 1 OF 2		
			ANGULAR ± 2 °									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS					MATERIAL NO. SEE SHT. 2							
A	REV		SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

	10	9	8	7	6	5	4	3	2	38660
F										
E										
D										
C										
B										
A										

NO. OF CIRCUITS	DIM. "A"		DIM. "B"		DIM. "C"		DIM. "D"		ASSEMBLY MATERIAL NO.
	mm	in	mm	in	mm	in	mm	in	
02	54.1	2.13	12.70	.500	44.45	1.750	27.9	1.10	386608602
03	66.8	2.63	25.40	1.000	57.15	2.250	40.6	1.60	386608603
04	79.5	3.13	38.10	1.500	69.85	2.750	53.3	2.10	386608604
05	92.2	3.63	50.80	2.000	82.55	3.250	66.0	2.60	386608605
06	104.9	4.13	63.50	2.500	95.25	3.750	78.7	3.10	386608606
07	117.6	4.63	76.20	3.000	107.95	4.250	91.4	3.60	386608607
08	130.3	5.13	88.90	3.500	120.65	4.750	104.1	4.10	386608608
09	143.0	5.63	101.60	4.000	133.35	5.250	116.8	4.60	386608609
10	155.7	6.13	114.30	4.500	146.05	5.750	129.5	5.10	386608610
11	168.4	6.63	127.00	5.000	158.75	6.250	142.2	5.60	386608611
12	181.1	7.13	139.70	5.500	171.45	6.750	154.9	6.10	386608612
13	193.8	7.63	152.40	6.000	184.15	7.250	167.6	6.60	386608613

SEE SHEET ONE EC NO: WNA2009-0247 DRWN: C. YORK CHKD: R. DEROSS APPR: DTITUS A	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
			MM/IN		2:1	INCH	
			DRAWN BY DATE		SR BTS, 12.70/.500 PITCH PC W/MTG ASSY, ROHS COMPLIANT		
			C. YORK 2008/10/13				
			CHECKED BY DATE				
			R. DEROSS 2008/10/13				
			APPROVED BY DATE		MOLEX MOLEX INCORPORATED		
			DTITUS 2009/10/27				
			MATERIAL NO.				
			SEE CHART		SD-38660-004		
SIZE B		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru