



19.0



3

7

PANEL THICKNESS 6.2



19.8

M16x1.5

Ø21.0

19.0

14.1


45°

M12x1

6

2

Panel Cutout:



Ø16.1^{+0.1}₀











TABLE 1


ITEM	QTY.	COMPONENT	MATERIAL	FINISH
1	1	REC SHELL MALE	BRASS	NICKEL PLATED
2	1	INSERT	PA	BLACK
3	4/5/8/12	PIN CONTACT 0.6mm	BRASS	CuZn Ni/Au
4	1	LOCKNUT	BRASS	Ni PLATED
5	1	O-RING 16x1.5	EPDM	BLACK
6	1	O-RING 7.1x1.35	VITON	RED
7	-	POTTING MATERIAL	EPOXY	NONE


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
EC NO: 169742 DRWN: RSILLER CHK'D: APPR: RSILLER	2017/12/21 2017/12/21	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS	SCALE	molex®			
		ANGULAR TOL ± 1.0 °		mm	2:1				
		4 PLACES	±	SSM	2017/09/27				
		3 PLACES	±	CHK'D BY	DATE	REC U12 XP AC FE M16 BM SOL BRA AU			
		2 PLACES	± 0.05	CHKD BY					
		1 PLACE	± 0.1	APPR BY	DATE	PRODUCT CUSTOMER DRAWING			
		0 PLACES	±	RSILLER	2017/12/06	SERIES	MATERIAL NUMBER	CUSTOMER	
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		DRAWING SIZE	THIRD ANGLE PROJECTION	120084	SEE TABLE 2	GENERAL MARKET	
A1	REV			A3		DOCUMENT NUMBER	DOC TYPE	DOC PART	SHEET NUMBER
						1200845175	PSD	000	1 OF 2

9	8	7	6	5	4	3	2	1	
TABLE 3									
MATERIAL-NO.		1200845175		1200845179		1200840048		1200845176	
ENG-NO.		WR4W400003		WR5W400003		WR8W400003		WRCW400003	
LAYOUT									
VOLTAGE RATING		250V		60V		30V		30V	
AC/DC CODING		A - Code		A - Code		A - Code		A - Code	
AMPERE RATING		4A		4A		2A		1.5A	
PROTECTION CLASS CONNECTOR INTERFACE SHELL TO ENCLOSURE		IP67/69K (in mated condition / when properly installed)							
OPERATING TEMP.		-25°C / 85°C							
UL CERTIFICATION		FILE NO. E152210							
CSA CERTIFICATION		FILE NO. LR6837							
PIN DIAMETER		1.0 mm		1.0 mm		0.8 mm		0.6 mm	










DRILL LAYOUT BACKSIDE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
2017/12/21		2017/12/21		GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION UNITS		SCALE	
2017/12/21		2017/12/21		ANGULAR TOL ± 1.0 °		mm		2:1	
2017/12/21		2017/12/21		4 PLACES ±		DRWN BY		DATE	
2017/12/21		2017/12/21		3 PLACES ±		SSM		2017/09/27	
2017/12/21		2017/12/21		2 PLACES ± 0.05		CHK'D BY		DATE	
2017/12/21		2017/12/21		1 PLACE ± 0.1		CHKD BY			
2017/12/21		2017/12/21		0 PLACES ±		APPR BY		DATE	
2017/12/21		2017/12/21		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		RSILLER		2017/12/06	
2017/12/21		2017/12/21				DRAWING SIZE		THIRD ANGLE PROJECTION	
2017/12/21		2017/12/21				A3			
molex®									
REC U12 XP AC FE M16 BM SOL BRA AU									
PRODUCT CUSTOMER DRAWING									
SERIES		MATERIAL NUMBER			CUSTOMER				
120084		SEE TABLE 2			GENERAL MARKET				
DOCUMENT NUMBER				DOC TYPE	DOC PART	SHEET NUMBER			
1200845175				PSD	000	2 OF 2			
RELEASE STATUS		P1	RELEASE DATE		21.12.2017	12:56:43			
9	8	7	6	5	4	3	2	1	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru