



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	29MAY2015	DW	CW




D



NOTES:
1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE: POWDER COATED, GREY
OPERATION TEMPERATURE: -40-+125°C
DEGREE OF PROTECTION: IP65 (MATED)

注释:
1. 技术参数:
上壳材料: 铝合金
表面处理: 粉末涂层, 灰色
工作温度: -40-+125°C
防护等级: IP65(配合)


C



TYPE 2: LOW CONSTRUCTION, TOP ENTRY
WITH STEEL LOCKING
OTHER SPEC REFER TO TYPE 1

TYPE 1: LOW CONSTRUCTION, SIDE ENTRY
WITH STEEL LOCKING

T1250242121-000	TYPE 1	H24B-TSB-PG21	PG21	-
T1250242125-000		H24B-TSB-M25	M25	-
T1250242132-000		H24B-TSB-M32	M32	-
T1260240000-000	TYPE 2	H24B-TGB	-	-
T1260242121-000		H24B-TGB-PG21	-	PG21
T1260242125-000		H24B-TGB-M25	-	M25
T1260242129-000		H24B-TGB-PG29	-	PG29
T1260242132-000		H24B-TGB-M32	-	M32
PART NUMBER	TYPE	DESCRIPTION	IG1	IG2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN David Wang 29MAY2015		 TE Connectivity					
		CHK Chris Wang 29MAY2015							
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME H24B-TSB/TGB/TSBH/TGBH-M/PG					
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±							
MATERIAL		FINISH		PRODUCT SPEC 108-137013		APPLICATION SPEC 114-137013		RESTRICTED TO	
-		-		WEIGHT -		SIZE A200779		CAGE CODE C=T12X024XXXX000	
-		-		Customer Drawing				SCALE 1:1	
								SHEET 1 OF 2	
								REV A	

A

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D

D

C



C

B


B

A



A



NOTES:
SEE SHEET 1



TYPE 4: HIGH CONSTRUCTION, TOP ENTRY
WITH STEEL LOCKING
OTHER SPEC REFER TO TYPE 3



TYPE 3: HIGH CONSTRUCTION, SIDE ENTRY
WITH STEEL LOCKING

T1270242121-000	TYPE 3	H24B-TSBH-PG21	PG21	-
T1270242129-000		H24B-TSBH-PG29	PG29	-
T1270242132-000		H24B-TSBH-M32	M32	-
T1270242140-000		H24B-TSBH-M40	M40	-
T1280242121-000	TYPE 4	H24B-TGBH-PG21	-	PG21
T1280242125-000		H24B-TGBH-M25	-	M25
T1280242129-000		H24B-TGBH-PG29	-	PG29
T1280242132-000		H24B-TGBH-M32	-	M32
T1280242140-000		H24B-TGBH-M40	-	M40
PART NUMBER	TYPE	DESCRIPTION	IG3	IG4

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 29MAY2015 David Wang	TE Connectivity		
		CHK 29MAY2015 Chris Wang			
		APVD 29MAY2015 Xiang Xu	NAME H24B-TSB/TGB/TSBH/TGBH-M/PG		
DIMENSIONS:		PRODUCT SPEC			
mm		108-137013			
		APPLICATION SPEC			
		114-137013			
MATERIAL		WEIGHT	SIZE	CAGE CODE	DRAWING NO
		-	A200779	C	T12X024XXXX000
		-	Customer Drawing		RESTRICTED TO
			SCALE 1:1	SHEET 2 OF 2	REV A

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru