


Connector Location A

Connector Location B







Mating face RJ45 acc. to IEC 60603-7

HARTING RJ Industrial RJ45, Cat. 5, 4-pole, overmolded (IP20)

M12 D-coded straight, overmolded 4-pole (IP67)

Mating face acc. to IEC 61076-2-101




- Temperature range: -30°C ... +70°C

	All rights reserved		Created by MUNTEANV		Inspected by MUNTEANV		Standardisation MUNTEANV		Date 2018-09-10		State Final Release	
	Department HCS - RO		Title M12 D-coded Cable Assembly		Type TB		Number 09457005XXX		Doc-Key / ECM-Nr. 100081060/UGD/044/G 500000139822		Rev. G Page 1/3	
HARTING Customised Solutions		D-32339 Espelkamp		Tech. Character.		Free size tol.		According to production drawing				


		1	2	3	4	5	6	7	8
				RJ45 Ethernet trailing cable, AWG22/7, 2x2x0.75, PUR, Cat. 5+, green					
32	09457005061				100				100
31	09457005060				90				90
30	09457005059				80				80
29	09457005058				70				70
28	09457005057				60				60
27	09457005056				50				50
26	09457005055				40				40
25	09457005085				35				35
24	09457005054				30				31
23	09457005033				25				30
22	09457005097				21				25
21	09457005053				20				20
20	09457005091				17				15
19	09457005052				15				14
18	09457005095				14				12.5
17	09457005034				12.5				11
16	09457005035				11				10
15	09457005051				10				9
14	09457005031				9				8
13	09457005030				8				7
12	09457005029				7				6
11	09457005028				6				5
10	09457005027				5				4
9	09457005026				4				3
8	09457005025				3				2.8
7	09457005032				2.5				2
6	09457005024				2				1.5
5	09457005023				1.5				1.4
4	09457005022				1				1.3
3	09457005021				0.5				1
2	09457005020				0.2				0.5
1	09457005096				0.1				0.3
Cont. no.	Part no.	Type of cable				Dim. a[m]			
		RJ45 Ethernet stranded cable, AWG 22/7, 2x2x0.75, outdoor, PVC, Cat. 5+, black							
		RJ45 Ethernet trailing cable, AWG22/7, 2x2x0.75, PUR, Cat. 5+, green							
64	09457005083				100				100
63	09457005082				90				90
62	09457005081				80				80
61	09457005080				70				70
60	09457005079				60				60
59	09457005078				50				50
58	09457005077				40				40
57	09457005094				35				35
56	09457005093				31				31
55	09457005076				30				30
54	09457005092				25				25
53	09457005075				20				20
52	09457005074				15				15
51	09457005073				10				10
50	09457005072				9				9
49	09457005071				8				8
48	09457005070				7				7
47	09457005069				6				6
46	09457005090				5.5				5.5
45	09457005068				5				5
44	09457005089				4.1				4.1
43	09457005067				4				4
42	09457005088				3.6				3.6
41	09457005066				3				3
40	09457005084				2.8				2.8
39	09457005065				2				2
38	09457005064				1.5				1.5
37	09457005087				1.4				1.4
36	09457005086				1.3				1.3
35	09457005063				1				1
34	09457005062				0.5				0.5
33	09457005098				0.3				0.3
Cont. no.	Part no.	Type of cable				Dim. a[m]			
		RJ45 Ethernet stranded cable, AWG 22/7, 2x2x0.75, outdoor, PVC, Cat. 5+, black							
		RJ45 Ethernet trailing cable, AWG22/7, 2x2x0.75, PUR, Cat. 5+, green							
		RJ45 Ethernet trailing cable, AWG22/7, 2x2x0.75, PUR, Cat. 5+, green							

RJ45 Ethernet stranded cable,
AWG 22/7, 2x2x0.75, outdoor,
PVC, Cat. 5+, black

RJ45 Ethernet trailing cable,
AWG22/7, 2x2x0.75, PUR, Cat. 5+, green




All Dimensions in mm Tech. Character. Free size tol. According to production drawing


All rights reserved
Created by MUNTEANV
Inspected by MUNTEANV
Standardisation MUNTEANV
Date 2018-09-10
State Final Release

Department HCS - RO
Title M12 D-coded Cable Assembly
Doc-Key / ECM-Nr. 100081060/UGD/044/G 500000139822

HARTING Customised Solutions D-32339 Espelkamp
Type TB
Number 09457005XXX
Rev. G
Page 2/3

1	2	3	4	5	6	7	8	
A								A
B								B
C								C
D	88	09457005183	RJ45 Ethernet stranded cable, 4xAWG22/7, PVC, Cat. 5+, green	100				D
	87	09457005182		90				
	86	09457005181		80				
	85	09457005180		70				
	84	09457005179		60				
	83	09457005178		50				
	82	09457005177		40				
	81	09457005176		30				
	80	09457005185		25				
	79	09457005175		20				
	78	09457005174		15				
	77	09457005186		12.5				
	76	09457005173		10				
	75	09457005172		9				
	74	09457005171		8				
	73	09457005170		7				
	72	09457005169		6				
	71	09457005168		5				
	70	09457005167		4				
	69	09457005166		3				
	68	09457005165	2					
	67	09457005164	1.5					
	66	09457005163	1					
	65	09457005162	0.5					
E							E	
F	Cont. no.	Part no.	Type of cable	Dim. a[m]				F
	1	2	3	4	5	6	8	

	All rights reserved		Created by MUNTEANV		Inspected by MUNTEANV		Standardisation MUNTEANV		Date 2018-09-10		State Final Release		
	Department HCS - RO		Title M12 D-coded Cable Assembly										Doc-Key / ECM-Nr. 100081060/UGD/044/G 500000139822
HARTING Customised Solutions D-32339 Espelkamp			Type TB		Number 09457005XXX					Rev. G		Page 3/3	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING:

[09457005022](#) [09457005023](#) [0945 700 5025](#) [09457005027](#) [09457005021](#) [09457005024](#) [09457005028](#)
[09457005030](#) [09457005032](#) [09457005033](#) [09457005051](#) [09457005052](#) [09457005053](#) [09457005056](#) [09457005066](#)
[09457005068](#) [09457005029](#) [09457005031](#) [09457005026](#) [09457005063](#) [09457005073](#) [09457005055](#)
[09457005074](#) [09457005054](#) [09457005075](#) [09457005062](#)

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)
Email: org@lifeelectronics.ru