


- 1 HOUSING MATERIAL: GLASS-FILLED POLYESTER. COLOR: GRAY.
- 2 POST MATERIAL: BRASS.
- 3 POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN-LEAD PLATE ON POSTS.
- 4 RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- 5 [PART NUMBER, DATE CODE] MARKED THIS APPROXIMATE AREA.
- 6 MARKING ON THIS SIDE.
- 7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



SECTION Z-Z

| | | | | | | | | | |
|----------------------------------------|---------------|------------------|--------------|------------------|------------------|-----------------------------------------------------------|------------------------------------------------------|-------------|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DIN | L. BRINER | 8/25/92 | Tyco Electronics | Tyco Electronics Corporation Harrisburg, PA 17105-3608 | | | |
| DIMENSIONS: mm [INCHES] | | CHK | R. PATTERSON | 8/25/92 | | NAME | PIN ASSEMBLY, EUROCARD, TYPE C WITH MFBL CONTACTS | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APP'D | R. PATTERSON | 8/25/92 | PRODUCT SPEC | SIZE | CAGE CODE | DRAWING NO. | RESTRICTED TO |
| 0. PLC | ± - | APPLICATION SPEC | | WEIGHT | A1 00779 | | 536437 | - | |
| 1. PLC | ± - | MATERIAL | | CUSTOMER DRAWING | SCALE | 5:1 | SHEET | 1 OF 3 | REV |
| 2. PLC | ± - | FINISH | | | | | | | AY2 |
| 3. PLC | ± 0.13 [.005] | | | | | | | | |
| 4. PLC | ± - | | | | | | | | |
| ANGLES | ± - | | | | | | | | |

| | | | | |
|---------------------------|-------------------------------------|---|----|------------|
| 1-21,23,27-32 | 22,24-26 | C | 32 | 3-536437-8 |
| 1-32 | NONE | B | 32 | OBSOLETE |
| 1-32 | NONE | A | 32 | |
| 2-31 | 1,32 | C | 32 | 3-536437-7 |
| 2-31 | 1,32 | B | 32 | OBSOLETE |
| 2-31 | 1,32 | A | 32 | |
| 1-3,22,29-32 | 4-21,23-28 | C | 32 | 3-536437-6 |
| 1-3,30-32 | 4-29 | B | 32 | OBSOLETE |
| 1-4,30-32 | 5-29 | A | 32 | |
| 25-28 | 1-24,29-32 | C | 32 | 3-536437-5 |
| NONE | NONE | B | 0 | OBSOLETE |
| 25-28 | 1-24,29-32 | A | 32 | |
| 21,22,29 | 1-20,23-28,30-32 | C | 32 | 3-536437-4 |
| NONE | NONE | B | 0 | OBSOLETE |
| 21,22,29 | 1-20,23-28,30-32 | A | 32 | |
| 1,2,6,10,16,20,25 | 3-5,7-9,11-15,17-19,21-24,26-32 | C | 32 | 3-536437-3 |
| NONE | 1-32 | B | 32 | OBSOLETE |
| 1,2,6,8,10,14,16,18,20,25 | 3-5,7,9,11-13,15,17,19,21-24,26-32 | A | 32 | |
| NONE | 1-32 | C | 32 | 3-536437-2 |
| NONE | NONE | B | 0 | OBSOLETE |
| 1,32 | 2-31 | A | 32 | |
| NONE | NONE | C | 0 | 3-536437-1 |
| 2,12,22,31 | 1,13,32 | B | 7 | OBSOLETE |
| NONE | NONE | A | 0 | |
| 9 | 31,32 | C | 3 | 3-536437-0 |
| 20,23 | 4-11,31,32 | B | 12 | OBSOLETE |
| 9,11,15,17,19 | 21,22,31,32 | A | 9 | |
| 1,8,13,15,18,19,32 | 2-7,9-12,14,16,17,20,22,24,26,28,30 | C | 26 | 2-536437-9 |
| NONE | NONE | B | 0 | OBSOLETE |
| 1,8,13,15,18,19,32 | 2-7,9-12,14,16,17,20,22,24,26,28,30 | A | 26 | |
| 1,14,15,20,26,32 | 3,5,7,9,11,13,16-19,21-25,27-31 | C | 26 | 2-536437-8 |
| NONE | NONE | B | 0 | OBSOLETE |
| 1,14,15,20,26,32 | 3,5,7,9,11,13,16-19,21-25,27-31 | A | 26 | |
| 1,12,14,21,22,32 | 2-11,13,15-20,23-31 | C | 32 | 2-536437-7 |
| 12,14,21,22,32 | 1-11,13,15-20,23-31 | B | 32 | OBSOLETE |
| 1,12,14,21,22,32 | 2-11,13,15-20,23-31 | A | 32 | |
| 9,11,12,15 | 1-8,10,13,14,16-32 | C | 32 | 2-536437-6 |
| NONE | NONE | B | 0 | OBSOLETE |
| 9,11,12,15 | 1-8,10,13,14,16-32 | A | 32 | |
| 1 | 2-32 | C | 32 | 2-536437-5 |
| NONE | 1-32 | B | 32 | OBSOLETE |
| 1 | 2-32 | A | 32 | |
| 2,3 | 1,4-32 | C | 32 | 2-536437-4 |
| 2,3 | 1,4-32 | B | 32 | OBSOLETE |
| 2,3 | 1,4-32 | A | 32 | |
| NONE | 1-32 | C | 32 | 2-536437-3 |
| NONE | 2-32 | B | 31 | OBSOLETE |
| 2 | 1,3-32 | A | 32 | |
| 1,32 | 2-31 | C | 32 | 2-536437-2 |
| NONE | NONE | B | 0 | OBSOLETE |
| 1,32 | 2-31 | A | 32 | |
| 8,9 | 1-7,10-32 | C | 32 | 2-536437-1 |
| 9 | 1-8,10-32 | B | 32 | OBSOLETE |
| NONE | 1-32 | A | 32 | |
| NONE | 2,4,6,8,...30,32 | C | 16 | 2-536437-0 |
| NONE | NONE | B | 0 | OBSOLETE |
| 2,32 | 4,6,8,10,...28,30 | A | 16 | |
| 2-31 | 1,32 | C | 32 | 1-536437-9 |
| 1-32 | NONE | B | 32 | |
| 2-32 | 1 | A | 32 | |
| 1-5,16-20,29-32 | 6-15,21-28 | C | 32 | 1-536437-8 |
| 1-5,16-20,29-32 | 6-15,21-28 | B | 32 | OBSOLETE |
| 1-5,16-20,29-32 | 6-15,21-28 | A | 32 | |

POSITIONS LOADED WITH 4.93[.194] CONTACTS POSITIONS LOADED WITH 4.16[.164] CONTACTS ROWS NO. OF LOADED POSITION ASSY PART NUMBER

| | | | | |
|-----------------------|----------------------------------------|---|----|------------|
| 2-4,7-32 | NONE | C | 29 | 1-536437-7 |
| 1,9-31 | 8,32 | B | 26 | |
| 1,2,4-6,9-32 | NONE | A | 29 | |
| NONE | 1-32 | C | 32 | 1-536437-6 |
| 10-12,27-30 | 1-9,13-26,31,32 | B | 32 | OBSOLETE |
| NONE | 1-32 | A | 32 | |
| 1,2 | 3-32 | C | 32 | 1-536437-5 |
| NONE | 1-32 | B | 32 | |
| 1,23 | 2-22,24-32 | A | 32 | |
| 25,27,28 | 1-24,26,29-32 | C | 32 | 1-536437-4 |
| 1 | 2-32 | B | 32 | OBSOLETE |
| NONE | 1-32 | A | 32 | |
| 1,5,7,32 | 2-4,6,8-31 | C | 32 | 1-536437-3 |
| 6,8,14,16,18,20,26,28 | 1-5,7,9-13,15,17,19,21-25,27,29-32 | B | 32 | |
| 1,32 | 2-31 | A | 32 | |
| 3,6,9,12,15,18,31,32 | 1,2,4,5,7,8,10,11,13,14,16,17,19-30 | C | 32 | 1-536437-2 |
| 2,3,6-26 | 1,4,5,27-32 | B | 32 | OBSOLETE |
| 2,5,8,11,14,17,20 | 1,3,4,6,7,9,10,12,13,15,16,18,19,21-32 | A | 32 | |
| 1,32 | 2-31 | C | 32 | 1-536437-1 |
| NONE | 1-32 | B | 32 | |
| 1,32 | 2-31 | A | 32 | |
| 31 | 1-30,32 | C | 32 | 1-536437-0 |
| 1,2,31 | 3-30,32 | B | 32 | OBSOLETE |
| 31 | 1-30,32 | A | 32 | |
| NONE | 1-32 | C | 32 | 536437-9 |
| NONE | 1-32 | B | 32 | OBSOLETE |
| 1,32 | 2-31 | A | 32 | |
| NONE | 1-32 | C | 32 | 536437-8 |
| 13,14,16 | 1-12,15,17-32 | B | 32 | OBSOLETE |
| NONE | 1-32 | A | 32 | |
| 1,31,32 | 2-30 | C | 32 | 536437-7 |
| 1,32 | 2-31 | B | 32 | OBSOLETE |
| 1,32 | 2-31 | A | 32 | |
| 9 | 1-8,10-32 | C | 32 | 536437-6 |
| 20,23 | 1-19,21,22,24-32 | B | 32 | |
| 9,11,15,17,19 | 1-8,10,12-14,16,18,20-32 | A | 32 | |
| NONE | 1-32 | C | 32 | 536437-5 |
| 2,12,22,31 | 1,3-11,13-21,23-30,32 | B | 32 | OBSOLETE |
| NONE | 1-32 | A | 32 | |
| 1,32 | 2-31 | C | 32 | 536437-4 |
| 1,32 | 2-31 | B | 32 | |
| 1,32 | 2-31 | A | 32 | |
| 1,2,31,32 | 3-30 | C | 32 | 536437-3 |
| 1,2,31,32 | 3-30 | B | 32 | OBSOLETE |
| 1,2,31,32 | 3-30 | A | 32 | |
| NONE | 1-32 | C | 32 | 536437-2 |
| 1,32 | 2-31 | B | 32 | OBSOLETE |
| NONE | 1-32 | A | 32 | |
| NONE | 1-32 | C | 32 | 536437-1 |
| NONE | 1-32 | B | 32 | OBSOLETE |
| NONE | 1-32 | A | 32 | |

POSITIONS LOADED WITH 4.93[.194] CONTACTS POSITIONS LOADED WITH 4.16[.164] CONTACTS ROWS NO. OF LOADED POSITION ASSY PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]

TOLERANCES UNLESS OTHERWISE SPECIFIED:
 0. PLC ± -
 1. PLC ± -
 2. PLC ± -
 3. PLC ± 0.13[.005]
 4. PLC ± -
 ANGLES ± -

MATERIAL: FINISH:

DIN L. BRINER 2/18/94
 CHK: RON BRANDT 2/23/94
 APVO: RON BRANDT 2/23/94

Tyco Electronics Corporation
 Harrisburg, PA 17105-3608

NAME: PIN ASSEMBLY, EUROCARD, TYPE C WITH MFBL CONTACTS

APPLICATION SPEC: -
 SIZE: A1 CAGE CODE: 00779 DRAWING NO: 536437
 WEIGHT: -

CUSTOMER DRAWING SCALE: 5:1 SHEET 2 OF 3 REV: AY2

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT 2005 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

| LOC | | DIST | | REVISIONS | | | | |
|-----|----|------|----|-------------|------|-------|-----|--|
| AD | 25 | REV | BY | DESCRIPTION | DATE | APP'D | REV | |
| | | 1 | | SEE SHEET 1 | | | | |

| | | | | |
|----------------------------------------------|----------------------------------------------|------|------------------------------|------------------|
| 1 | 2-32 | C | 32 | 4-536437-7 |
| 1 | 2-32 | B | 32 | OBSOLETE |
| 1 | 2-32 | A | 32 | |
| 1,2,3,30,31,32 | 4-29 | C | 32 | 4-536437-6 |
| 1,2,3,30,31,32 | 4-29 | B | 32 | OBSOLETE |
| 1,2,3,30,31,32 | 4-29 | A | 32 | |
| 1-26,32 | 27-31 | C | 32 | 4-536437-4 |
| NONE | NONE | B | 0 | OBSOLETE |
| 1-32 | NONE | A | 32 | |
| NONE | NONE | C | 0 | 4-536437-3 |
| NONE | 1-32 | B | 32 | OBSOLETE |
| 2,4,6,7,30,31,32 | 1,3,5,8-29 | A | 32 | |
| 3-31 | 1,2,32 | C | 32 | 4-536437-2 |
| 3-32 | 1,2 | B | 32 | OBSOLETE |
| 1,3-32 | 2 | A | 32 | |
| 32 | 1-31 | C | 32 | 4-536437-1 |
| NONE | NONE | B | 0 | OBSOLETE |
| 32 | 1-31 | A | 32 | |
| 31,32 | 1-30 | C | 32 | 4-536437-0 |
| 32 | 1-31 | B | 32 | OBSOLETE |
| 32 | 1-31 | A | 32 | |
| 2,6,9,20,25,28 | 1,3-5,7,8,10-19,21-24,26,27,29-32 | C | 32 | |
| 2,14,19,31 | 1,3-13,15-18,20-30,32 | B | 32 | 3-536437-9 |
| 5,8,13,15,24,27,31 | 1-4,6,7,9-12,14,16-23,25,26,28-30,32 | A | 32 | OBSOLETE |
| POSITIONS LOADED WITH 4.93[.194] CONTACTS | POSITIONS LOADED WITH 4.16[.164] CONTACTS | ROWS | NO. OF LOADED POSITION | ASSY PART NUMBER |

| | | | |
|--------------------------------------------------------------------------------------|--|-------------------------------|-----------------------------------------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DIN L. BRINER 2/6/97 | Tyco Electronics Corporation Harrisburg, PA 17105-3608 |
| DIMENSIONS: mm [INCHES] | | CHK C. RICHARD 2/6/97 | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APP'D C. RICHARD 2/6/97 | NAME |
| 0 PLG ± - 1 PLG ± - 2 PLG ± - 3 PLG ± 0.13[.005] 4 PLG ± - ANGLES ± - | | PRODUCT SPEC | PIN ASSEMBLY, EUROCARD, TYPE C WITH MFBL CONTACTS |
| MATERIAL | | APPLICATION SPEC | RESTRICTED TO |
| FINISH | | WEIGHT | SIZE CASE CODE DRAWING NO |
| | | A1 00779 C=536437 | SCALE 5:1 SHEET 3 OF 3 REV AY2 |
| CUSTOMER DRAWING | | | |

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru