




1. MATERIAL:

CAGE: NICKEL SILVER

SFP HOUSING: GLASS FILLED THERMOPLASTIC,UL: 94 V-0, COLOR: BLACK

OVERMOLD FOR TERMINALS: GLASS FILLED THERMOPLASTIC,UL: 94 V-0, COLOR: BLACK

LIGHT PIPE HOUSING: ZINC

LIGHT PIPE: POLYCARBONATE UL: 94 V-0, COLOR: CLEAR

TERMINALS: BRASS

GASKET: CONDUCTIVE SILICONE


2. FINISHES:

LIGHT PIPE HOUSING: 2.03 MICROMETERS MINIMUM NICKEL OVER 0.76 MICROMETERS MINIMUM COPPER


TERMINALS:

CONTACT AREA: 0.76 MICROMETERS MINIMUM HARD GOLD OVER NICKEL.



SOLDER TAIL: 1.90 MICROMETERS MINIMUM TIN OVER NICKEL.



ADD NOTE 8 EC NO: UCP2008-0867 DRAWN:MS BARRA 2007/11/13 CHK'D:BARBER 2007/11/30 APPR:SMILLER 2007/12/03	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>2 PLACES</td><td>± 0.25</td><td>± ---</td></tr><tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr></table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.25	± ---	1 PLACE	± ---	± ---	DIMENSION STYLE MM ONLY		SCALE 3:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
					mm	INCH																	
				4 PLACES	± ---	± ---																	
				3 PLACES	± ---	± ---																	
				2 PLACES	± 0.25	± ---																	
1 PLACE	± ---	± ---																					
DRAWN BY JLONG		DATE 08-28-03	TITLE STACKED SFP 2X1 TALL ASSEMBLY WITH SOLDER TAILS AND LIGHT PIPES																				
CHECKED BY JLONG		DATE 08-28-03																					
APPROVED BY REGNIER		DATE 08-29-03	MOLEX MOLEX INCORPORATED																				
MATERIAL NO. 753100001		DOCUMENT NO. SD-75310-100			SHEET NO. 2 OF 3																		
D	REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SIZE B	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			



CONNECTOR PIN-OUT
COMPONENT SIDE OF BOARD



SECTION Z-Z

COSMETIC CLASS EC NO: UCP2008-0867 D DRWN:MSIBARRA 2007/11/13 CHKD:BBARKER 2007/11/30 APPR:SMILLER 2007/12/03	DESCRIPTION	QUALITY SYMBOLS ▽ - 0 ∇ - 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 2:1	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION	REVISE ON CAD ONLY			
				mm	INCH	DIMENSION STYLE MM ONLY		TITLE STACKED SFP 2X1 TALL ASSEMBLY WITH SOLDER TAILS AND LIGHT PIPES			
			4 PLACES	± ---	± ---	DRAWN BY JLONG					DATE 08-28-03
			3 PLACES	± ---	± ---	CHECKED BY JLONG		DATE 08-28-03	molex MOLEX INCORPORATED		
			2 PLACES	± 0.25	± ---	APPROVED BY REGNIER		DATE 08-29-03			
1 PLACE	± ---	± ---	ANGULAR ± 5 °								
			DRAFT WHERE APPLICABLE								
			MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						
	REV										

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru