





PRODUCT NUMBER
10127403-00H4200LF



spec ref -				dr	De-Ming Lu	2016/03/23	projection mm	size	A2	scale	2:1		
tolerance std				eng	De-Ming Lu	2016/04/04		ecn no -					
ISO 406				chr	Fancy Zhang	2016/04/04		rel level					
ISO 1101				appr	Pei-Ming Zheng	2016/04/04		product family		PwrBlade ULTRA		Released	
TOLERANCES UNLESS OTHERWISE SPECIFIED				Amphenol FCI	title	12S+2LP, SOLDER				dwg no	10127403-00H4200		rev
surface				linear	0.X	±0.5	VERT RECEPTACLE, PwrBlade ULTRA				A		
				0.XX	±0.25								
				0.XXX	±0.130								
ISO 1302				angular	0°	±2°	cat. no. -				Product - Customer Drw		sheet 1 of 3

PDS: Rev :A

STATUS:Released

Printed: Apr 05, 2016

1

2

3

4

5

6

7

8

PRODUCT NUMBER

10127403-00H4200LF

A

NOTES:

1.

"FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE P/N CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.

2.

MATERIALS:
HOUSING: GLASS FILLED WITH HIGH TEMP POLYAMIDE, UL94V-0.
POWER CONTACTS: COPPER ALLOY.
SIGNAL CONTACTS: COPPER ALLOY.
HOLD DOWN: COPPER ALLOY.

3.

PLATING SPECIFICATION: FCI 10135186.

4.

DENOTES CONNECTOR KEEP OUT ZONE.

5.

DATUM AND BASIC DIMENSION ARE ESTABLISHED BY CUSTOMER.

6.

ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.

7.

1.150±0.025mm DRILLED HOLE PLATED WITH 7.62µm MIN Sn OVER
25.4µm-76.2µm Cu PLATING TO ACHIEVE A 1.02±0.07mm FINISHED HOLE.

8.

PRODUCT SPECIFICATION: FCI GS-12-11176.
APPLICATION SPECIFICATION: FCI GS-20-0389.
PRODUCT PACKAGE SPECIFICATION: FCI GS-14-2354.

9.

THE VOID CORING BETWEEN POWER MODULES, SIGNAL MODULES AND END MODULES ARE
OPTIONAL AND THE SHAPE MAY BE DIFFERENT TO OPTIMIZE THE MOLDING
PROCESS. THE VOID CORING WILL NOT EFFECT THE PRODUCT FUNCTION.

Amphenol
FCi

D

E

F

spec ref

-

tolerance std

ISO 406
ISO 1101

surface

ISO 1302

TOLERANCES UNLESS
OTHERWISE SPECIFIED

linear

0.X

±0.5

0.XX

±0.25

0.XXX

±0.130

angular

0°

±2°

dr

De-Ming Lu

2016/03/23

eng

De-Ming Lu

2016/04/04

chr

Fancy Zhang

2016/04/04

appr

Pei-Ming Zheng

2016/04/04

Amphenol
FCi

title

12S+2LP, SOLDER
VERT RECEPTACLE, PwrBlade ULTRA

cat. no.

-

projection

mm

size

A2

scale

2:1

ecn no

-

product family

PwrBlade ULTRA

rel level

Released

dwg no

10127403-00H4200

rev

A

Product - Customer Drw

sheet 3 of 3

1

2

3

4

5

PDS: Rev :A

STATUS:Released

Printed: Apr 05, 2016

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru