







LOC	DIST	REVISIONS			
		REV	DESCRIPTION	DATE	BY
GP	00	A6	REVISED PER ECO-12-008936	20JUL2012	JL WK



1. MATERIAL:
HOUSING: THERMOPLASTIC, WITH 30% GLASS FIBER FILLED, UL 94V-0 RATED, COLOR: IVORY.
CONTACTS: PHOSPHOR BRONZE, THICKNESS=0.20mm.
SHIELD: STEEL ALLOY, THICKNESS=0.20mm.
2. FINISH:
CONTACT: 30μ" MIN GOLD PLATED ON CONTACT AREA.
80μ" MIN MATTE TIN PLATED ON SOLDERTAILS.
50μ" MIN NICKEL UNDERPLATE ALL OVER.
SHIELD: GOLD FLASH ON SOLDERING AREA. 30μ" MIN NICKEL UNDERPLATED ALL OVER.
3. FINISH:
CONTACT: 10μ" MIN GOLD PLATED ON CONTACT AREA.
80μ" MIN MATTE TIN PLATED ON SOLDERTAILS.
50μ" MIN NICKEL UNDERPLATE ALL OVER.
SHIELD: GOLD FLASH ON SOLDERING AREA. 30μ" MIN NICKEL UNDERPLATED ALL OVER.
4. SWITCH: NORMALLY OPEN.
5. REFLOW SOLDER CAPABLE TO 260°C PER TE CONNECTIVITY SPEC 109-201, CONDITION B.



CIRCUIT:




RECOMMENDED PCB LAYOUT
TOLERANCES: ±0.05mm



3	REEL	2041021-4
3	TRAY	2041021-3
2	REEL	2041021-2
2	TRAY	2041021-1
FINISH	PACKAGING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT. DATE: 25/06/08
BY: B. MCMASTER
CHK: D. SORENC
APP: D. SORENC
TOLERANCES UNLESS OTHERWISE SPECIFIED:
DIMENSIONS: 0 PLC ± 0.5, 1 PLC ± 0.3, 2 PLC ± 0.3, 3 PLC ± 0.2, 4 PLC ± 0.2, ANGLES ± 0.5
MATERIAL: 1
FINISH: 2, 3
WEIGHT: —
CUSTOMER DRAWING


TE Connectivity
SECURE DIGITAL CARD CONNECTOR
SIZE: A1, CASE CODE: 00779, DRAWING NO: C=2041021, RESTRICTED TO: A6
SCALE: 5:1, SHEET: 1 OF 3, REV: A6




DETAIL A
PART ORIENTATION
SHOWN FOR REFERENCE







TRAY PACKAGING FOR
2041021-1 AND 2041021-3
48 PIECES PER TRAY.
-NTS-





8 REELS
PER CARTON



TAPE AND REEL PACKAGING FOR
2041021-2 AND 2041021-4
300 PIECES PER REEL
—NTS—

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG. B. MCMASTER 25/EK08		TE Connectivity	
CHG. D. GORENC 25/EK08		NAME		SECURE DIGITAL CARD CONNECTOR	
APPRO. D. GORENC 25/EK08		PRODUCT SPEC		RESTRICTED TO	
APPLICATION SPEC		SIZE		DATE CODE	
MATERIAL		WEIGHT		DRAWING NO	
FINISH		CUSTOMER DRAWING		REV	
SCALE		SHEET		REV	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru