









DETAIL D
SCALE 10:1

NOTES:




- ① 0,2 μm MIN. GOLD OVER 1,3 μm MIN. NICKEL IN CONTACT AREA.
- ② 0,8 μm MIN. GOLD OVER 1,3 μm MIN. NICKEL IN CONTACT AREA.
- ③ 0-338966-9 SUITABLE FOR PCB THICKNESS 0,9 +/- 0,1 mm.
1-338966-2 SUITABLE FOR PCB THICKNESS 1,2 +/- 0,1 mm.
- 4 APPLICABLE PERFORMANCE REQUIREMENTS:
SEE AMP PRODUCT-SPECIFICATION 108-19184
- 5 APPLICATION REQUIREMENTS:
SEE AMP APPLICATION-SPECIFICATION 114-19060.
- 6 PRODUCTS ARE PACKAGED AS FOLLOWS:
250 PCS. IN A PLASTIC BAG. (BULK)
1 PLASTIC BAG IN AN INTERNAL BOX.
10 INTERNAL BOXES IN A SHIPPING BOX.
(OUTSIDE DIMENSIONS: 356 X 305 X 152 mm).

ORDER NUMBER X-338966-X $\triangle_3$

2	IN-PHONE CONTACT	COPPER ALLOY		GOLD PLATED	
1	SYSTEM CONN. HOUSING	LCP, 30% GF, UL 94 V-0		BLACK	
ITEM NO.	DESCRIPTION	MATERIAL		FINISH	
DWN	J.V.D.HEIJDEN. 10 APR 99	 TYCO ELECTRONICS NEDERLAND B.V. 's-HERTOGENBOSCH, THE NETHERLANDS			
CHK	CvTILBURG. 10 APR 99				
APVD					
PRODUCT SPEC					
APPLICATION SPEC	SIZE	CAGE CODE	DRAWING NO	RESTR TO	
WEIGHT	A2	00779	C-338966	-	
CUSTOMER DRAWING			SCALE 5:1	SHEET 1 OF 2	REV C

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TICO ELECTRONICS NEDERLAND B.V. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN J.V.D.HEIJDEN, 10 APR 99
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK CvTILBURG, 10 APR 99
	0 PLC ± 0,2	APVD
	1 PLC ± 0,15	PRODUCT SPEC
	2 PLC ± 0,10	-
	3 PLC ± -	APPLICATION SPEC
	4 PLC ± -	-
ANGLES ± 1°		
MATERIAL	FINISH	WEIGHT
-	-	-
		CUSTOMER DRAW

LOC	DIST	LTR	REVISION RECORD	DATE	APVD
H	-	-	SEE SHEET 1	-	-
		-	-	-	-
		-	-	-	-



- NOTES:
- 1 PLATING OF CONTACT AREA:
MIN. 0,2µm GOLD OVER MIN. 1,3 µm NICKEL.
 - 2 NO SOLDERMASK PERMITTED IN MOUNTING AREA OF
CONNECTOR. (BOTH SIDES OF THE BOARD)

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS NEDERLAND B.V. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN J.V.D.HEIJDEN, 10 MRT 99	AMP TYCO ELECTRONICS NEDERLAND B.V. 's-HERTOGENBOSCH, THE NETHERLANDS		
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	CHK C.V.TILBURG.	NAME		
	0 PLC ± 0,2	APVD -	I/O CONNECTOR 12 POSITION WITH KEYING		
	1 PLC ± 0,15	PRODUCT SPEC -			
	2 PLC ± 0,10	APPLICATION SPEC -	SIZE A2	CAGE CODE 00779	DRAWING NO C-338966
	3 PLC ± -	WEIGHT -	RESTR TO -		
MATERIAL -	FINISH -	CUSTOMER DRAWING		SCALE 5:1	SHEET 2 OF 2
				REV C	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru