

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	ECR-14-002248	19FEB2014	GK	HMR


REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2266014-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1528273
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1528273

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN GOPALAKRISHNA HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME FINE ADJUST SIDE FEED HD-I APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1528273	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV A1

THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		20
(C) COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.				
PART NUMBER	REV	TERMINATOR	FEED TYPE	DESCRIPTION
1528273-1	A	LEADMAKER	MECH POST FEED	CUTS CARRIER
1528273-2	A	BENCH	MECH PRE FEED	CUTS CARRIER
1528273-6	A	LEADMAKER	MECH POST FEED	CONTINUOUS CARRIER
7-1528273-1	A	LEADMAKER	MECH POST FEED	-1 AND SPARE PARTS
7-1528273-2	A	BENCH	MECH PRE FEED	-2 AND SPARE PARTS
7-1528273-6	A	LEADMAKER	MECH POST FEED	-6 AND SPARE PARTS
7-1528273-7	A	-	-	SPARE PARTS KIT

CRIMP DATA		TERMINAL		TERMINAL SPECS	
TERMINAL NAME: CONTACT RECEPTACLE .070 TYPE					
CRIMP	SIZE	TYPE	RANGE		
WIRE	2.29 [.090 IN]	F	0.50-2.00mm ² or 20-14 AWG 		
INSUL	3.56 [.140 IN]	O	1.20-2.70 [.047-.106 IN]		
WIRE STRIP LENGTH 4.00-4.50 [.157-.177 IN]				APPL INSTRUCTIONS  408-8322 & 408-8490	
TERMINAL	114-8004 	-		FEED	
APPL SPEC	-	-		9.80 [.386 IN]	
TERMINALS APPLIED					
TERMINAL	SEAL	-	-	-	-
184030	184139	-	-	-	-
184289	184140	-	-	-	-
-	184141	-	-	-	-
-	-	-	-	-	-
WIRE SIZE		CRIMP HEIGHT		REF SETTINGS	
2.00mm ² or 14AWG		1.70 ±0.05 [.067 ±.002 IN]		B 2	
1.50mm ²		1.50 ±0.05 [.059 ±.002 IN]		C 5	
1.20mm ² or 16AWG		1.45 ±0.05 [.057 ±.002 IN]		C 8	
1.00mm ²		1.29 ±0.05 [.051 ±.002 IN]		E 0	
0.80mm ² or 18AWG		1.24 ±0.05 [.049 ±.002 IN]		E 2	
0.75mm ²		1.24 ±0.05 [.049 ±.002 IN]		E 2	
0.60mm ²		1.19 ±0.05 [.047 ±.002 IN]		E 5	
0.50mm ² or 20AWG		1.17 ±0.05 [.046 ±.002 IN]		E 9	
-		-		-	
-		-		-	
-		-		-	
-		-		-	
-		-		-	




△ RECOMMENDED SPARE PARTS.

2. GREASE RAM, CAM, CAM FOLLOWER AND FEED ROD LIGHTLY
- △ 3. CERTAIN TERMINALS REQUIRE LUBRICATION. REFER TO THE APPLICATOR INSTRUCTION SHEET FOR MORE INFORMATION.
4. LUBRICATE DAILY PER THE APPLICATOR INSTRUCTION SHEET SUPPLIED WITH THE APPLICATOR.
- △ 5. THIS APPLICATOR APPLIES TERMINAL WITH A SEAL.
 SEAL PART NO. 184139 INSULATION DIA. RANGE 1.2 - 1.7.
 SEAL PART NO. 184140 INSULATION DIA. RANGE 1.6 - 2.1.
 SEAL PART NO. 184141 INSULATION DIA. RANGE 2.2 - 2.7.
- △ 6. APPLY TORQ-SEAL IN ALLEN SOCKET TO FILL HOLE AFTER FLAT HD HAS BEEN ADJUSTED TO CORRECT HEIGHT AT QUALIFICATION. APPLY #1-23419-5 LOC-TITE TO THREADS.
- △ 7. MIN. TENSILE VALUE FOR 0.50mm² & 0.60mm² TO BE 80 N.

VIEW B ROTATED 180°

POST-FEED 40mm STROKE	POST-FEED 30mm STROKE	PRE-FEED 30mm STROKE	PRE-FEED 40mm STROKE



-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	74
-77	-76	-72	-71	-6	-2	-1	PART NO	DESCRIPTION	ITEM NO	

SET UP GAGE 458637-3		LOC A	B1ST 66	REVISIONS										
P		LTR	DESCRIPTION							DATE	DWN	APVD		
		A	ECO-08-027762							07NOV2008	LJL	MC		
-	-	-	-	-	-	-	-	-	-	-	73			
-	-	-	-	-	-	-	-	-	-	-	72			
-	1	1	1	1	1	1	1	1338705-3	DOCUMENTATION PACKAGE	-	71			
-	-	-	-	-	-	-	-	-	-	-	70			
-	-	-	-	-	-	-	-	-	-	-	69			
-	-	-	-	-	-	-	-	-	-	-	68			
-	1	1	1	1	1	1	1	461264-5	PLATE, IDENTIFICATION	-	67			
-	2	2	2	2	2	2	2	21017-2	SCREW, DRIVE	-	66			
-	-	-	-	-	-	-	-	-	-	-	65			
-	-	-	-	-	-	-	-	-	-	-	64			
-	1	1	1	1	1	1	1	3-18031-0	SCR, SET, CUP POINT M6 X 6.0	-	63			
-	-	-	-	-	-	-	-	-	-	-	62			
-	2	2	2	2	2	2	2	2-18032-5	SCR, SET, FLT POINT M5 X 20.0	-	61			
-	1	1	1	1	1	1	1	18024-7	SCR, BTN SKT HD CAP (M4 X 10.0)	-	60			
-	1	1	1	1	1	1	1	5-18022-2	SCR, HEX HD CAP M4 X 8.0	-	59			
-	-	-	-	-	-	-	-	-	-	-	58			
-	1	1	1	1	1	1	1	985575-3	SCR, FLT SKT HD CAP M3 X 10.0	-	57			
-	1	1	1	1	1	1	1	1338685-1	PAWL, FEED	-	56			
-	-	-	-	-	-	-	-	-	-	-	55			
-	4	4	4	4	4	4	4	18024-8	SCR, BTN SKT HD CAP (M4 X 12.0)	-	54			
-	2	2	2	2	2	2	2	1-18023-2	SCR, SKT HD CAP M4 X 12.0	-	53			
-	1	1	1	1	1	1	1	18030-1	NUT, HEX, REG M3	-	52			
-	1	1	1	1	1	1	1	811242-5	BUMPER, HOLD DOWN	-	51			
-	1	1	1	1	1	1	1	690753-2	SPACER, TONKER	-	50			
-	1	1	1	1	1	1	1	18024-3	SCR, BTN SKT HD CAP (M3 X 10.0)	-	49			
-	-	1	-	-	1	-	-	1338675-1	CAM, UNIVERSAL PRE FEED	-	48			
-	1	-	1	1	-	1	-	1338676-1	CAM, UNIVERSAL POST-FEED	-	47			
-	1	1	1	1	1	1	1	1320999-3	APPLICATOR SUBASSEMBLY, HDI	-	46			
-	1	1	1	1	1	1	1	690191-1	PLUG, NYLON	-	45			
-	1	1	1	1	1	1	1	1338660-1	RAM	-	44			
-	-	-	-	-	-	-	-	-	-	-	43			
-	-	-	-	-	-	-	-	-	-	-	42			
-	1	1	1	1	1	1	1	2-18024-6	SCR, BTN SKT HD CAP (M8 X 25.0)	-	41			
-	-	-	-	-	-	-	-	-	-	-	40			
-	1	1	1	1	1	1	1	690125-1	SHIM SUB-ASSY	-	39			
-	1	1	1	1	1	1	1	469367-9	SHIM	-	38			
-	1	1	1	1	1	1	1	879103-2	FINE ADJUST HEAD ASSEMBLY	-	37			
-	-	-	-	-	-	-	-	-	-	-	36			
-	-	-	-	-	-	-	-	-	-	-	35			
-	1	1	1	1	1	1	1	1320934-1	SUPPORT, TERMINAL	-	34			
-	2	2	2	2	2	2	2	1-18024-0	SCR, BTN SKT HD CAP (M4 X 20.0)	-	33			
-	1	1	1	1	1	1	1	18027-2	WASHER, FLAT, REG M4	-	32			
-	1	1	1	1	1	1	1	1-18023-2	SCR, SKT HD CAP M4 X 12.0	-	31			
-	1	1	1	1	1	1	1	1320908-1	SPACER, STRIP GUIDE	-	30			
-	1	1	1	1	1	1	1	1633073-1	STRIP GUIDE ASSEMBLY	-	29			
-	1	1	1	1	1	1	1	1-455888-7	SPACER, CRIMPER	-	28			
-	2	2	2	2	2	2	2	1-22284-0	SPRING, COMPRESSION	-	27			
-	1	1	1	1	1	1	1	356835-1	LEVER, DRAG RELEASE	-	26			
-	1	1	1	1	1	1	1	240792-1	DRAG, TERMINAL	-	25			
-	1	1	1	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	-	24			
-	1	1	1	1	1	1	1	980371-4	SCR, SKT HD SHLDR 5.0 DIA X 6.0	-	23			
-	1	-	1	1	-	1	-	690472-2	STRIPPER	-	22			
-	1	1	1	1	1	1	1	1-18023-1	SCR, SKT HD CAP M4 X 10.0	-	21			
-	4	4	4	4	4	4	4	18025-2	WASHER, SPRG LOCK, REG M4	-	20			
-	-	1	-	-	1	-	-	690472-1	STRIPPER	-	19			
-	-	-	-	-	-	-	-	-	-	-	18			
-	1	-	-	1	-	-	-	1338684-2	SHEAR HOLDER, FRONT	-	17			
-	-	-	-	-	-	-	-	-	-	-	16			
-	-	-	-	-	-	-	-	-	-	-	15			
-	-	-	-	-	-	-	-	-	-	-	14			
-	-	-	-	-	-	-	-	-	-	-	13			
-	1	1	1	1	1	1	1	3-22280-3	SPRING, COMPRESSION	-	12			
-	1	1	1	1	1	1	1	356885-5	STOP, SHEAR	-	11			
-	-	1	1	-	1	1	1	1-1320921-0	SHEAR HOLDER, FRONT, CUT	-	10			
-	1	1	1	1	1	1	1	318707-1	FLOATING SHEAR, FRONT	-	9			
1	2	2	2	1	1	1	1	3-1333205-2	ANVIL, COMBINATION	-	8			
-	-	-	-	-	-	-	-	-	-	-	7			
-	-	-	-	-	-	-	-	-	-	-	6			
-	1	1	1	1	1	1	1	1338680-2	DEPRESSOR, SHEAR	-	5			
-	1	1	1	1	1	1	1	1-238011-0	BLOCK, CRIMPER SPACER	-	4			
1	2	2	2	1	1	1	1	5-683454-0	CRIMPER, INSULATION O	-	3			
-	1	1	1	1	1	1	1	455888-7	SPACER, CRIMPER	-	2			
1	2	2	2	1	1	1	1	3-456406-3	CRIMPER, WIRE PREMIUM	-	1			
-77-76-72-71-6-2-1										PART NO		DESCRIPTION		ITEM NO
THIS DRAWING IS A CONTROLLED DOCUMENT OF THE INFORMATION CONTAINED HEREIN IS SUBJECT TO THE PROTECTIVE ORDER OF THE UNITED STATES GOVERNMENT										DWN L LOFHOUSE 07NOV2008		Tyco Electronics Tyco Electronics Harrisburg, PA 17105-3608		
DIMENSIONS: mm (IN)										APVD M CLIFFORD 07NOV2008		NAME		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.0005 1 PLC ±.0005 2 PLC ±.0005 3 PLC ±.0005 4 PLC ±.0005										PRODUCT SPEC		SIZE		RESTRICTED TO
MATERIAL -														

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru