




LOC		DIST		REVISIONS						
GP		00		P	LTR	DESCRIPTION		DATE	DWN	APVD
					A	RELEASED PER ECO-09-019324		20AUG2009	RG	RL

D

C

B

A



1. PART NUMBER CHANGES AND OR DESIGN CHANGES AFFECTING ITEM INTERCHANGEABILITY REQUIRE PRIOR TYCO ELECTRONICS APPROVAL AND AUTHORIZATION BY REVISION TO THIS DRAWING.

2. MATERIAL:
INSULATOR - THERMOPLASTIC, GLASS REINFORCED UL94V-0
COLOR: BLACK, FLAMIMABILITY RATED
CONTACTS - COPPER ALLOY

3. FINISH:
POWER CONTACT - SELECTIVE GOLD PLATE 0.76µm MIN THK.
OVER NICKEL 1.27µm MIN THK.
SMT TAILS - TIN PLATE 3.05µm MIN. THK. OVER
NICKEL 1.27µm MIN. THK.
SIGNAL CONTACT - SLECTIVE GOLD PLATE 0.76µm MIN THK.
OVER NICKEL 1.27µm MIN THK.
SMT TAILS - MATTE TIN PLATE 3.81µm MIN THK.
OVER NICKEL 1.27µm MIN THK.

4. A REFERENCE DIMENSION (X.XX) IS WITHOUT TOLERANCE AND USED FOR INFORMATION PURPOSE ONLY.

5. ITEMS PROVIDED TO THIS SPECIFICATION TO BE PERMANENTLY IDENTIFIED PER THE FOLLOWING IDENTIFIER:

TYCO ELECTRONICS P/N
XXXXXXX-X
DATE CODE (e.g. 0525)
XXXX
YEAR 11 WEEK


6. DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.

7. MAXIMUM BURR OF 0.013 ON CARD TAB AREA.

8. CONNECTOR ACCEPTS 1.57±0.13 THK. PC BOARD.

9. KEEP OUT AREA FOR COMPONENTS ONLY.

10. RECOMMENDED GOLD FINGER LENGTH FOR RELIABLE CONTACT.



DETAIL C
SCALE 12:1

GF30	5.24	2.92 - 3.55	1926819-8
	4.61	2.29 - 2.92	1926819-7
	4.19	1.57 - 2.29	1926819-6
	3.68	≤ 1.57	1926819-5
GF45	5.24	2.92 - 3.55	1926819-4
	4.61	2.29 - 2.92	1926819-3
	4.19	1.57 - 2.29	1926819-2
	3.68	≤ 1.57	1926819-1
MATERIAL 2	DIM "A"	BOARD THICKNESS RANGE	PART NO.

DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN R. GRZYBOWSKI 16APR2008		Tyco Electronics Harrisburg, PA 17105-3608	
mm		0 PLC ±.25 1 PLC ±.25 2 PLC ±.08 3 PLC ±.08 4 PLC ±.08 ANGLES ±.3		CHK P.DAMATO 16APR2008		NAME HOUSING, SOCKET, 3 POWER, 24 SIGNAL NO LATCH, MINI CROWN EDGE	
MATERIAL 2		FINISH 3		APVD S. CLICKINGER 16APR2008		SIZE CAGE CODE DRAWING NO	
				PRODUCT SPEC		RESTRICTED TO	
				APPLICATION SPEC		A100779C=1926819	
				WEIGHT		SCALE 8:1 SHEET 1 OF 2 REV A	
				CUSTOMER DRAWING			



THIS DRAWING IS A COMPUTER GENERATED FILE. ALL DIMENSIONS AND TOLERANCES SHOULD BE CHECKED FOR THE LATEST REVISION.		DWN 16APR2008 GRZYBOWSKI CHG 16APR2008 P.DAMATO APP'D 16APR2008 S. FICKLINGER		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC + .25 2 PLC + .08 3 PLC + .08 4 PLC + .08 ANGLES ± .3		NAME HOUSING, SOCKET, 3 POWER, 24 SIGNAL NO LATCH, MINI CROWN EDGE	
		PRODUCT SPEC APPLICATION SPEC		SIZE CAGE CODE DRAWING NO A100779C1926819	
MATERIAL -		FINISH -		RESTRICTED TO -	
		WEIGHT -		CUSTOMER DRAWING SCALE 8:1 SHEET 2 OF 2 REV A	

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru