

10

9

8

7

6



5

4

3

2

1



NOTES:

1.MATERIAL:

HOUSING: THERMAL PLASTIC, GLASS FILLED, UL94V-0, COLOR: BLACK;
COVER: THERMAL PLASTIC, COLOR: BLACK;
TERMINAL: COPPER ALLOY.

2.TERMINAL:




CONTACT AREA: GOLD PLATED;
SOLDER TAIL: TIN, THICKNESS=1.27 MICRONS MINIMUM;
UNDER PLATE: NICKEL, THICKNESS=1.27 MICRONS MINIMUM.

3.PACKAGING: TRAY, REFER TO PK-67489-001.

4.PRODUCT SPECIFICATION REFER TO PS-67490-00*.

5.MATING PART 67490,67491,67811,47080 SERIES.

6.PRODUCT COMPLIANT TO RoHS DIRECTIVE 2002/95/EC AND ELV DIRECTIVE 2000/53/EC.



P/N	COMMENTS
67489-1001	GOLD FLASH
67489-1002	GOLD PLATED 0.76 MICRONS
67489-1005	GOLD PLATED 0.38 MICRONS
67489-1081	GOLD FLASH & HALOGEN FREE

NO CHANGE	EC NO: SH2009-0563	2009/02/25	2009/02/25	2009/04/08
DRWN:XQZHANG	CHKD:XJ SONG	APPR:HMWANG		
REV	DESCRIPTION			
D				

QUALITY SYMBOLS
▽=0
▽=0

GENERAL TOLERANCES (UNLESS SPECIFIED)	
4 PLACES	± ---
3 PLACES	± ---
2 PLACES	± 0.2
1 PLACE	± 0.3
ANGULAR ± 1 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
GRATE MA	2004/03/25
CHECKED BY	DATE
YAJUN	2004/03/25
APPROVED BY	DATE
SAM	2004/03/25
MATERIAL NO.	
SEE TABLE	
SIZE	
A3	

SCALE 1:1	DESIGN UNITS METRIC		THIRD ANGLE PROJECTION
TITLE SERIAL ATA RECEPTACLE SIGNAL CABLE CONNECTOR WITHOUT METAL LATCH			
	MOLEX INCORPORATED		
DOCUMENT NO. SD-67489-003			SHEET NO. 1 OF 2
AINS INFORMATION THAT IS PROPRIETARY TO MOLEX SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

9

8

7

6

5

4

3

2

1

10 9 8 7 6 5 4 3 2 1

F






E

D

C

B

A



THESE ARE ONLY FOR 67489-80**, OTHERS
INFORMATION ARE REFERED TO 67489-1001.

P/N	PLATING TYPE	REMARK
67489-8001	GOLD FLASH	WITH HALOGEN
67489-8002	GOLD PLATED 0.76 MICRONS	
67489-8005	GOLD PLATED 0.38 MICRONS	
67489-8081	GOLD FLASH	HALOGEN FREE
67489-8082	GOLD PLATED 0.76 MICRONS	
67489-8085	GOLD PLATED 0.38 MICRONS	

ADD PART NUMBER EC NO: SH2009-0563 DRWN:XQZHANG 2009/02/25 CHKD:XJ SONG 2009/02/25 APPR:HWANG 2009/04/08	DESCRIPTION	QUALITY SYMBOLS ▽=0 ◻=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 1:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
			mm	INCH	DRAWN BY GRATE MA	DATE 2004/03/25	TITLE SERIAL ATA RECEPTACLE SIGNAL CABLE CONNECTOR WITHOUT METAL LATCH MOLEX INCORPORATED		
			4 PLACES	± ---	± ---	CHECKED BY YAJUN		DATE 2004/03/25	
			3 PLACES	± ---	± ---	APPROVED BY SAM		DATE 2004/03/25	
			2 PLACES	± 0.2	± ---	MATERIAL NO.		DOCUMENT NO.	SHEET NO.
			1 PLACE	± 0.3	± ---	SEE TABLE		SD-67489-003	2 OF 2
			ANGULAR ± 1 °		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

9 8 7 6 5 4 3 2 1

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru