


**CES-B24-SFFS-PLBK**

Order No.: 0801658

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=0801658>Sealing frame with screw locking, size B24, with flat gasket, for 10  
small sleeves**Commercial data**

EAN	 4 046356 674140
sales group	B240
Pack	1 Pcs.
Customs tariff	85472000
Gross weight in pieces	0.1777 KG
Net weight per piece	0.1777 KG

**Product notes**WEEE/RoHS-compliant since:  
06/27/2011

[http://  
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)  
Please note that the data given  
here has been taken from the  
online catalog. For comprehensive  
information and data, please refer  
to the user documentation. The  
General Terms and Conditions of  
Use apply to Internet downloads.

**Technical data****General data**

Material	PA
Inflammability class according to UL 94	V0
Color	black
Length	147 mm
Degree of protection	IP55

Ambient temperature (operation)	-40 °C ... 120 °C
Torque	2 Nm ... 4 Nm (Locking screw)
Installation instructions	M5 locking screw with 4 mm Allen screw head, 2 ... 4 Nm torque, one large sleeve requires the space of 4 small sleeves.

**Certificates / Approvals**

Certification  
 Certifications applied for:  
 Certification Ex:


**Accessories**

Item	Designation	Description
<b>General</b>		
0801727	CES-B24-WRG-BK	Flat gasket made of NBR, size B24
0801728	CES-SFFS-H	M4 replacement screw with 4 mm Allen screw head for sealing frame with screw locking
1212647	SF-BIT-HEX 3-50	Screw bit, hexagon, E6.3-1/4" drive, size: Hex 3 x 50 mm, hardened, suitable for holder according to DIN 3126-F6.3/ISO 1173


<b>Tools</b>		
1212070	SF-M BH	Bit screwdriver, with 1/4" quick-action chuck, handle length 119 mm, 2-component handle, with non-slip grip, suitable for bits according to DIN 3126-C 6.3 and E 6.3/ISO 1173, magnetic

**Drawings**

Dimensioned drawing



Dimensional drawing



Panel cutout

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2012 Phoenix Contact  
Technical modifications reserved;

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкуренеспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)  
Email: [org@lifeelectronics.ru](mailto:org@lifeelectronics.ru)