




TYPE 1
类型 1

Single PG/M thread
单个 PG/M 螺纹孔

PG/M THREAD-1
PG/M 螺纹孔-1

2X M6 SCREW
2X M6 螺丝

4X M3 THREAD
4X M3 螺纹孔

TYPE 2
类型 2

Two PG/M threads
两个 PG/M 螺纹孔


PG/M THREAD-2
PG/M 螺纹孔-2

PG/M THREAD-3
PG/M 螺纹孔-3

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	08OCT2016	DW	CW
	A1	ECR-17-018159	13DEC2017	RL	CW
	B	ECR-19-009256	23FEB2019	CD	CW

NOTES:
1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE: SEE TABLE
DEGREE OF PROTECTION: IP68 (MATED)

注释
1. 技术参数:
壳体材料: 铝合金
表面处理: 见表格
防护等级: IP68 (配合)

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN 08OCT2016 DAVID WANG CHK 08OCT2016 CHRIS WANG APVD 08OCT2016 XIANG XU		 TE Connectivity								
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME H16BPR-TGHC-PG/M-EMC-C									
		0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC 108-137191 APPLICATION SPEC 114-137191		SIZE A2		CAGE CODE -		DRAWING NO C-T192216XXXXX09		RESTRICTED TO -	
MATERIAL - -		- -		WEIGHT -		Customer Drawing		SCALE 1:1		SHEET 1 OF 2		REV B	

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:

SEE SHEET 1

备注:

见 SHEET 1

T1922160225-009	H16BPR-TGHC-2M25-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY 2M25,BLACK H16BPR上壳,中部锁定,顶出2M25,黑色	M25	M25	-	TYPE 2 类型2
T1922162150-009	H16BPR-TGHC-M50-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY M50,GREY H16BPR上壳,中部锁定,顶出M50,灰色	-	-	M50	TYPE 1 类型1
T1922161140-009	H16BPR-TGHC-M40-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY M40,SILVER WHITE H16BPR上壳,中部锁定,顶出M40,银白色	-	-	M40	
T1922161136-009	H16BPR-TGHC-PG36-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG36,SILVER WHITE H16BPR上壳,中部锁定,顶出PG36,银白色	-	-	PG36	
T1922161132-009	H16BPR-TGHC-M32-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY M32,SILVER WHITE H16BPR上壳,中部锁定,顶出M32,银白色	-	-	M32	
T1922161129-009	H16BPR-TGHC-PG29-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG29,SILVER WHITE H16BPR上壳,中部锁定,顶出PG29,银白色	-	-	PG29	
T1922161125-009	H16BPR-TGHC-M25-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY M25,SILVER WHITE H16BPR上壳,中部锁定,顶出M25,银白色	-	-	M25	
T1922161121-009	H16BPR-TGHC-PG21-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG21,SILVER WHITE H16BPR上壳,中部锁定,顶出PG21,银白色	-	-	PG21	
T1922160140-009	H16BPR-TGHC-M40-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY M40,BLACK H16BPR上壳,中部锁定,顶出M40,黑色	-	-	M40	
T1922160136-009	H16BPR-TGHC-PG36-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG36,BLACK H16BPR上壳,中部锁定,顶出PG36,黑色	-	-	PG36	
T1922160132-009	H16BPR-TGHC-M32-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY M32,BLACK H16BPR上壳,中部锁定,顶出M32,黑色	-	-	M32	
T1922160129-009	H16BPR-TGHC-PG29-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG29,BLACK H16BPR上壳,中部锁定,顶出PG29,黑色	-	-	PG29	
T1922160125-009	H16BPR-TGHC-M25-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY M25,BLACK H16BPR上壳,中部锁定,顶出M25,黑色	-	-	M25	
T1922160121-009	H16BPR-TGHC-PG21-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG21,BLACK H16BPR上壳,中部锁定,顶出PG21,黑色	-	-	PG21	
PART NUMBER 料号	DESCRIPTION 描述		PG/M THREAD-3 PG/M 螺纹-3	PG/M THREAD-2 PG/M 螺纹-2	PG/M THREAD-1 PG/M 螺纹-1	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH

MATERIAL

-

-

DWN 08OCT2016
DAVID WANG

CHK 08OCT2016
CHRIS WANG

APVD 08OCT2016
XIANG XU

PRODUCT SPEC
108-137191

APPLICATION SPEC
114-137191

WEIGHT
-

Customer Drawing

TE Connectivity

NAME
H16BPR-TGHC-PG/M-EMC-C

SIZE
A2

CAGE CODE
-

DRAWING NO
T192216XXXXX09

RESTRICTED TO
-

SCALE
1:1

SHEET
2

OF
2

REV
B

1471-9 (3/13)

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru