

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT 2019

BY - TE CONNECTIVITY

ALL RIGHTS RESERVED.

MATERIAL TABLE		
ITEM	DESCRIPTION	MATERIAL
1	LOWER CLAMP	PEEK GF 30%, BLACK
2	UPPER CLAMP	PEEK GF 30%, BLACK
3	LOCKING PIN	PEEK GF 30%, NATURAL
4	PIVOT PIN	6 7
5	CUSHION	6 5
6	ADHESIVE	ETHYL CYANOACRYLATE
7	PROTECTIVE COATING	CHROMATE-FREE EPOXY TOP COAT

2.0 MIN

THA-PDKG YYWW

3

PART MARKING

DETAIL A

SCALE 6:1

SEE
DETAIL B

SCALE 1:1

7

2X

DETAIL B

SCALE 4:1

LOCKED POSITION

RELEASE POSTION

8

13

Ø 5.1^{+0.1}_{-0.0}

5.6

2.5

R6.4

12.7

3

SEE
DETAIL A

THA-PDKG YYWW

A

2

4

5

6

1

C

E

YYWW

NOTES: UNLESS OTHERWISE SPECIFIED

1. ALL DIMENSIONS ARE NOMINAL

2. MATERIAL: SEE TABLE

3. PART MARKING: CLAMP PART FAMILY WITH YEAR/WEEK CODE AS SHOWN. FONT 2 MM MINIMUM HEIGHT

4. CLAMP MEETS REQUIREMENTS OF SAE AMS23190 TYPE III, CLASS 1, EXCLUDING PHOSPHATE ESTER BASED FLUIDS (SKYDROL LD-4), OPERATING TEMPERATURE RANGE: -65°C TO 85°C

5. CUSHION MATERIAL: CHLOROPRENE, MODIFED. MEETS THE REQUIREMENTS OF SAE AMS3207

6. ALUMINUM 5056-H32 PER ASTM B211-12

7. CHEMICAL CONVERSION COATING PER MIL-DTL-5541, TYPE II, CLASS 1A, CLEAR

8. CLAMP SIZE IDENTIFICATION

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE PER ECO-19-006198	18-APR-19	PT	LR

PART AND DIMENSION TABLE

CLAMP NO.	WEIGHT	A	B	C	ØD (RANGE)	E
THA-PDKG-03	3.5	28.5	12.9	18.2	3.18 - 6.35	3.5
THA-PDKG-05	4.6	32.5	16.5	20.2	6.35 - 9.53	3.5
THA-PDKG-07	5.7	35.7	20.1	21.6	9.53 - 12.70	3.8
THA-PDKG-09	6.7	40.0	23.7	23.9	12.70 - 15.88	3.8
THA-PDKG-11	7.8	43.2	27.3	25.4	15.88 - 19.05	4.4
THA-PDKG-13	8.9	46.2	30.9	26.7	19.05 - 22.23	4.4
THA-PDKG-15	10.2	49.8	34.5	28.6	22.23 - 25.40	4.4
THA-PDKG-17	11.6	53.1	38.1	29.8	25.40 - 28.58	5.0
THA-PDKG-19	12.9	56.2	41.7	31.6	28.58 - 31.75	5.0
THA-PDKG-21	14.2	59.3	45.3	33.3	31.75 - 34.93	5.0

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
CHK
PTALLY

26MAR2019

DIMENSIONS:

mm

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

FINISH

±

±0.3

±0.13

±0.025

±

±

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

FINISH

±

±0.3

±0.13

±0.025

±

±

-

MATERIAL

SEE
TABLE

-

APVD
RODRIGUEZ

18APR2019

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

GRAM

CUSTOMER DRAWING

NAME

COMPOSITE P-CLAMP, SIZE 03 THRU 21, DUAL CUSHION

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A206090

C-THA-PDKG-XX

-

SCALE 3:1




SHEET 1 OF 2

REV A1

TE Connectivity

COMPOSITE P-CLAMP, SIZE 03 THRU 21, DUAL CUSHION

1471-9 (3/13)



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±0.3
2 PLC	±0.13
3 PLC	±0.025
4 PLC	±
ANGLES	±
FINISH	-

MATERIAL

SEE TABLE

DWN

PTALLY

26MAR2019

CHK

-

APVD

RODRIGUEZ

18APR2019

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

GRAM

CUSTOMER DRAWING

TE Connectivity

NAME

COMPOSITE P-CLAMP, SIZE 03 THRU 21, DUAL CUSHION

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A206090	C	THA-PDKG-XX	-

SCALE

1:1

SHEET

2

OF

2

REV

A1

Компания «Life Electronics» занимается поставками электронных компонентов импортного и отечественного производства от производителей и со складов крупных дистрибьюторов Европы, Америки и Азии.

С конца 2013 года компания активно расширяет линейку поставок компонентов по направлению коаксиальный кабель, кварцевые генераторы и конденсаторы (керамические, пленочные, электролитические), за счёт заключения дистрибьюторских договоров

Мы предлагаем:

- Конкурентоспособные цены и скидки постоянным клиентам.
- Специальные условия для постоянных клиентов.
- Подбор аналогов.
- Поставку компонентов в любых объемах, удовлетворяющих вашим потребностям.
- Приемлемые сроки поставки, возможна ускоренная поставка.
- Доставку товара в любую точку России и стран СНГ.
- Комплексную поставку.
- Работу по проектам и поставку образцов.
- Формирование склада под заказчика.
- Сертификаты соответствия на поставляемую продукцию (по желанию клиента).
- Тестирование поставляемой продукции.
- Поставку компонентов, требующих военную и космическую приемку.
- Входной контроль качества.
- Наличие сертификата ISO.

В составе нашей компании организован Конструкторский отдел, призванный помогать разработчикам, и инженерам.

Конструкторский отдел помогает осуществить:

- Регистрацию проекта у производителя компонентов.
- Техническую поддержку проекта.
- Защиту от снятия компонента с производства.
- Оценку стоимости проекта по компонентам.
- Изготовление тестовой платы монтаж и пусконаладочные работы.



Тел: +7 (812) 336 43 04 (многоканальный)

Email: org@lifeelectronics.ru

www.lifeelectronics.ru